Xylene
Baker Analyzed

Material No: 8080.9025
Effective from: 2015/11/22

Product Specification

Meets ACS Specifications.

Test	Specification
Assay	>= 98.5 %
Color (APHA)	<= 10
Ethylobenzene	<= 25 %
Residue after Evaporation	<= 0.002 %
Substances Darkened by H2SO4	passes test
Sulfur Compounds (as S)	<= 0.003 %
Water (H2O)	<= 0.03 %
Trace Impurities (in ppm)	
Aluminium (Al)	<= 0.5
Barium (Ba)	<= 0.1
Boron (B)	<= 0.02
Cadmium (Cd)	<= 0.05
Calcium (Ca)	<= 0.5
Chromium (Cr)	<= 0.02
Cobalt (Co)	<= 0.02
Copper (Cu)	<= 0.02
Iron (Fe)	<= 0.1
Lead (Pb)	<= 0.1
Magnesium (Mg)	<= 0.1
Manganese (Mn)	<= 0.02
Nickel (Ni)	<= 0.02
Tin (Sn)	<= 0.1
Zinc (Zn)	<= 0.1

For questions on this Product Specification please contact Technical Service at technical.service@avantorsciences.com
Avantor Performance Materials Poland S.A. Sowinskiego 11 Gliwice 44-101 Poland Tel: +48 322392000

For Laboratory, Research or Manufacturing use.

Barbara Rykowska
Quality Assurance Coordinator

For questions on this Product Specification please contact Technical Service at technical.service@avantorsciences.com
Avantor Performance Materials Poland S.A. Sowinskiego 11 Gliwice 44-101 Poland Tel: +48 322392000