

DWK Life Sciences LLC.
1501 North Tenth Street
Millville NJ 08332

Certificate# 2100645735-01

Sold to:
VWR INTERNATIONAL LLC
P.O. BOX 2617
SECAUCUS NJ 07094

Ship to:
VWR SCIENTIFIC PRODUCTS CORP.
521 HWY. 90A
MISSOURI CITY TX 77489

Certificate of Compliance:

In accordance with applicable ISO 9001 standards, cGMP's, and Company requirements, DWK Life Sciences LLC. hereby certifies the manufactured item described above (collectively, the "Product") that:

1. General: Product has been given appropriate visual, and/or mechanical and/or electronic inspection and the results of these inspections indicate that the product meets all agreed upon contractual specifications at the time of its shipment.
2. Glass: We certify that the product made from:
TYPE I Borosilicate Glass meets the requirements for the glass grain test limits for Type I Glass when tested according to the current revisions of the USP < 660 > and EP3.2.1 Pharmacopeias
Arsenic Extraction this ware will meet the requirements as described in the current revisions of USP < 660 > and EP3.2.1 Pharmacopeias for Arsenic Extraction.
TYPE III Soda Lime Glass meets the requirements for the glass grain test limits according to the current revisions of the USP < 660 > and EP3.2.1 Pharmacopeias.
Amber Glass conforms to the light transmission limits specified in the current revision of the USP and EP Pharmacopeias.
Hydrolytic Resistance when indicated above this ware conforms to the current revisions USP < 660 > Surface Test and EP 3.2.1.A - Test for surface hydrolytic resistance.
Heavy Metals are not intentionally added to the glass compositions. Thus Contents of lead, cadmium, mercury and hexavalent chrome are in compliance with the limit values of 100 parts per million by weight for US (TPCH and CONEG) and EC regulations.
Transmissible and Bovine Spongiform Encephalopathy (TSE/BSE) - We certify that containers made from glass are free of any nonconforming animal derivatives.
3. Plastic: We certify that product made from resin material has been manufactured under controlled conditions and is in compliance with all applicable procedures and specifications.
4. Rubber: We certify that product made from rubber has been manufactured under controlled conditions and is in compliance with all applicable procedures and specifications.
5. Aluminum: We certify that product made from aluminum has been manufactured under controlled conditions and is in compliance with all applicable procedures and specifications.

Certified by: Elizabeth Wonderlin

Date: 2023-09-05 10:29

Title: QC Technician



DWK Life Sciences LLC.
1501 North Tenth Street
Millville NJ 08332

Certificate of Compliance

Certificate# 2100645735-01

Customer Material Number	: 93000-706	Customer Purchase Order	: 4515839132
DWK Part Number	: 9721205002		
DWK Description	: PIPET, SERO, GLASS, BULK, 10X0.1ML, VWR		
Cert Date	: 2023-09-05	Shipment Quantity	: 3 CAS
EPHR	: No		

Batch/Lot Number	: 23T17M	Batch/Lot Quantity	: 3 CAS
------------------	----------	--------------------	---------

Customer Material Number	: 93000-706	Customer Purchase Order	: 4515844338
DWK Part Number	: 9721205002		
DWK Description	: PIPET, SERO, GLASS, BULK, 10X0.1ML, VWR		
Cert Date	: 2023-09-05	Shipment Quantity	: 3 CAS
EPHR	: No		

Batch/Lot Number	: 23T17M	Batch/Lot Quantity	: 3 CAS
------------------	----------	--------------------	---------

Customer Material Number	: 93000-706	Customer Purchase Order	: 4515875929
DWK Part Number	: 9721205002		
DWK Description	: PIPET, SERO, GLASS, BULK, 10X0.1ML, VWR		
Cert Date	: 2023-09-05	Shipment Quantity	: 3 CAS
EPHR	: No		

Batch/Lot Number	: 23T17M	Batch/Lot Quantity	: 3 CAS
------------------	----------	--------------------	---------

Customer Material Number	: 93000-706	Customer Purchase Order	: 4515891985
DWK Part Number	: 9721205002		
DWK Description	: PIPET, SERO, GLASS, BULK, 10X0.1ML, VWR		
Cert Date	: 2023-09-05	Shipment Quantity	: 5 CAS
EPHR	: No		

Batch/Lot Number	: 23T17M	Batch/Lot Quantity	: 5 CAS
------------------	----------	--------------------	---------

Customer Material Number	: 16171-680	Customer Purchase Order	: 4515938982
DWK Part Number	: 224100-172		
DWK Description	: 20 mm Stopper, St Plug (13X20) Red Rub		
Cert Date	: 2023-09-05	Shipment Quantity	: 1 CAS
EPHR	: No		



Certificate of Compliance

DWK Life Sciences LLC.
1501 North Tenth Street
Millville NJ 08332

Certificate# 2100645735-01

Batch/Lot Number	: 0000050074	Batch/Lot Quantity	: 1 CAS
------------------	--------------	--------------------	---------

Customer Material Number	: 93000-706	Customer Purchase Order	: 4515938982
DWK Part Number	: 9721205002		
DWK Description	: PIPET, SERO, GLASS, BULK, 10X0.1ML, VWR		
Cert Date	: 2023-09-05	Shipment Quantity	: 5 CAS
EPHR	: No		

Batch/Lot Number	: 23T17M	Batch/Lot Quantity	: 5 CAS
------------------	----------	--------------------	---------

Customer Material Number	: 97046-286	Customer Purchase Order	: 4515997553
DWK Part Number	: 09-0040B		
DWK Description	: 9mm Blue Cap T/S/T		
Cert Date	: 2023-09-05	Shipment Quantity	: 10 PK
EPHR	: No		

Batch/Lot Number	: 0000037257	Batch/Lot Quantity	: 10 PK
------------------	--------------	--------------------	---------

Customer Material Number	: 16171-680	Customer Purchase Order	: 4515997553
DWK Part Number	: 224100-172		
DWK Description	: 20 mm Stopper, St Plug (13X20) Red Rub		
Cert Date	: 2023-09-05	Shipment Quantity	: 1 CAS
EPHR	: No		

Batch/Lot Number	: 0000050074	Batch/Lot Quantity	: 1 CAS
------------------	--------------	--------------------	---------

Customer Material Number	: 14235-812	Customer Purchase Order	: 4515997553
DWK Part Number	: W216900		
DWK Description	: 4 oz Btl, Fr Sq, Type III Clr, W/O Cap, Bulk		
Cert Date	: 2023-09-05	Shipment Quantity	: 3 CAS
EPHR	: No		

Batch/Lot Number	: 0000038408	Batch/Lot Quantity	: 3 CAS
------------------	--------------	--------------------	---------

Customer Material Number	: 14236-006	Customer Purchase Order	: 4515997553
DWK Part Number	: W216997		
DWK Description	: 4 oz Btl, W/M Ac Rd, Typ III Clr, Cap, Pv Ln		



Certificate of Compliance

DWK Life Sciences LLC.
1501 North Tenth Street
Millville NJ 08332

Certificate# 2100645735-01

Cert Date : 2023-09-05
EPHR : No

Shipment Quantity : 13 CAS

Batch/Lot Number : 0000048817

Batch/Lot Quantity : 13 CAS

Customer Material Number : 66010-431

Customer Purchase Order : 4515997553

DWK Part Number : 9609570000

DWK Description : VIAL, TYPE1, 27X57MM, 24-400, 4DR

Cert Date : 2023-09-05

Shipment Quantity : 2 CAS

EPHR : No

Batch/Lot Number : 2-1-1

Batch/Lot Quantity : 2 CAS