

DWK Life Sciences LLC.
1501 North Tenth Street
Millville NJ 08332

Certificate# 2100647654-01

Sold to:
VWR INTERNATIONAL LLC
P.O. BOX 2617
SECAUCUS NJ 07094

Ship to:
VWR SCIENTIFIC PRODUCTS CORP.
521 HWY. 90A
MISSOURI CITY TX 77489

Certificate of Compliance:

In accordance with applicable ISO 9001 standards, cGMP's, and Company requirements, DWK Life Sciences LLC. hereby certifies the manufactured item described above (collectively, the "Product") that:

1. General: Product has been given appropriate visual, and/or mechanical and/or electronic inspection and the results of these inspections indicate that the product meets all agreed upon contractual specifications at the time of its shipment.
2. Glass: We certify that the product made from:
 - TYPE I Borosilicate Glass meets the requirements for the glass grain test limits for Type I Glass when tested according to the current revisions of the USP < 660 > and EP3.2.1 Pharmacopeias
 - Arsenic Extraction this ware will meet the requirements as described in the current revisions of USP < 660 > and EP3.2.1 Pharmacopeias for Arsenic Extraction.
 - TYPE III Soda Lime Glass meets the requirements for the glass grain test limits according to the current revisions of the USP < 660 > and EP3.2.1 Pharmacopeias.
 - Amber Glass conforms to the light transmission limits specified in the current revision of the USP and EP Pharmacopeias.
 - Hydrolytic Resistance when indicated above this ware conforms to the current revisions USP < 660 > Surface Test and EP 3.2.1.A - Test for surface hydrolytic resistance.
 - Heavy Metals are not intentionally added to the glass compositions. Thus Contents of lead, cadmium, mercury and hexavalent chrome are in compliance with the limit values of 100 parts per million by weight for US (TPCH and CONEG) and EC regulations.
 - Transmissible and Bovine Spongiform Encephalopathy (TSE/BSE) - We certify that containers made from glass are free of any nonconforming animal derivatives.
3. Plastic: We certify that product made from resin material has been manufactured under controlled conditions and is in compliance with all applicable procedures and specifications.
4. Rubber: We certify that product made from rubber has been manufactured under controlled conditions and is in compliance with all applicable procedures and specifications.
5. Aluminum: We certify that product made from aluminum has been manufactured under controlled conditions and is in compliance with all applicable procedures and specifications.

Certified by: Elizabeth Wonderlin

Date: 2023-09-12 10:43

Title: QC Technician



DWK Life Sciences LLC.
1501 North Tenth Street
Millville NJ 08332

Certificate of Compliance

Certificate# 2100647654-01

Customer Material Number	: 14235-818	Customer Purchase Order	: 4515997553
DWK Part Number	: W216903		
DWK Description	: 2 oz Jar, Str,Type III Clr, Pv Lnr		
Cert Date	: 2023-09-12	Shipment Quantity	: 2 CAS
EPHR	: No		

Batch/Lot Number	: 0000049700	Batch/Lot Quantity	: 2 CAS
------------------	--------------	--------------------	---------

Customer Material Number	: 89239-016A	Customer Purchase Order	: 4516019934
DWK Part Number	: 89239-016A		
DWK Description	: VWR CAP BL PP PTFE/RR 9MM PK100		
Cert Date	: 2023-09-12	Shipment Quantity	: 8 CAS
EPHR	: No		

Batch/Lot Number	: 301578	Batch/Lot Quantity	: 8 CAS
------------------	----------	--------------------	---------

Customer Material Number	: 97047-630	Customer Purchase Order	: 4516019879
DWK Part Number	: 13-1000		
DWK Description	: 13-425 Vial 15x45mm, Clear 4mL		
Cert Date	: 2023-09-12	Shipment Quantity	: 14 PK
EPHR	: No		

Batch/Lot Number	: 0000044835	Batch/Lot Quantity	: 14 PK
------------------	--------------	--------------------	---------

Customer Material Number	: 97047-678	Customer Purchase Order	: 4516019879
DWK Part Number	: 13-2000		
DWK Description	: Vial 15x45mm, 4mL Amber		
Cert Date	: 2023-09-12	Shipment Quantity	: 6 PK
EPHR	: No		

Batch/Lot Number	: 0000049622	Batch/Lot Quantity	: 6 PK
------------------	--------------	--------------------	--------

Customer Material Number	: 97047-626	Customer Purchase Order	: 4516019879
DWK Part Number	: 13-0060K		
DWK Description	: 13-425 Black Cap T/S		
Cert Date	: 2023-09-12	Shipment Quantity	: 5 PK
EPHR	: No		



Certificate of Compliance

DWK Life Sciences LLC.
1501 North Tenth Street
Millville NJ 08332

Certificate# 2100647654-01

Batch/Lot Number	: 0000039088	Batch/Lot Quantity	: 5 PK
------------------	--------------	--------------------	--------

Customer Material Number	: 56947-382	Customer Purchase Order	: 4516019879
DWK Part Number	: 986741		
DWK Description	: 20 mL LS Vial, Pet, PP Cap Sep, Foil Lnr		
Cert Date	: 2023-09-12	Shipment Quantity	: 3 CAS
EPHR	: No		

Batch/Lot Number	: 0000038116	Batch/Lot Quantity	: 3 CAS
------------------	--------------	--------------------	---------

Customer Material Number	: 89495-256	Customer Purchase Order	: 4516019879
DWK Part Number	: W224221		
DWK Description	: 20mm Headspace Seal, Alum, Ptfе/Sil		
Cert Date	: 2023-09-12	Shipment Quantity	: 3 CAS
EPHR	: No		

Batch/Lot Number	: 302393	Batch/Lot Quantity	: 3 CAS
------------------	----------	--------------------	---------