

Product Number: STX7118  
Lot Number: 210504  
Manufactured Date: 2/4/2021  
Manufacturing Location: USA

## Certificate of Compliance

Texwipe certifies that the above product/material listed conforms to procedures and specifications according to Texwipe Operating Procedures and Work Instructions.

Texwipe certifies that the lot number provided under this Certificate has been inspected and tested, in accordance with Texwipe specifications.

### THE FOLLOWING INFORMATION IS PRODUCT SPECIFIC

Sterile Products: Texwipe certifies that the lot number provided under this certificate has been gamma irradiated to a sterility assurance level of  $10^{-6}$  according to the guidelines of Association for the Advancement of Medical Instrumentation.

Sterile Alcohol and Sterile Pre-wetted Wipers: Texwipe certifies that the lot number provided under this certificate has been filled with a final concentration as listed in the Certificate of Analysis and USP Purified Water solution filtered through 0.2 micron filters.

Approved By:



Christopher R. Creasy

Date: August 30, 2021

Time: 5:21:19 AM EST

TEX-QA-REC-8.2-001 Rev001

Confidential

#### Americas

Texwipe  
1210 South Park Drive  
Kernersville, North Carolina 27284  
United States  
Tel: +1 336-996-7046  
Toll Free: 800-839-9473  
E-mail: [info@texwipe.com](mailto:info@texwipe.com)

#### Europe/Middle East/Africa

Texwipe  
ITW Contamination Control BV  
Saffierlaan 5  
2132 VZ Hoofddorp  
The Netherlands  
Tel: +31-88-1307-410  
E-mail: [info@itw-cc.com](mailto:info@itw-cc.com)

#### Asia/Australia/Pacific Rim

Texwipe  
5, Circuit Street, SEPZ, LISP 1,  
Barrio Diezmo, Cabuyao, Laguna,  
Philippines, 4025  
Tel: +65-9115-8496  
E-mail: [asia@texwipe.com](mailto:asia@texwipe.com)

#### China

Texwipe  
No.4660, Pang Jin Road,  
Wujiang Economic & Technological  
Development Zone,  
Suzhou, Jiangsu, China  
Tel: +86-512-6303-3700  
E-mail: [asia@texwipe.com](mailto:asia@texwipe.com)