

Certificate of Conformity

VWR Catalogue Number	See List
Description	Ergonomic Mats, Basic Bubble and Basic Smooth
Country of Origin	Manufactured in Poland
Date of Issue (yyyy-mm-dd)	2022-03-23

Basic bubble 15 mm Thickness, Grey colour

Catalogue Number	LxW [mm]
115-1185	1200 × 1200 mm
115-1186	1200 × 1500 mm
115-1187	1200 × 1800 mm
115-1188	1200 × 2100 mm
115-1189	1200 × 2400 mm
115-1190	1200 × 2700 mm
115-1191	1200 × 3000 mm
115-1192	1200 × 3300 mm
115-1193	1200 × 3600 mm
115-1195	1200 × 4200 mm
115-1196	1200 × 4500 mm
115-1197	1200 × 4800 mm
115-1198	1200 × 5100 mm
115-1199	1200 × 5400 mm
115-1200	1200 × 5700 mm
115-1201	1200 × 6000 mm

Catalogue Number	LxW [mm]
115-1150	600 × 1200 mm
115-1151	600 × 1500 mm
115-1152	600 × 1800 mm
115-1153	600 × 2100 mm
115-1154	600 × 2400 mm
115-1155	600 × 2700 mm
115-1156	600 × 3000 mm
115-1157	600 × 3300 mm
115-1158	600 × 3600 mm
115-1159	600 × 3900 mm
115-1160	600 × 4200 mm
115-1161	600 × 4500 mm
115-1163	600 × 5100 mm
115-1164	600 × 5400 mm
115-1165	600 × 5700 mm
115-1166	600 × 6000 mm
115-1149	600 × 900 mm
115-1168	900 × 1200 mm
115-1169	900 × 1500 mm
115-1170	900 × 1800 mm
115-1171	900 × 2100 mm
115-1172	900 × 2400 mm
115-1173	900 × 2700 mm
115-1174	900 × 3000 mm

Catalogue Number	LxW [mm]
115-1175	900 × 3300 mm
115-1176	900 × 3600 mm
115-1177	900 × 3900 mm
115-1178	900 × 4200 mm
115-1179	900 × 4500 mm
115-1180	900 × 4800 mm
115-1181	900 × 5100 mm
115-1182	900 × 5400 mm
115-1183	900 × 5700 mm
115-1184	900 × 6000 mm
115-1167	900 × 900 mm

Basic Smooth 11 mm Thickness, Grey colour

Catalogue Number	LxW [mm]
115-1238	1200 × 1200 mm
115-1239	1200 × 1500 mm
115-1240	1200 × 1800 mm
115-1241	1200 × 2100 mm
115-1242	1200 × 2400 mm
115-1243	1200 × 2700 mm
115-1244	1200 × 3000 mm
115-1245	1200 × 3300 mm
115-1246	1200 × 3600 mm
115-1247	1200 × 3900 mm

Catalogue Number	LxW [mm]
115-1248	1200 × 4200 mm
115-1249	1200 × 4500 mm
115-1254	1200 × 4800 mm
115-1255	1200 × 5100 mm
115-1256	1200 × 5400 mm
115-1257	1200 × 5700 mm
115-1258	1200 × 6000 mm
115-1203	600 × 1200 mm
115-1204	600 × 1500 mm
115-1205	600 × 1800 mm
115-1206	600 × 2100 mm
115-1207	600 × 2400 mm
115-1208	600 × 2700 mm
115-1209	600 × 3000 mm
115-1210	600 × 3300 mm
115-1211	600 × 3600 mm
115-1212	600 × 3900 mm
115-1214	600 × 4500 mm
115-1215	600 × 4800 mm
115-1216	600 × 5100 mm
115-1217	600 × 5400 mm
115-1218	600 × 5700 mm
115-1219	600 × 6000 mm
115-1202	600 × 900 mm

Catalogue Number	LxW [mm]
115-1221	900 × 1200 mm
115-1222	900 × 1500 mm
115-1223	900 × 1800 mm
115-1224	900 × 2100 mm
115-1225	900 × 2400 mm
115-1226	900 × 2700 mm
115-1227	900 × 3000 mm
115-1228	900 × 3300 mm
115-1229	900 × 3600 mm
115-1230	900 × 3900 mm
115-1231	900 × 4200 mm
115-1232	900 × 4500 mm
115-1233	900 × 4800 mm
115-1234	900 × 5100 mm
115-1235	900 × 5400 mm
115-1236	900 × 5700 mm
115-1237	900 × 6000 mm
115-1220	900 × 900 mm

Quality System Compliance

Products are manufactured under the **ISO 9001:2015 and ISO 45001:2018** standard. Products are inspected and controlled through whole production processing in accordance with current applicable product specifications and QC SOP.

QC Testing

Representative products samples are collected and inspected in accordance with current applicable QC requirements.

Product Specifications

Material	Foamed Polyurethane.
Sterilization	Not Applicable.
ATP Assay	Not Applicable.
DNase & RNase Free	Not Applicable.
BSE/TSE	Not Applicable.
Cytotoxicity	Not Applicable.
Non-Pyrogenic Statement	This product is free of any detectable DNase/RNase contamination.
Latex Statement	This product is not made from natural rubber latex.
BPA Statement	No Information Available.
DEHP Statement	No Information Available.
RoHS	No substances (Lead, Cadmium, Mercury, Hexavalent Chromium (Cr6+), Poly Brominated Biphenyls (PBB), Poly Brominated Diphenyl ethers (PBDE), Bis(2-Ethyhexyl) Phthalate (DEHP), Benzyl Butyl Phthalate (BBP), Dibutyl Phthalate (DBP), Diisobutyl Phthalate (DIBP)) are used in manufacturing the raw materials and final product. No routinely analyse is performed.
REACH Statement	No substances as listed on >Substance of Very High Concern< candidate list published 2022-01-17 are used in manufacturing of the raw materials used to produce this product. No routinely analyse is performed.
Storage Conditions	Store in a dry place.
Shelf Life	2 years

Disclaimer: VWR states that this declaration will not discharge the user from their obligation to ensure the product is suitable for the intended use. The purpose of the product is for use in laboratory only.
This document has been produced electronically and is valid without a signature.