Technical DataSheet

VWR® ECO COVERALL 40G PP WITH HOOD

EU cat. No: 114-9809, 114-9810, 114-9811, 114-9812

CHARACTERISTICS


- Made of 40g non-woven SPP fabric
- White colour
- Size from S to XL
- Nature Rubber Latex Free
- Zipper closure with elastic wrist and ankle
- Comply with European Commission Directive 1935/2004/EC, Regulation (EU) No.10/2011, Regulation (EU) No.2016/1416 and Regulation (EU) 2017/752.

PHYSICAL PROPERTIES

Item		Test method	Standard
Weight(g/m2)		ISO3801	40±5
Break Tensile Properties (N/5cm)	MD	ISO13934-1	>50
	CD	ISO13934-1	>30
Elongation Rate(%)	MD	ISO13934-1	>30
	CD	ISO13934-1	>30

Imported by VWR International bv
Address: Researchpark Haasrode 2020, Geldenaaksebaan 464, B-3001 Leuven
E-mail: vwr.be@vwr.com

PRODUCTS AND DIMENSION SPECIFICATION



Unit: CM

ECN	Colour	Size	A	B	C	D	E	F	G	H	I/I'	J/J'
114-9809	White	M	165	56	70	52	20	30	66	28	12/24	9/18
114-9810	White	L	170	60	72	54	22	32	72	28	12/24	9/18
114-9811	White	XL	175	64	74	56	24	34	72	28	12/24	9/18
114-9812	White	2XL	180	68	76	58	26	36	72	28	12/24	9/18

Remark: I/J: Relax, I'/J': Stretch

PACKAGING AND STORAGE

Package/Quantity	1pcs/bag, 50bags/case
Best Storage Conditions	Temp : 0- 50°C,
	Humidity 45-85%
	without sunshine exposure
Country of Origin	China

Imported by VWR International bv
Address: Researchpark Haasrode 2020, Geldenaaksebaan 464, B-3001 Leuven
E-mail: vwr.be@vwr.com

QUALITY ASSURANCE CRITERIA

1. Dimension and Function - Critical (AQL1.5, S-2)
- Product dimension out of spec.
- Fabric characteristics out of spec

2. Visual Inspection/ Attributes - Major (AQL 2.5, L-II)
- Foreign Material
- Dirt
- Thread ends loose or too long(over 1cm)
- Holes/Tears
- Foul odor
- Discolor
- Wrong collar tag
- Wrong stitch
- Cloth surface applied wrongly
- Less than 6 stitches per inch
- Dimension tolerance not meet ±1inch for elastic and ±0.5inch for rest

3. Visual Inspection/Attributes - Minor (AQL 4.0, L-II)
- Sewing sundries
- Elastic band end exposed
- Sewing end falling-off
- Jumping Stitch
- Missing stitch
- Unwanted folds
- Elastic tightness non-consistent

Date of Issue: Nov 18, 2025