# TECHNICAL SPECIFICATION

**HEAD PROTECTION**

# EVOLite® Micro Peak Revolution® Wheel Ratchet Vented Linesman

White / AJD240-000-100



## DESCRIPTION

The EVOLite® is a breakthrough product enabling Health and Safety Officers to achieve new levels of compliance due to its unrivalled comfort. It is lightweight, extremely comfortable and fits the widest range of head shapes and sizes. The harness and shell are truly integrated as one to give the best performance by keeping it firmly rooted on the head, even when fully inverted. Gives added security and protection when working at height, in high winds, or when there is a high degree of activity, such as during motorway maintenance.

## OPTIONS

**White (AJD240-000-100)**

Orange (AJD240-000-800)

Green (AJD240-000-300)

Red (AJD240-000-600)

Yellow (AJD240-000-200)

## SAFETY STANDARDS

EN 397

JSP Limited. Worsham Mill. Minster Lovell. Oxford OX29 0TA. England.


Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jspsafety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

## SPECIFICATIONS

- Peak: Micro
- Lateral Deformation: Yes
- Maximum Temperature: +50˚C
- ABS Shell: Yes
- Textile: Harness
- Wheel Ratchet: Yes
- Ventilation: Yes
- Integrated Eyewear: Optional
- BSI Kitemark: Yes
- JSPCheck: Yes
- Impact Resistance: 50 Joules
- Molten Metal: Yes
- Minimum Temperature: -40˚C
- Recyclable: Shell
- Depth Adjustment: 3D Harness
- Universal Accessories Slot: Yes
- Reflective Option: Optional
- ID card holder: Optional
- Optional 4 point chinstrap (EN397 Compliant): Fitted
- Product Weight: 359g

## FEATURES



### Supreme Comfort

A 6-point terylene cradle harness system & Egyptian cotton Chamlon™ sweatband offers unrivalled comfort.



### Firmest Fit Available

The deep nape strap enables the firmest retention of any helmet, keeping it firmly rooted on the head. Available with either the Revolution® wheel ratchet or the OneTouch™ slip ratchet.



### Accessories

A universal attachment slot enables firm fitting of a range of Surefit™ safety visors, and ear defenders. EVOSpec® Integrated eyewear is also available.



### Ventilation Option

Side and rear ventilation for optimum air movement inside the shell, reducing helmet temperatures by an average 2-3 degrees.



### 3D Adjustment

The textile harness features unique 1-2-3 point depth settings. This offers the most precise fit attainable on an industrial safety helmet.



### CR2™ Reflective

Using Class RA2, high intensity reflective. CR2 is the biggest step-up in night time visibility / reflectivity of head protection to date. Conforms to Class RA2, EN12899-1.



### JSP Logo Express®

Strengthen your corporate identity by applying a company logo on a range of our safety helmets. Minimum order quantities and set-up charges apply.

## LOGO

## RANGE

JSP Limited. Worsham Mill. Minster Lovell. Oxford OX29 0TA. England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jspsafety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

- [x] Front
- [x] Back
- [x] Sides

## VIDEOS

- www.youtube.com/watch?v=r9zutN49DO62
- www.youtube.com/watch?v=LdxMNctXLbg
- www.youtube.com/watch?v=4iv_k1SEs4g
- www.youtube.com/watch?v=WXD2v6an1as&t

## DOWNLOADS

- Image Pack (ZIP)
- Declaration of Conformity (PDF)

JSP Limited. Worsham Mill. Minster Lovell. Oxford OX29 0TA. England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jspsafety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.