

DWK Life Sciences LLC.
1501 North Tenth Street
Millville NJ 08332

Certificate# 2100587630-01

Sold to:
VWR INTERNATIONAL LLC
P.O. BOX 2617
SECAUCUS NJ 07094

Ship to:
VWR SCIENTIFIC PRODUCTS CORP.
800 EAST FABYAN PKWY
BATAVIA IL 60510

Certificate of Compliance:

In accordance with applicable ISO 9001 standards, cGMP's, and Company requirements, DWK Life Sciences LLC. hereby certifies the manufactured item described above (collectively, the "Product") that:

1. General: Product has been given appropriate visual, and/or mechanical and/or electronic inspection and the results of these inspections indicate that the product meets all agreed upon contractual specifications at the time of its shipment.
2. Glass: We certify that the product made from:
TYPE I Borosilicate Glass meets the requirements for the glass grain test limits for Type I Glass when tested according to the current revisions of the USP < 660 > and EP3.2.1 Pharmacopeias
Arsenic Extraction this ware will meet the requirements as described in the current revisions of USP < 660 > and EP3.2.1 Pharmacopeias for Arsenic Extraction.
TYPE III Soda Lime Glass meets the requirements for the glass grain test limits according to the current revisions of the USP < 660 > and EP3.2.1 Pharmacopeias.
Amber Glass conforms to the light transmission limits specified in the current revision of the USP and EP Pharmacopeias.
Hydrolytic Resistance when indicated above this ware conforms to the current revisions USP < 660 > Surface Test and EP 3.2.1.A - Test for surface hydrolytic resistance.
Heavy Metals are not intentionally added to the glass compositions. Thus Contents of lead, cadmium, mercury and hexavalent chrome are in compliance with the limit values of 100 parts per million by weight for US (TPCH and CONEG) and EC regulations.
Transmissible and Bovine Spongiform Encephalopathy (TSE/BSE) - We certify that containers made from glass are free of any nonconforming animal derivatives.
3. Plastic: We certify that product made from resin material has been manufactured under controlled conditions and is in compliance with all applicable procedures and specifications.
4. Rubber: We certify that product made from rubber has been manufactured under controlled conditions and is in compliance with all applicable procedures and specifications.
5. Aluminum: We certify that product made from aluminum has been manufactured under controlled conditions and is in compliance with all applicable procedures and specifications.

Certified by: Nicole Carter

Date: 2023-03-22 12:00

Title: QC Technician



DWK Life Sciences LLC.
1501 North Tenth Street
Millville NJ 08332

Certificate of Compliance

Certificate# 2100587630-01

Customer Material Number	: 89001-490	Customer Purchase Order	: 4514625944
DWK Part Number	: 9450660015		
DWK Description	: TUBE, CULTURE, PTFE LINED, 24-410, 25X150M		
Cert Date	: 2023-03-22	Shipment Quantity	: 8 CAS
EPHR	: No		

Batch/Lot Number	: 220177415	Batch/Lot Quantity	: 8 CAS
------------------	-------------	--------------------	---------

Customer Material Number	: 89001-490	Customer Purchase Order	: 4514680973
DWK Part Number	: 9450660015		
DWK Description	: TUBE, CULTURE, PTFE LINED, 24-410, 25X150M		
Cert Date	: 2023-03-22	Shipment Quantity	: 3 CAS
EPHR	: No		

Batch/Lot Number	: 220177415	Batch/Lot Quantity	: 3 CAS
------------------	-------------	--------------------	---------

Customer Material Number	: 89001-474	Customer Purchase Order	: 4514686796
DWK Part Number	: 9450660007		
DWK Description	: TUBE, CULTURE, THREADED, 25X200MM		
Cert Date	: 2023-03-22	Shipment Quantity	: 1 CAS
EPHR	: No		

Batch/Lot Number	: 220178397	Batch/Lot Quantity	: 1 CAS
------------------	-------------	--------------------	---------

Customer Material Number	: 89001-490	Customer Purchase Order	: 4514702991
DWK Part Number	: 9450660015		
DWK Description	: TUBE, CULTURE, PTFE LINED, 24-410, 25X150M		
Cert Date	: 2023-03-22	Shipment Quantity	: 3 CAS
EPHR	: No		

Batch/Lot Number	: 220177415	Batch/Lot Quantity	: 3 CAS
------------------	-------------	--------------------	---------

Customer Material Number	: 89001-490	Customer Purchase Order	: 4514735453
DWK Part Number	: 9450660015		
DWK Description	: TUBE, CULTURE, PTFE LINED, 24-410, 25X150M		
Cert Date	: 2023-03-22	Shipment Quantity	: 3 CAS
EPHR	: No		



DWK Life Sciences LLC.
1501 North Tenth Street
Millville NJ 08332

Certificate of Compliance

Certificate# 2100587630-01

Batch/Lot Number	: 220177415	Batch/Lot Quantity	: 3 CAS
------------------	-------------	--------------------	---------

Customer Material Number	: 89001-490	Customer Purchase Order	: 4514804874
DWK Part Number	: 9450660015		
DWK Description	: TUBE, CULTURE, PTFE LINED, 24-410, 25X150M		
Cert Date	: 2023-03-22	Shipment Quantity	: 3 CAS
EPHR	: No		

Batch/Lot Number	: 220177415	Batch/Lot Quantity	: 3 CAS
------------------	-------------	--------------------	---------

Customer Material Number	: 97047-786	Customer Purchase Order	: 4515328524
DWK Part Number	: 16-2000		
DWK Description	: S/T Headspace Vial Clear 20mL		
Cert Date	: 2023-03-22	Shipment Quantity	: 7 PK
EPHR	: No		

Batch/Lot Number	: 0000045554	Batch/Lot Quantity	: 7 PK
------------------	--------------	--------------------	--------

Customer Material Number	: 16171-352	Customer Purchase Order	: 4515386056
DWK Part Number	: 223747		
DWK Description	: 100 mL Btl, Serum, Glass, Type I Clr		
Cert Date	: 2023-03-22	Shipment Quantity	: 5 CAS
EPHR	: No		

Batch/Lot Number	: 0000037394	Batch/Lot Quantity	: 5 CAS
------------------	--------------	--------------------	---------

Customer Material Number	: 16285-921	Customer Purchase Order	: 4515386056
DWK Part Number	: 227723		
DWK Description	: Cap And Insert For BOD Btl		
Cert Date	: 2023-03-22	Shipment Quantity	: 1 CAS
EPHR	: No		

Batch/Lot Number	: 0000045777	Batch/Lot Quantity	: 1 CAS
------------------	--------------	--------------------	---------

Customer Material Number	: 89217-678	Customer Purchase Order	: 4515386056
DWK Part Number	: 9200270007		
DWK Description	: CYL, TC, BUMPER, METRIC SCALE, CL"A"2000ML		



DWK Life Sciences LLC.
1501 North Tenth Street
Millville NJ 08332

Certificate of Compliance

Certificate# 2100587630-01

Cert Date : 2023-03-22
EPHR : No

Shipment Quantity : 5 CAS

Batch/Lot Number : 220177164

Batch/Lot Quantity : 5 CAS

Customer Material Number : 16171-660

Customer Purchase Order : 4515386056

DWK Part Number : 224100-180

DWK Description : 20 mm Stopper, Snap-On(13X20) Red Rub

Cert Date : 2023-03-22

Shipment Quantity : 4 CAS

EPHR : No

Batch/Lot Number : 0000038772

Batch/Lot Quantity : 4 CAS

Customer Material Number : 89079-184

Customer Purchase Order : 4515386056

DWK Part Number : 9928120016

DWK Description : FLASK, VOLUME, HD, WM, CLEAR, PTFE, 100ML

Cert Date : 2023-03-22

Shipment Quantity : 5 CAS

EPHR : No

Batch/Lot Number : 220177625

Batch/Lot Quantity : 5 CAS