TECHNICAL DATA SHEET



jo_FIT
Lady Low S1P
No. 14121

Sz. 36-42

LABELLING ACCORDING TO STANDARD

In accordance with EN ISO 20345 S1P SRC	
Form A 	▪ Ladies' safety shoe, low cut
SRC SLIP RESISTANCE	SLIP RESISTANCE: When it comes to slip resistance as defined by EN ISO 20345, SRC signifies the best possible rating a safety shoe can reach.

FIT

AREAS OF APPLICATION

	▪ Dry work areas ▪ Industry, storage, transport, construction etc. ▪ Areas where there is a risk of penetration from pointed and sharp objects (S1P)

FEATURES

Design	▪ Modern and sporty design
Padded tongue	▪ Extremely comfortable ▪ Prevents pressure points
Padded upper edge	▪ Extremely comfortable ▪ Protects the Achilles tendon
Heel loop	▪ Allows shoe to be put on quickly ▪ Comfort-Plus
Certification in accordance with DGUV 112-191	▪ Certified for orthopaedic inserts

UPPER MATERIAL	
Nubuck leather	▪ Areas of application S1 ▪ Natural material ▪ Wear-resistant ▪ Breathable

UPPER MATERIAL	
Mesh material	▪ Areas of application S1 ▪ Synthetic material ▪ Retains its shape ▪ Tear-resistant ▪ Quick drying ▪ Abrasion-resistant and light

LINING	
Fabric lining	▪ Climate-regulating ▪ Good ventilation ▪ Skin-friendly ▪ High absorption and emission of moisture
Heel pocket lining	▪ Abrasion-resistant microfibre material, sturdy ▪ Comfortable

TOE PROTECTION CAP	
Steel toe cap 	▪ Protection against impacts of min. 200 joules and pressure loading of min. 15 kN ▪ Permanent edge coverage for cushioning ▪ Ergonomically shaped ▪ Comfortable toe-room ▪ Good coverage of the little toe area

INLAY SOLE	
Full-length inlay sole 	▪ Excellent moisture absorption and release providing a comfortable foot climate ▪ Exchangeable ▪ Sturdy ▪ Antistatic

PENETRATION PROTECTION	
Metal-free penetration protection	▪ Fulfils the additional requirements for penetration protection in accordance with EN ISO 20344 / 20345 ▪ Fulfils the penetration safety standard EN 12568 ▪ Textile, penetration-resistant midsole ▪ Light and flexible: more comfort when working on the knees because of the shoe's greater elasticity ▪ Better foot-feel on uneven surfaces ▪ Good foot climate thanks to the thermo-insulating effect ▪ 100% foot coverage compared to 85% with steel midsoles ▪ 100% metal-free and antimagnetic

OUTSOLE

	jo_SPORTY deep-treaded double-density sole with profile	▪ Finished sole, glued bottom ▪ Dynamic design ▪ Excellent slip resistance ▪ Antistatic
	Outsole: rubber	▪ Colour: black/pink ▪ Particularly abrasion-resistant ▪ Heat-resistant to approx. 200°C, for short periods up to 300° C, flexible at cold temperatures to approx. -20°C ▪ Oil and fuel resistant ▪ Resistant to a large number of chemicals (acids and alkalis) ▪ Notch-resistant
	Midsole: EVA (***E**thylene **V**inyl **A**cetate)*	▪ Outstanding cushioning characteristics ▪ Low density material, thus low weight