

DWK Life Sciences LLC.
1501 North Tenth Street
Millville NJ 08332

Certificate# 2100850459-01

Sold to:
VWR INTERNATIONAL LLC
P.O. BOX 2617
SECAUCUS NJ 07094

Ship to:
VWR SCIENTIFIC PRODUCTS CORP.
521 HWY. 90A
MISSOURI CITY TX 77489

Certificate of Compliance:

In accordance with applicable ISO 9001 standards, cGMP's, and Company requirements, DWK Life Sciences LLC. hereby certifies the manufactured item described above (collectively, the "Product") that:

1. General: Product has been given appropriate visual, and/or mechanical and/or electronic inspection and the results of these inspections indicate that the product meets all agreed upon contractual specifications at the time of its shipment.
2. Glass: We certify that the product made from:
TYPE I Borosilicate Glass meets the requirements for the glass grain test limits for Type I Glass when tested according to the current revisions of the USP < 660 > and EP3.2.1 Pharmacopeias
Arsenic Extraction this ware will meet the requirements as described in the current revisions of USP < 660 > and EP3.2.1 Pharmacopeias for Arsenic Extraction.
TYPE III Soda Lime Glass meets the requirements for the glass grain test limits according to the current revisions of the USP < 660 > and EP3.2.1 Pharmacopeias.
Amber Glass conforms to the light transmission limits specified in the current revision of the USP and EP Pharmacopeias.
Hydrolytic Resistance when indicated above this ware conforms to the current revisions USP < 660 > Surface Test and EP 3.2.1.A - Test for surface hydrolytic resistance.
Heavy Metals are not intentionally added to the glass compositions. Thus Contents of lead, cadmium, mercury and hexavalent chrome are in compliance with the limit values of 100 parts per million by weight for US (TPCH and CONEG) and EC regulations.
Transmissible and Bovine Spongiform Encephalopathy (TSE/BSE) - We certify that containers made from glass are free of any nonconforming animal derivatives.
3. Plastic: We certify that product made from resin material has been manufactured under controlled conditions and is in compliance with all applicable procedures and specifications.
4. Rubber: We certify that product made from rubber has been manufactured under controlled conditions and is in compliance with all applicable procedures and specifications.
5. Aluminum: We certify that product made from aluminum has been manufactured under controlled conditions and is in compliance with all applicable procedures and specifications.

Certified by: Megan Summersill-Harvey

Date: 2025-05-23 03:04

Title: QC Technician



DWK Life Sciences LLC.
1501 North Tenth Street
Millville NJ 08332

Certificate of Compliance

Certificate# 2100850459-01

Customer Material Number	: 66012-658	Customer Purchase Order	: 4517904433
DWK Part Number	: 240680		
DWK Description	: 33-430 Cap, Phen Blk, Opn, Butyl Septa		
Cert Date	: 2025-05-23	Shipment Quantity	: 1 CAS
EPHR	: No		

Batch/Lot Number	: 0000061448	Batch/Lot Quantity	: 1 CAS
------------------	--------------	--------------------	---------

Customer Material Number	: 97048-652	Customer Purchase Order	: 4517926520
DWK Part Number	: F5-AL10		
DWK Description	: PP Syringe 10mL Luer Lock		
Cert Date	: 2025-05-23	Shipment Quantity	: 12 PK
EPHR	: No		

Batch/Lot Number	: 0000070650	Batch/Lot Quantity	: 12 PK
------------------	--------------	--------------------	---------

Customer Material Number	: 14235-818	Customer Purchase Order	: 4518058555
DWK Part Number	: W216903		
DWK Description	: 2 oz Jar, Str, Type III Clr, Pv Lnr		
Cert Date	: 2025-05-23	Shipment Quantity	: 2 CAS
EPHR	: No		

Batch/Lot Number	: 0000072056	Batch/Lot Quantity	: 2 CAS
------------------	--------------	--------------------	---------

Customer Material Number	: 14235-818	Customer Purchase Order	: 4518080880
DWK Part Number	: W216903		
DWK Description	: 2 oz Jar, Str, Type III Clr, Pv Lnr		
Cert Date	: 2025-05-23	Shipment Quantity	: 2 CAS
EPHR	: No		

Batch/Lot Number	: 0000072056	Batch/Lot Quantity	: 2 CAS
------------------	--------------	--------------------	---------

Customer Material Number	: 46610-708A	Customer Purchase Order	: 4518102783
DWK Part Number	: 46610-708A		
DWK Description	: VWR CLOSURE 9MM BLACK PTFE PK100		
Cert Date	: 2025-05-23	Shipment Quantity	: 5 CAS
EPHR	: No		



Certificate of Compliance

DWK Life Sciences LLC.
1501 North Tenth Street
Millville NJ 08332

Certificate# 2100850459-01

Batch/Lot Number	: 325353	Batch/Lot Quantity	: 5 CAS
------------------	----------	--------------------	---------

Customer Material Number	: 89239-016A	Customer Purchase Order	: 4518102783
DWK Part Number	: 89239-016A		
DWK Description	: VWR CAP BL PP PTFE/RR 9MM PK100		
Cert Date	: 2025-05-23	Shipment Quantity	: 9 CAS
EPHR	: No		

Batch/Lot Number	: 317536	Batch/Lot Quantity	: 9 CAS
------------------	----------	--------------------	---------

Customer Material Number	: 89239-022A	Customer Purchase Order	: 4518102783
DWK Part Number	: 89239-022A		
DWK Description	: VWR CAP BL PP SLIT PTFE/SIL PK100		
Cert Date	: 2025-05-23	Shipment Quantity	: 2 CAS
EPHR	: No		

Batch/Lot Number	: 322226	Batch/Lot Quantity	: 2 CAS
------------------	----------	--------------------	---------

Customer Material Number	: 89239-026A	Customer Purchase Order	: 4518102783
DWK Part Number	: 89239-026A		
DWK Description	: VWR VIAL KT CLR PTFE/SIL 9MM		
Cert Date	: 2025-05-23	Shipment Quantity	: 1 CAS
EPHR	: No		

Batch/Lot Number	: 324328	Batch/Lot Quantity	: 1 CAS
------------------	----------	--------------------	---------

Customer Material Number	: 89239-014A	Customer Purchase Order	: 4518102783
DWK Part Number	: 89239-014A		
DWK Description	: VWR SNAP CAP 11MM BL SLT PTFE PK10		
Cert Date	: 2025-05-23	Shipment Quantity	: 20 CAS
EPHR	: No		

Batch/Lot Number	: 326060	Batch/Lot Quantity	: 6 CAS
Batch/Lot Number	: 326209	Batch/Lot Quantity	: 14 CAS

Customer Material Number	: 89239-020A	Customer Purchase Order	: 4518102783
DWK Part Number	: 89239-020A		
DWK Description	: VWR CAP BL PP PTFE/SIL 9MM		



Certificate of Compliance

DWK Life Sciences LLC.
1501 North Tenth Street
Millville NJ 08332

Certificate# 2100850459-01

Cert Date	: 2025-05-23	Shipment Quantity	: 6 CAS
EPHR	: No		

Batch/Lot Number	: 313017	Batch/Lot Quantity	: 6 CAS
------------------	----------	--------------------	---------

Customer Material Number	: 16159-856	Customer Purchase Order	: 4518102666
DWK Part Number	: 219817		
DWK Description	: 250 mL Btl,Media,Clr Type I,Grad,PTFE Ln		
Cert Date	: 2025-05-23	Shipment Quantity	: 1 CAS
EPHR	: No		

Batch/Lot Number	: 0000070494	Batch/Lot Quantity	: 1 CAS
------------------	--------------	--------------------	---------

Customer Material Number	: 16628-029	Customer Purchase Order	: 4518102666
DWK Part Number	: 9151230004		
DWK Description	: BOTTLE,SPEC GRAVITY,PYCNOMETER,10ML		
Cert Date	: 2025-05-23	Shipment Quantity	: 1 CAS
EPHR	: No		

Batch/Lot Number	: 220198821	Batch/Lot Quantity	: 1 CAS
------------------	-------------	--------------------	---------

Customer Material Number	: 89001-226	Customer Purchase Order	: 4518102666
DWK Part Number	: 9200400005		
DWK Description	: CYL,TC,STOPPER,BLU CERAMIC SCALE,500ML		
Cert Date	: 2025-05-23	Shipment Quantity	: 1 CAS
EPHR	: No		

Batch/Lot Number	: 220193648	Batch/Lot Quantity	: 1 CAS
------------------	-------------	--------------------	---------

Customer Material Number	: 89079-230	Customer Purchase Order	: 4518102666
DWK Part Number	: 9928120039		
DWK Description	: FLASK,VOLUME,HD,WM,CLEAR,NO STPR,200ML		
Cert Date	: 2025-05-23	Shipment Quantity	: 2 CAS
EPHR	: No		

Batch/Lot Number	: 220200477	Batch/Lot Quantity	: 2 CAS
------------------	-------------	--------------------	---------

Customer Material Number	: 66010-265	Customer Purchase Order	: 4518102666
--------------------------	-------------	-------------------------	--------------



Certificate of Compliance

DWK Life Sciences LLC.
1501 North Tenth Street
Millville NJ 08332

Certificate# 2100850459-01

DWK Part Number	: 9609100008		
DWK Description	: VIAL, N51A, NT, 15X45MM, 13-425, 1DR		
Cert Date	: 2025-05-23	Shipment Quantity	: 1 CAS
EPHR	: No		

Batch/Lot Number	: 53-3A-2	Batch/Lot Quantity	: 1 CAS
------------------	-----------	--------------------	---------