



Technical Datasheet

VWR® COVERALL LAMINATED PP HOOD W/ZIP

CHARACTERISTICS:

- Made of non-woven laminated fabric (PP laminated with PE film)
- Multiple colours option from white and blue
- Elastic wrist with zip (one direction)
- Nature Rubber Latex Free
- Comply with European Commission Directive 1935/2004/EC, Regulation (EU) No.10/2011, Regulation (EU) No.2016/1416 and Regulation (EU) 2017/752.


PHYSICAL PROPERTIES

Item		Test method	Standard
Weight(g/m2)		ISO3801	40 ± 2
Break Tensile Properties (N/5cm)	MD	ISO13934-1	>50
	CD	ISO13934-1	>40
Elongation Rate(%)	MD	ISO13934-1	>30
	CD	ISO13934-1	>30



Technical Datasheet

PRODUCTS AND DIMENSION SPECIFICATION



Unit:CM

ECN	Colour	Size	Dimension									
			A	B	C	D	E	F	G	H	I/I'	J/J'
113-9026	White	S	165	56	70	52	20	30	66	28	12/24	9/18
113-9027	White	M	170	60	72	54	22	32	72	28	12/24	9/18
113-9028	White	L	175	64	74	56	24	34	72	28	12/24	9/18
113-9029	White	XL	180	68	76	58	26	36	72	28	12/24	9/18
113-9030	White	2XL	185	72	78	60	28	38	82	28	13/26	10/20
113-9031	White	3XL	190	76	80	62	30	40	82	28	13/26	10/20
113-9032	Blue	S	165	56	70	52	20	30	66	28	12/24	9/18
113-9033	Blue	M	170	60	72	54	22	32	72	28	12/24	9/18
113-9034	Blue	L	175	64	74	56	24	34	72	28	12/24	9/18
113-9035	Blue	XL	180	68	76	58	26	36	72	28	12/24	9/18
113-9036	Blue	2XL	185	72	78	60	28	38	82	28	13/26	10/20
113-9037	Blue	3XL	190	76	80	62	30	40	82	28	13/26	10/20
Tolerance			±1	±1	±1	±1	±1	±1	±1	±1	±1/±2	±1/±2

Remark: I/J: Relax, I'/J': Stretch



Technical Datasheet



Technical Datasheet

PACKING:

Package/Quantity	1 pcs/ bag, 50bags/Liner bag/ Case
Best Storage Conditions	Temp : 0- 50°C, Humidity : 45-85% without sunshine exposure
Country of Origin	China

QUALITY ASSURANCE CRITERIA:

1. Dimension and Function - Critical (AQL1.5, S-2)

- Product dimension out of spec.
- Fabric characteristics out of spec
- Sonic welding strength less than 15N/5cm

2. Visual Inspection/ Attributes - Major (AQL 2.5, L-II)

- Foreign Material
- Dirt
- Thread ends loose or too long(over 1cm)
- Holes/Tears
- Foul odor
- Discolor
- Wrong collar tag
- Wrong stitch
- Cloth surface applied wrongly
- Less than 3 stitches per centimeter

3. Visual Inspection/Attributes - Minor (AQL 4.0, L-II)

- Sewing sundries
- Elastic band end exposed
- Sewing end falling-off
- Jumping Stitch
- Missing stitch
- Unwanted folds
- Elastic tightness non-consistent

Disclaimer: VWR wants to state that this declaration will not discharge the user from his obligation to ensure the product is suitable for the intended use. - If there is any doubt ask us.

Date of issue: **November 2015**