

## Section 1 Identification

Page E1 of E2



5100 West Henrietta Rd  
PO Box 92912  
Rochester, NY 14692-9012  
Tel: (800) 962-2660

Boreal Science  
6040 Cantay Road  
Mississauga, Ontario  
L5R 4J2 Canada  
Tel: (800) 387-9393

**CHEMTREC 24 Hour Emergency**  
**Phone Number (800) 424-9300**  
For laboratory and industrial use only.  
Not for drug, food or household use.

**Product** ALUMINUM SULFATE, 1 MOLAR SOLUTION

**Synonyms** Aluminum Sulfate, Aqueous Solution

## Section 2 Hazards identification

**Signal word:** DANGER

**Pictograms:** GHS05

**Target organs:** None known



**GHS Classification:**

Serious eye damage (Category 1)

**GHS Label information: Hazard statement:**

H318: Causes serious eye damage.

**Precautionary statement:**

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / information on ingredients

| Chemical Name    | CAS #      | %     | EINECS    |
|------------------|------------|-------|-----------|
| Water            | 7732-18-5  | 65.8% | 231-791-2 |
| Aluminum sulfate | 17927-65-0 | 34.2% | 233-135-0 |

## Section 4 First aid measures

**INGESTION:** MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** CAUSES SERIOUS EYE DAMAGE. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire fighting measures

**Suitable Extinguishing Media:** Use any media suitable for extinguishing supporting fire.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** In fire conditions, water may evaporate from this solution which may cause hazardous decomposition products to be formed as dust or fume. Fire or excessive heat above 760°C (1400°F), may produce hazardous decomposition products of toxic and corrosive gases, Sulfur trioxide and Aluminum oxide. Sulfur trioxide is an oxidizing agent which supports combustion and will react with water to form Sulfuric acid.

## Section 6 Accidental release measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, well-ventilated area away from incompatible substances.

**Section 8 Exposure controls / personal protection**

| Exposure Limits: | Chemical Name    | ACGIH (TLV)     | OSHA (PEL)      | NIOSH (REL)     |
|------------------|------------------|-----------------|-----------------|-----------------|
|                  | Aluminum sulfate | Not established | Not established | Not established |

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

**Section 9 Physical and chemical properties**

|                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                     |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Appearance:</b> Clear, colorless liquid.<br><b>Odor:</b> No odor.<br><b>Odor threshold:</b> Data not available.<br><b>pH:</b> Data not available.<br><b>Melting / Freezing point:</b> Approximately 0°C (32°F) (water)<br><b>Boiling point:</b> Approximately 100°C (212°F) (water)<br><b>Flash point:</b> Data not available | <b>Evaporation rate ( Water = 1):</b> <1<br><b>Flammability (solid/gas):</b> Data not available.<br><b>Explosion limits: Lower / Upper:</b> Data not available<br><b>Vapor pressure (mm Hg):</b> 14 (water)<br><b>Vapor density (Air = 1):</b> 0.7 (water)<br><b>Relative density (Specific gravity):</b> Approximately 1.0 (water)<br><b>Solubility(ies):</b> Complete in water. | <b>Partition coefficient:</b> Data not available<br><b>Auto-ignition temperature:</b> Data not available<br><b>Decomposition temperature:</b> Data not available.<br><b>Viscosity:</b> Data not available.<br><b>Molecular formula:</b> Mixture<br><b>Molecular weight:</b> Mixture |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

**Section 10 Stability and reactivity**

**Chemical stability:** Stable **Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures which cause evaporation.

**Incompatible materials:** Oxidizing agents.

**Hazardous decomposition products:** Sulfur trioxide and aluminum oxide.

**Section 11 Toxicological information**

**Acute toxicity:** Oral-rat LD50: 6207 mg/kg [Aluminum sulfate]  
**Skin corrosion/irritation:** Data not available  
**Serious eye damage/irritation:** Eyes-rabbit - Severe irritant. [Aluminum sulfate]  
**Respiratory or skin sensitization:** Data not available  
**Germ cell mutagenicity:** Data not available  
**Carcinogenicity:** Data not available  
NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.  
IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.  
OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.  
Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.  
**Reproductive toxicity:** Data not available  
**STOT-single exposure:** Data not available  
**STOT-repeated exposure:** Data not available  
**Aspiration hazard:** Data not available  
**Potential health effects:**  
Inhalation: This material hydrolyzes readily to form some sulfuric acid which acts as a tissue irritant, particularly to the lungs.  
Ingestion: May cause irritation of gastrointestinal tract, nausea, vomiting, and purging. Human fatal dose recorded at 30 grams.  
Skin: May cause skin irritation, especially under repeated or prolonged contact.  
Eyes: May irritate or burn eyes.  
**Signs and symptoms of exposure:** To the best of our knowledge the chemical, physical and toxicological properties have not been thoroughly investigated. Specific data is not available. Exercise appropriate procedures to minimize potential hazards.  
**Additional information: RTECS #:** BD1700000 [Aluminum sulfate]

**Section 12 Ecological information**

**Toxicity to fish:** Salmo gairdneri (fish, estuary, fresh water), 0.5 mg/L/24 hours [Aluminum sulfate]  
**Toxicity to daphnia and other aquatic invertebrates:** Daphnia magna (Crustacea), EC50 = 136 mg/L/15 minutes [Aluminum sulfate]  
**Toxicity to algae:** No data available  
**Persistence and degradability:** No data available **Bioaccumulative potential:** No data available  
**Mobility in soil:** No data available **PBT and vPvB assessment:** No data available  
**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

**Section 13 Disposal considerations**

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

**Section 14 Transport information**

**UN/NA number:** Not applicable **Shipping name:** Not Regulated  
**Hazard class:** Not applicable **Packing group:** Not applicable **Reportable Quantity:** No **Marine pollutant:** No  
**Exceptions:** Not applicable **2024 ERG Guide #** Not applicable

**Section 15 Regulatory information**

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

| Component        | TSCA   | CERCLA (RQ) | RCRA code  | DSL        | NDSL       | CA Prop 65                                                                                                             |
|------------------|--------|-------------|------------|------------|------------|------------------------------------------------------------------------------------------------------------------------|
| Aluminum sulfate | Listed | Not listed  | Not listed | Not listed | Not listed | This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity. |

**Section 16 Other information**

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

## Section 1 Identification

Page F1 of F2



5100 West Henrietta Rd  
PO Box 92912  
Rochester, NY 14692-9012  
Tel: (800) 962-2660

Boreal Science  
6040 Cantay Road  
Mississauga, Ontario  
L5R 4J2 Canada  
Tel: (800) 387-9393

**CHEMTREC 24 Numéros De Téléphone De  
Secours D'Heure (800) 424-9300**

Pour l'usage industriel et de laboratoire seulement.  
Pas pour l'usage de drogue, de nourriture ou de ménage.

**Produit** ALUMINUM SULFATE, SOLUTION DE 1 MOLAIRE

**Synonymes** Aluminum sulfate, soluté

## Section 2 Identification des dangers

**Mention d'avertissement:** DANGER

**Pictogrammes:** GHS05

**Les organes cibles:** Aucun connu



**Classification par le GHS:**

Serious eye damage (Catégorie 1)

**Renseignements sur l'étiquette GHS: Mention de danger:**

H318: Provoque des lésions oculaires graves.

**Déclarations de précaution:**

P280: Porter des gants de protection / des vêtements de protection / un équipement de protection des yeux / du visage.

P305+P351+P338: EN CAS DE CONTACT AVEC LES YEUX: Rincer avec précaution à l'eau pendant 15 minutes. Enlever les lentilles de contact si la victime en porte et si elles peuvent être facilement enlevées. Continuer à rincer.

P310: Appeler immédiatement un CENTRE ANTIPOISON ou un médecin.

**Dangers non classés autrement:**

Dangers pour la santé non classés ailleurs (HHNOC) - pas connu

Dangers physiques non classés autrement (PHNOC) - pas connu

## Section 3 Composition / information sur les ingrédients

| Nommé Chimique   | # CAS      | %     | EINECS    |
|------------------|------------|-------|-----------|
| L'eau            | 7732-18-5  | 65.8% | 231-791-2 |
| Aluminum sulfate | 17927-65-0 | 34.2% | 233-135-0 |

## Section 4 Premiers soins

**INGESTION:** PEUT ÊTRE NOCIF EN CAS D'INGESTION. Appeler un médecin ou un centre antipoison immédiatement. Provoquer le vomissement seulement si elle est informée par le personnel compétent médicaux. Ne jamais rien donner par la bouche à une personne inconsciente.

**INHALATION:** PEUT ÊTRE NOCIF EN CAS D'INHALATION. PEUT CAUSER UNE IRRITATION DE LA VOIES RESPIRATOIRE. Sortir au grand air. Si elle ne respire pas, pratiquer la respiration artificielle. Si la respiration est difficile, donner de l'oxygène. Obtenir des soins médicaux.

**CONTACT AVEC LES YEUX:** PROVOQUE DES LÉSIONS OCULAIRES GRAVES. Vérifier et enlever les lentilles de contact. Rincer abondamment à l'eau pendant au moins 15 minutes, en soulevant les paupières inférieures et supérieures de temps en temps. Obtenez une attention médicale immédiate.

**ABSORPTION PAR LA PEAU:** PEUT ÊTRE NOCIF EN CAS D'ABSORPTION PAR LA PEAU. PEUT CAUSER UNE IRRITATION DE LA PEAU. Enlever les vêtements contaminés. Rincer soigneusement avec du savon doux et d'eau. En cas d'irritation, consulter un médecin.

## Section 5 Mesures à prendre en cas d'incendie

**Moyens d'extinction:** Utilisez des supports adaptés pour éteindre le feu à l'appui.

**Actions de protection pour les sapeurs-pompiers:** En cas d'incendie, porter un appareil respiratoire NIOSH / MSHA approuvé autonome et un équipement complet de protection. Utiliser un jet d'eau pour maintenir incendie refroidir les conteneurs exposés.

**Dangers spécifiques:** En cas de feu, de l'eau peut s'évaporer à partir de cette solution, qui peut causer les produits dangereux de décomposition à être formée comme poussière ou vapeur. Le feu ou la chaleur excessive au-dessus de 760°C (1400°F), peut fabriquer les produits dangereux de décomposition l'oxyde d'aluminium des gaz, de trioxyde de soufre et toxiques et corrosifs. Le trioxyde de soufre est un oxydant qui soutient la combustion et réagira avec de l'eau à l'acide sulfurique de forme.

## Section 6 Mesures à prendre en cas de déversement accidentel

**Précautions personnelles:** Évacuer le personnel vers la zone sûre. Utiliser un équipement de protection personnelle comme indiqué dans la Section 8. Assurer une ventilation adéquate.

**Précautions environnementales:** Éviter tout ruissellement vers les égouts pluviaux et les fossés qui aboutissent aux voies navigables.

**Confinement et de nettoyage:** Absorber avec un matériau inerte, balayer à sec ou sous vide et placer dans un récipient approprié pour l'élimination. Laver la zone de déversement avec du savon et de l'eau.

**Précautions pour la manutention en toute sécurité:** Lire l'étiquette sur le contenant avant d'utiliser. Ne pas porter de lentilles cornéennes lorsque vous travaillez avec des produits chimiques. Tenir hors de portée des enfants. Éviter tout contact avec les yeux, la peau et les vêtements. Ne pas inhaler les vapeurs, les embruns ou le brouillard. Utiliser avec une ventilation adéquate. Éviter l'ingestion. Bien se laver après la manipulation. Retirer et laver les vêtements avant de les réutiliser.

**Conditions de stockage:** Stocker dans un endroit frais et bien aéré, loin des substances incompatibles.

**Section 8 Contrôle de l'exposition / protection individuelle**

| Limites d'exposition: | Nommé Chimique      | ACGIH (TLV)  | OSHA (PEL)   | NIOSH (REL)  |
|-----------------------|---------------------|--------------|--------------|--------------|
|                       | Sulfate d'aluminium | Aucun établi | Aucun établi | Aucun établi |

**Contrôles d'ingénierie:** Les installations d'entreposage ou d'utilisation de ce matériel doit être équipé d'une douche oculaire et une douche de sécurité et le matériel d'extinction d'incendie. Le personnel doit porter des lunettes de sécurité, des lunettes, ou un écran facial, une blouse de laboratoire ou tablier, des gants protecteurs appropriés. Utiliser une ventilation adéquate pour maintenir les concentrations atmosphériques faible.

**Protection respiratoire:** Aucun ne devrait être nécessaire dans le laboratoire normal manipulant aux températures ambiantes. Si les conditions brumeuses prévaloir, travailler dans la hotte ou de porter un masque respiratoire approuvé NIOSH / MSHA.

**Section 9 Propriétés physiques et chimiques**

**Apparence:** Clair, liquide incolore.

**Odeur:** Aucun odeur.

**Seuil de l'odeur:** Données non disponibles.

**pH:** Données non disponibles.

**Point de fusion / congélation:** Environ 0°C (32°F) (eau)

**Point d'ébullition:** Environ 100°C (212°F) (eau)

**Point d'éclair:** Données non disponibles

**Taux d'évaporation (Eau = 1):** <1

**Inflammabilité (solide / gaz):** Données non disponibles.

**Limites d'explosivité: Bas / Max:** Données non disponibles

**Pression de vapeur (mm Hg):** 14 (eau)

**Densité de vapeur (Air = 1):** 0.7 (eau)

**Densité relative (gravité spécifique):** Environ 1.0 (eau)

**Solubilité (s):** Complet dans l'eau.

**Coefficient de partage:** Données non disponibles

**Auto-inflammation:** Données non disponibles

**Température de décomposition:** Données non disponibles.

**Viscosité:** Données non disponibles.

**Formule moléculaire:** Mélange

**Poids moléculaire:** Mélange

**Section 10 Stabilité et réactivité**

**Stabilité chimique:** Stable

**Polymérisation dangereuse:** N'aura pas lieu.

**Conditions à éviter:** Les températures excessives qui causent l'évaporation.

**Matières incompatibles:** Oxydants.

**Produits dangereux de décomposition:** Le trioxyde de soufre et d'oxyde d'aluminium.

**Section 11 Données toxicologiques**

**Toxicité aiguë:** Oral-rat LD50: 6207 mg/kg [Sulfate d'aluminium]

**La corrosion de la peau et l'irritation:** Données non disponibles

**Des lésions oculaires graves / irritation:** Yeux-lapin - Irritant sévère. [Sulfate d'aluminium]

**Respiratoire ou sensibilisation de la peau:** Données non disponibles

**Mutagenicité des cellules germinales:** Données non disponibles

**Cancérogène:** Données non disponibles

NTP: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène reconnu ou présumé par NTP.

IARC: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène probable, possible ou confirmé par IARC.

OSHA: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène ni comme cancérogène possible par OSHA.

**Reproductive toxicity:** Données non disponibles

**STOT-exposition unique:** Données non disponibles

**STOT-une exposition répétée:** Données non disponibles

**Risque d'aspiration:** Données non disponibles

**Effets d'une surexposition:**

Inhalation: Ce matériel hydrolyse aisément pour former un certain acide sulfurique qui agit en tant qu'irritant de tissu, en particulier aux poumons.

Ingestion: Peut causer une irritation d'appareil gastro-intestinal, nausée, vomissant, et purgeant. Dose mortelle humaine enregistrée à 30 grammes.

Peau: Peut causer une irritation de la peau, en particulier sous contact répété ou prolongé.

Yeux: Peut irriter ou brûler les yeux.

**Les signes et les symptômes de l'exposition:** Au meilleur de notre connaissance les propriétés chimiques, physiques et toxicologiques n'ont pas été à fond étudiées. Les données spécifiques ne sont pas disponibles. Procédures appropriées d'exercice pour réduire au minimum des risques.

**Informations complémentaires: RTECS #:** BD1700000 [Sulfate d'aluminium]

**Section 12 Données écologiques**

**Toxicité pour les poissons:** Salmo gairdneri (fish, estuary, fresh water), 0.5 mg/L/24 hours [Sulfate d'aluminium]

**Toxicité pour les daphnies et autres invertébrés aquatiques:** Daphnia magna (Crustacea), EC50 = 136 mg/L/15 minutes [Sulfate d'aluminium]

**Toxicité pour les algues:** Pas de données disponible

**Persistance et dégradabilité:** Pas de données disponible

**Mobilité dans le sol:** Pas de données disponibles

**Autres effets indésirables:** Un danger pour l'environnement ne peut pas être exclu dans l'éventualité d'une manipulation ou d'élimination.

**Potentiel de bioaccumulation:** Pas de données disponible

**Évaluation PBT et vPvB:** Pas de données disponibles