

DWK Life Sciences LLC.
1501 North Tenth Street
Millville NJ 08332

Certificate# 2100795598-01

Sold to:
VWR INTERNATIONAL LLC
P.O. BOX 2617
SECAUCUS NJ 07094

Ship to:
VWR SCIENTIFIC PRODUCTS CORP.
17750 E 32ND PLACE
AURORA CO 80011

Certificate of Compliance:

In accordance with applicable ISO 9001 standards, cGMP's, and Company requirements, DWK Life Sciences LLC. hereby certifies the manufactured item described above (collectively, the "Product") that:

1. General: Product has been given appropriate visual, and/or mechanical and/or electronic inspection and the results of these inspections indicate that the product meets all agreed upon contractual specifications at the time of its shipment.
2. Glass: We certify that the product made from:
TYPE I Borosilicate Glass meets the requirements for the glass grain test limits for Type I Glass when tested according to the current revisions of the USP < 660 > and EP3.2.1 Pharmacopeias
Arsenic Extraction this ware will meet the requirements as described in the current revisions of USP < 660 > and EP3.2.1 Pharmacopeias for Arsenic Extraction.
TYPE III Soda Lime Glass meets the requirements for the glass grain test limits according to the current revisions of the USP < 660 > and EP3.2.1 Pharmacopeias.
Amber Glass conforms to the light transmission limits specified in the current revision of the USP and EP Pharmacopeias.
Hydrolytic Resistance when indicated above this ware conforms to the current revisions USP < 660 > Surface Test and EP 3.2.1.A - Test for surface hydrolytic resistance.
Heavy Metals are not intentionally added to the glass compositions. Thus Contents of lead, cadmium, mercury and hexavalent chrome are in compliance with the limit values of 100 parts per million by weight for US (TPCH and CONEG) and EC regulations.
Transmissible and Bovine Spongiform Encephalopathy (TSE/BSE) - We certify that containers made from glass are free of any nonconforming animal derivatives.
3. Plastic: We certify that product made from resin material has been manufactured under controlled conditions and is in compliance with all applicable procedures and specifications.
4. Rubber: We certify that product made from rubber has been manufactured under controlled conditions and is in compliance with all applicable procedures and specifications.
5. Aluminum: We certify that product made from aluminum has been manufactured under controlled conditions and is in compliance with all applicable procedures and specifications.

Certified by: Megan Summersill-Harvey

Date: 2024-11-25 01:44

Title: QC Technician



Certificate of Compliance

DWK Life Sciences LLC.
1501 North Tenth Street
Millville NJ 08332

Certificate# 2100795598-01

Customer Material Number	: 26316-702	Customer Purchase Order	: 4517462906
DWK Part Number	: W26316-702		
DWK Description	: NO.5 STOPPER, SILICONE W/HOLE - VWR		
Cert Date	: 2024-11-25	Shipment Quantity	: 15 CAS
EPHR	: No		

Batch/Lot Number	: 0000066914	Batch/Lot Quantity	: 15 CAS
------------------	--------------	--------------------	----------

Customer Material Number	: 66015-010	Customer Purchase Order	: 4517509056
DWK Part Number	: 225532		
DWK Description	: 4 mL Btl, Sample, Type III Clr, Snap Cap		
Cert Date	: 2024-11-25	Shipment Quantity	: 1 CAS
EPHR	: No		

Batch/Lot Number	: 0000066446	Batch/Lot Quantity	: 1 CAS
------------------	--------------	--------------------	---------

Customer Material Number	: 16153-224	Customer Purchase Order	: 4517533461
DWK Part Number	: 239226		
DWK Description	: 15-425 Cap, PP Wht, PTFE Lnr		
Cert Date	: 2024-11-25	Shipment Quantity	: 5 CAS
EPHR	: No		

Batch/Lot Number	: 0000066308	Batch/Lot Quantity	: 5 CAS
------------------	--------------	--------------------	---------

Customer Material Number	: 89000-842	Customer Purchase Order	: 4517533461
DWK Part Number	: 9450420002		
DWK Description	: TUBE, TEST, PR, 13X100MM		
Cert Date	: 2024-11-25	Shipment Quantity	: 1 CAS
EPHR	: No		

Batch/Lot Number	: 156188	Batch/Lot Quantity	: 1 CAS
------------------	----------	--------------------	---------

Customer Material Number	: 89001-484	Customer Purchase Order	: 4517533461
DWK Part Number	: 9450660012		
DWK Description	: TUBE, CULTURE, PTFE LINED, 15-415, 16X150M		
Cert Date	: 2024-11-25	Shipment Quantity	: 1 CAS
EPHR	: No		



Certificate of Compliance

DWK Life Sciences LLC.
1501 North Tenth Street
Millville NJ 08332

Certificate# 2100795598-01

Batch/Lot Number	: 220194093	Batch/Lot Quantity	: 1 CAS
------------------	-------------	--------------------	---------

Customer Material Number	: 16159-903	Customer Purchase Order	: 4517533461
DWK Part Number	: 219820		
DWK Description	: 1000 mL Btl,Media,Clr Typ I,Grad,PTFE Ln		
Cert Date	: 2024-11-25	Shipment Quantity	: 1 CAS
EPHR	: No		

Batch/Lot Number	: 0000059232	Batch/Lot Quantity	: 1 CAS
------------------	--------------	--------------------	---------