

DWK Life Sciences LLC.
1501 North Tenth Street
Millville NJ 08332

Certificate# 2100654300-01

Sold to:
VWR INTERNATIONAL LLC
P.O. BOX 2617
SECAUCUS NJ 07094

Ship to:
VWR SCIENTIFIC PRODUCTS CORP.
521 HWY. 90A
MISSOURI CITY TX 77489

Certificate of Compliance:

In accordance with applicable ISO 9001 standards, cGMP's, and Company requirements, DWK Life Sciences LLC. hereby certifies the manufactured item described above (collectively, the "Product") that:

1. General: Product has been given appropriate visual, and/or mechanical and/or electronic inspection and the results of these inspections indicate that the product meets all agreed upon contractual specifications at the time of its shipment.
2. Glass: We certify that the product made from:
 - TYPE I Borosilicate Glass meets the requirements for the glass grain test limits for Type I Glass when tested according to the current revisions of the USP < 660 > and EP3.2.1 Pharmacopeias
 - Arsenic Extraction this ware will meet the requirements as described in the current revisions of USP < 660 > and EP3.2.1 Pharmacopeias for Arsenic Extraction.
 - TYPE III Soda Lime Glass meets the requirements for the glass grain test limits according to the current revisions of the USP < 660 > and EP3.2.1 Pharmacopeias.
 - Amber Glass conforms to the light transmission limits specified in the current revision of the USP and EP Pharmacopeias.
 - Hydrolytic Resistance when indicated above this ware conforms to the current revisions USP < 660 > Surface Test and EP 3.2.1.A - Test for surface hydrolytic resistance.
 - Heavy Metals are not intentionally added to the glass compositions. Thus Contents of lead, cadmium, mercury and hexavalent chrome are in compliance with the limit values of 100 parts per million by weight for US (TPCH and CONEG) and EC regulations.
 - Transmissible and Bovine Spongiform Encephalopathy (TSE/BSE) - We certify that containers made from glass are free of any nonconforming animal derivatives.
3. Plastic: We certify that product made from resin material has been manufactured under controlled conditions and is in compliance with all applicable procedures and specifications.
4. Rubber: We certify that product made from rubber has been manufactured under controlled conditions and is in compliance with all applicable procedures and specifications.
5. Aluminum: We certify that product made from aluminum has been manufactured under controlled conditions and is in compliance with all applicable procedures and specifications.

Certified by: Donna Bauer

Date: 2023-10-02 11:39

Title: QC Technician



Certificate of Compliance

DWK Life Sciences LLC.
1501 North Tenth Street
Millville NJ 08332

Certificate# 2100654300-01

Customer Material Number	: 89001-106	Customer Purchase Order	: 4515997553
DWK Part Number	: 9200220006		
DWK Description	: CYL, TC, BUMPER, WHT SCALE, 1000ML		
Cert Date	: 2023-10-02	Shipment Quantity	: 1 CAS
EPHR	: No		

Batch/Lot Number	: 220184470	Batch/Lot Quantity	: 1 CAS
------------------	-------------	--------------------	---------

Customer Material Number	: 14236-000	Customer Purchase Order	: 4516102861
DWK Part Number	: W216994		
DWK Description	: 4 oz Btl, Oil Sample, Type III Clr , W/Cork		
Cert Date	: 2023-10-02	Shipment Quantity	: 1 CAS
EPHR	: No		

Batch/Lot Number	: 0000049706	Batch/Lot Quantity	: 1 CAS
------------------	--------------	--------------------	---------

Customer Material Number	: 14236-006	Customer Purchase Order	: 4516102861
DWK Part Number	: W216997		
DWK Description	: 4 oz Btl, W/M Ac Rd, Typ III Clr, Cap, Pv Ln		
Cert Date	: 2023-10-02	Shipment Quantity	: 11 CAS
EPHR	: No		

Batch/Lot Number	: 0000048817	Batch/Lot Quantity	: 11 CAS
------------------	--------------	--------------------	----------

Customer Material Number	: 56947-382	Customer Purchase Order	: 4516102861
DWK Part Number	: 986741		
DWK Description	: 20 mL LS Vial, Pet, PP Cap Sep, Foil Lnr		
Cert Date	: 2023-10-02	Shipment Quantity	: 4 CAS
EPHR	: No		

Batch/Lot Number	: 0000038116	Batch/Lot Quantity	: 4 CAS
------------------	--------------	--------------------	---------

Customer Material Number	: 14236-010	Customer Purchase Order	: 4516102861
DWK Part Number	: W216999		
DWK Description	: 16 oz Btl, Type III Clr, PP Cap, Pv Lnr		
Cert Date	: 2023-10-02	Shipment Quantity	: 4 CAS
EPHR	: No		



Certificate of Compliance

DWK Life Sciences LLC.
1501 North Tenth Street
Millville NJ 08332

Certificate# 2100654300-01

Batch/Lot Number	: 0000050002	Batch/Lot Quantity	: 4 CAS
------------------	--------------	--------------------	---------

Customer Material Number	: 66010-431	Customer Purchase Order	: 4516102861
DWK Part Number	: 9609570000		
DWK Description	: VIAL,TYPE1,27X57MM,24-400,4DR		
Cert Date	: 2023-10-02	Shipment Quantity	: 1 CAS
EPHR	: No		

Batch/Lot Number	: 2-1-1	Batch/Lot Quantity	: 1 CAS
------------------	---------	--------------------	---------

Customer Material Number	: 16299-214	Customer Purchase Order	: 4516102861
DWK Part Number	: 240112		
DWK Description	: 33-430 Microlink Cap,Opn,PP/Sil/Ptfe		
Cert Date	: 2023-10-02	Shipment Quantity	: 14 CAS
EPHR	: No		

Batch/Lot Number	: 0000050098	Batch/Lot Quantity	: 14 CAS
------------------	--------------	--------------------	----------