Technical Datasheet

VWR® VISITOR COAT WATERPROOF 2 POCKETS WITH SNAP

CHARACTERISTICS:


- Made of non-woven PP laminated fabric
- White colour
- Elastic wrist with snap
- 2 pockets
- Water proof
- Nature Rubber Latex Free
- Comply with European Commission Directive 1935/2004/EC, Regulation (EU) No.10/2011, Regulation (EU) No.2016/1416 and Regulation (EU) 2017/752.

PHYSICAL PROPERTIES

Item		Test method	Standard
Weight(g/m2)		ISO3801	48±2
Break Tensile Properties (N/5cm)	MD	ISO13934-1	>60
	CD	ISO13934-1	>55
Elongation Rate(%)	MD	ISO13934-1	>30
	CD	ISO13934-1	>30

Technical Datasheet

PRODUCTS AND DIMENSION SPECIFICATION



Unit:CM

ECN	Colour	Size	Dimension									
			A	B	C	D	E	F	G	G'	H	I
113-8983	White	L	104	69	50	24	18	52	10	20	12	15
113-8984	White	XL	108	72	50	26	18	54	10	20	12	15
113-8994	White	2XL	112	75	55	28	18	56	10	20	12	15
Tolerance			±1	±1	±1	±1	±1	±1	±1	±2	±1	±1

Remark: G: Relax, G': Stretch

Technical Datasheet

PACKING:

Package/Quantity	1 pcs/ bag, 50bags/Liner bag/ Case
Best Storage Conditions	Temp : 0- 50°C, Humidity : 45-85% without sunshine exposure
Country of Origin	China

QUALITY ASSURANCE CRITERIA:

1. Dimension and Function - Critical (AQL1.5, S-2)
- Product dimension out of spec.
- Fabric characteristics out of spec
- Sonic welding strength less than 15N/5cm

2. Visual Inspection/ Attributes - Major (AQL 2.5, L-II)
- Foreign Material
- Dirt
- Thread ends loose or too long(over 1cm)
- Holes/Tears
- Foul odor
- Discolor
- Wrong collar tag
- Wrong stitch
- Cloth surface applied wrongly
- Less than 3 stitches per centimeter

3. Visual Inspection/Attributes - Minor (AQL 4.0, L-II)
- Sewing sundries
- Elastic band end exposed
- Sewing end falling-off
- Jumping Stitch
- Missing stitch
- Unwanted folds
- Elastic tightness non-consistent

Disclaimer: *VWR wants to state that this declaration will not discharge the user from his obligation to ensure the product is suitable for the intended use. - If there is any doubt ask us.*

Date of issue: **November 2015**