uvex	SAFETY EYEWEAR	17.01.2019

Product Datasheet model i-vo 9160 065



UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189, D-90766 Fürth

Product characteristics	• fashionable safety spectacles with adjustable side arms • reliable protection provided by its perfect fit: multi-level side arm inclination and different side arm lengths allow the wearer to adjust the spectacles to suit their own face shape • soft, uvex quattroflex arms and soft components at the nose and forehead ensure a comfortable, pressure-free fit • the shape of the lenses ensures unrestricted peripheral vision • suitable for construction applications
Technical details **Frame** Material Colour	 **Front piece** TPU/TPE blue/orange

	Side piece
Material	PA
Features	5 position length adjustability
Colour	blue
	Temple
Material	PBT+PC/TPE
Features	quattroflex temple
Colour	blue/orange
	Marking
Manufacturer's ID code	W
Applicable EN norm	166
Low-energy impact	F (45 m/s)
Resistance to high speed particles at extremes of temperat.	T
Conformity symbol	CE
Lens	
Material	PC
Thickness	3 mm
Coating	uvex supravision sapphire
Colour	clear
UV protection	UV 400
	Marking
Filter	2C-1,2 (DIN EN 170)
Manufacturer's ID code	W
Optical class	1
Low-energy impact	F (45 m/s)
Resistance to high speed particles at extremes of temperat.	T
Conformity symbol	CE
Factory symbol	

Miscellaneous	
Weight	30 g
Packing	5 spectacles per box 200 spectacles per cardboard box
Standards	DIN EN 166 + DIN EN 170
PPE Category	Category II