

DWK Life Sciences LLC.
1501 North Tenth Street
Millville NJ 08332

Certificate# 2100797052-01

Sold to:
VWR INTERNATIONAL LLC
P.O. BOX 2617
SECAUCUS NJ 07094

Ship to:
VWR CANLAB
2103-64 AVENUE
EDMONTON AB T6P 1Z4

Certificate of Compliance:

In accordance with applicable ISO 9001 standards, cGMP's, and Company requirements, DWK Life Sciences LLC. hereby certifies the manufactured item described above (collectively, the "Product") that:

1. General: Product has been given appropriate visual, and/or mechanical and/or electronic inspection and the results of these inspections indicate that the product meets all agreed upon contractual specifications at the time of its shipment.
2. Glass: We certify that the product made from:
 - TYPE I Borosilicate Glass meets the requirements for the glass grain test limits for Type I Glass when tested according to the current revisions of the USP < 660 > and EP3.2.1 Pharmacopeias
 - Arsenic Extraction this ware will meet the requirements as described in the current revisions of USP < 660 > and EP3.2.1 Pharmacopeias for Arsenic Extraction.
 - TYPE III Soda Lime Glass meets the requirements for the glass grain test limits according to the current revisions of the USP < 660 > and EP3.2.1 Pharmacopeias.
 - Amber Glass conforms to the light transmission limits specified in the current revision of the USP and EP Pharmacopeias.
 - Hydrolytic Resistance when indicated above this ware conforms to the current revisions USP < 660 > Surface Test and EP 3.2.1.A - Test for surface hydrolytic resistance.
 - Heavy Metals are not intentionally added to the glass compositions. Thus Contents of lead, cadmium, mercury and hexavalent chrome are in compliance with the limit values of 100 parts per million by weight for US (TPCH and CONEG) and EC regulations.
 - Transmissible and Bovine Spongiform Encephalopathy (TSE/BSE) - We certify that containers made from glass are free of any nonconforming animal derivatives.
3. Plastic: We certify that product made from resin material has been manufactured under controlled conditions and is in compliance with all applicable procedures and specifications.
4. Rubber: We certify that product made from rubber has been manufactured under controlled conditions and is in compliance with all applicable procedures and specifications.
5. Aluminum: We certify that product made from aluminum has been manufactured under controlled conditions and is in compliance with all applicable procedures and specifications.

Certified by: Megan Summersill-Harvey

Date: 2024-11-27 02:26

Title: QC Technician



DWK Life Sciences LLC.
1501 North Tenth Street
Millville NJ 08332

Certificate of Compliance

Certificate# 2100797052-01

Customer Material Number	: 62400-664	Customer Purchase Order	: 4517556634
DWK Part Number	: 357546		
DWK Description	: 40 mL Tissue Grinder, Dounce		
Cert Date	: 2024-11-27	Shipment Quantity	: 1 CAS
EPHR	: No		

Batch/Lot Number	: 220197823	Batch/Lot Quantity	: 1 CAS
------------------	-------------	--------------------	---------

Customer Material Number	: 16155-044	Customer Purchase Order	: 4517557318
DWK Part Number	: 209044		
DWK Description	: 15 mL Star Btl, NM HDPE Nat, 20-410 Cap		
Cert Date	: 2024-11-27	Shipment Quantity	: 1 CAS
EPHR	: No		

Batch/Lot Number	: 0000065003	Batch/Lot Quantity	: 1 CAS
------------------	--------------	--------------------	---------

Customer Material Number	: 16155-047	Customer Purchase Order	: 4517557318
DWK Part Number	: 209047		
DWK Description	: 125 mL Star Btl, NM HDPE Nat, 24-410 Cap		
Cert Date	: 2024-11-27	Shipment Quantity	: 1 CAS
EPHR	: No		

Batch/Lot Number	: 0000063137	Batch/Lot Quantity	: 1 CAS
------------------	--------------	--------------------	---------

Customer Material Number	: 16171-320	Customer Purchase Order	: 4517557318
DWK Part Number	: 223742		
DWK Description	: 20 mL Serum Btl, Glass, Type I Clr		
Cert Date	: 2024-11-27	Shipment Quantity	: 2 CAS
EPHR	: No		

Batch/Lot Number	: 0000066543	Batch/Lot Quantity	: 2 CAS
------------------	--------------	--------------------	---------

Customer Material Number	: 66010-236	Customer Purchase Order	: 4517557318
DWK Part Number	: 9609429903		
DWK Description	: VIAL,ASMBL,TFE/SIL O/T CAP		
Cert Date	: 2024-11-27	Shipment Quantity	: 6 CAS
EPHR	: No		



Certificate of Compliance

DWK Life Sciences LLC.
1501 North Tenth Street
Millville NJ 08332

Certificate# 2100797052-01

Batch/Lot Number	: 2-1A-2	Batch/Lot Quantity	: 6 CAS
------------------	----------	--------------------	---------

Customer Material Number	: 66011-372	Customer Purchase Order	: 4517557318
DWK Part Number	: 225012		
DWK Description	: 4 mL Sample Vial In Lab File, Clr, Ptch		
Cert Date	: 2024-11-27	Shipment Quantity	: 2 CAS
EPHR	: No		

Batch/Lot Number	: 0000063306	Batch/Lot Quantity	: 2 CAS
------------------	--------------	--------------------	---------

Customer Material Number	: 62400-733	Customer Purchase Order	: 4517557318
DWK Part Number	: 358038		
DWK Description	: 10 mL Mortar Only, Potter-ELV		
Cert Date	: 2024-11-27	Shipment Quantity	: 1 CAS
EPHR	: No		

Batch/Lot Number	: 0000038016	Batch/Lot Quantity	: 1 CAS
------------------	--------------	--------------------	---------

Customer Material Number	: 14231-342	Customer Purchase Order	: 4517557318
DWK Part Number	: 358033		
DWK Description	: 5 mL Mortar Only, Potter-ELV		
Cert Date	: 2024-11-27	Shipment Quantity	: 4 CAS
EPHR	: No		

Batch/Lot Number	: 0000038016	Batch/Lot Quantity	: 1 CAS
------------------	--------------	--------------------	---------

Batch/Lot Number	: 0000066578	Batch/Lot Quantity	: 3 CAS
------------------	--------------	--------------------	---------