

Certificate of Conformity

VWR Catalogue Number	See List
Description	VWR®, Septa GL 45
Country of Origin	Manufactured in USA
Date of Issue (yyyy-mm-dd)	2024-03-25

Catalogue Number	Septum	Diameter [mm]	Hardness	Thickness [mm]
548-0662A	Beige silicone/white PTFE	43	50° shore A	3.2
548-1935A	Red butyl/grey PTFE	43	50° shore A	2.5

Quality System Compliance

Products are manufactured under the **ISO 9001:2015** standard. Products are inspected and controlled through whole production processing in accordance with current applicable product specifications and QC SOP.

QC Testing

Representative products samples are collected and inspected in accordance with current applicable product specifications.

Product Specifications

Material	Refer table.
Sterilization	Not applicable.
ATP Assay	Not applicable.
DNase & RNase Free	Not applicable.
BSE/TSE	No use of any raw material produced from, or substances derived from animal origin. The manufacturing process of the product does not use any ingredient of animal origin and no material derived from or exposed to animals affected by or under quarantine for transmitting Animal Bovine Spongiform Encephalopathy/Spongiform Encephalopathy (BSE)/(TSE).

Cytotoxicity	Not applicable.
Non-Pyrogenic Statement	Not applicable.
Latex Statement	Not applicable.
BPA Statement	Not applicable.
DEHP Statement	Not applicable.
RoHS	Not applicable.
REACH Statement	No substances as listed on >Substance of Very High Concern< candidate list published 2024-01-23 are used in manufacturing of the raw materials used to produce this product. No routinely analyse is performed.
Storage Conditions	Not applicable.
Shelf Life	Not applicable.

Disclaimer: VWR states that this declaration will not discharge the user from their obligation to ensure the product is suitable for the intended use. The purpose of the product is for use in laboratory only.
This document has been produced electronically and is valid without a signature.

Version History

Sl.no	Version number	Description	Month & Year
1	1.0	Created General CoQ using new layout	03-2024