

Certificate of Conformity

VWR Catalogue Number	113-8273
Description	VWR®, Visitor Coats, PP, Disposable, Elasticated Wrist, White, 102 mm length, Press studs, XL
Lot Number	21120251
Date of Manufacture (yyyy-mm-dd)	2025-07-25
Country of Origin	Manufactured in China
Date of Issue (yyyy-mm-dd)	2026-02-05

Quality System Compliance

This certificate confirms that the product has been sourced from a supplier or manufacturer who has declared their Quality Management System (QMS) complies with [ISO 13485:2016](#).

QC Testing

Representative products samples are collected and inspected in accordance with current applicable QC requirements. Inspected according to AQL level II 4.0 sampling plan per MIL-STD-105E.

	Test Method	MD	CD
Break Tensile Properties [N]	ISO13934-1	76.15	43.31
Elongation rate [%]	ISO13934-1	79.18	77.16

Product Specifications

Material	40gsm SPP-White (Spunbonded polypropylene fabric).
Sterilization	Non-Sterile.
ATP Assay	Not Applicable.
DNase & RNase Free	Not Applicable.

BSE/TSE	No use of any raw material produced from, or substances derived from animal origin. The manufacturing process of the product does not use any ingredient of animal origin and no material derived from or exposed to animals affected by or under quarantine for transmitting Animal Bovine Spongiform Encephalopathy/Spongiform Encephalopathy (BSE)/(TSE).
Cytotoxicity	Not Applicable.
Non-Pyrogenic Statement	Not Applicable.
Latex Statement	This product is not made from natural rubber latex.
BPA Statement	Not Applicable.
DEHP Statement	Not Applicable.
RoHS	Not Applicable.
REACH Statement	Not Applicable.
Storage Conditions	Room temperature, dry and shady.
Shelf Life	5 years.

Disclaimer: VWR's Quality Management System (QMS) is ISO 9001:2015 certified as a wholesale distributor of finished products, ensuring effective oversight of finished product handling, traceability, and distribution processes. VWR is not a manufacturer and does not engage in manufacturing, co-manufacturing or processing activities such as design, packaging, labeling, testing or quality release. Consequently, the supplier or manufacturer's QMS certification may differ from VWR's.

VWR states that this declaration will not discharge the user from their obligation to ensure the product is suitable for the intended use. This product is intended for research use only. It is not for use in diagnostic procedures, therapeutic applications, or any human or clinical use.

This document has been produced electronically and is valid without a signature.