TECHNICAL DATA SHEET



RENZO Winter S3 CI
65741

Sz. 36-50

LABELLING ACCORDING TO STANDARD

In accordance with EN ISO 20345 S3 SRC/ CI	
Form C 	• Men's safety winter boot, high cut
SRC SLIP RESISTANCE — SLIP RESISTANCE: When it comes to slip resistance as defined by EN ISO 20345, SRC signifies the best possible rating a safety shoe can reach.	CI COLD INSULATED — COLD INSULATED

FIT

ANATOMICAL

AREAS OF APPLICATION

- Outdoor areas
- Cold areas, working in winter
- Road construction etc.
- Areas where exposure to moisture is expected (S2)
- Areas where there is a risk of penetration from pointed and sharp objects (S3)

FEATURES

Design	▪ Functional design
Full, padded bellows tongue	▪ Extremely comfortable ▪ Prevents pressure points ▪ Prevents penetration of dirt

FEATURES

Collar padding	▪ Extremely comfortable ▪ Softly padded collar for good stability and firm support in the shoe
Reflective material 	▪ Good visibility in the dark
Certification in accordance with DGUV rule 112-191 	▪ Certified for orthopaedic inserts
Sizes (unisex model)	▪ Expanded size range Available in sizes 36-50
PU toe protection (polyurethane)	▪ Directly applied toe protection ▪ Excellent wear protection in the toe area ▪ Protects the upper leather in this area against premature wear

UPPER MATERIAL

Cowhide leather	▪ Areas of application S2/S3 ▪ Natural material ▪ Wear-resistant ▪ Breathable ▪ Water penetration/absorption in accordance with EN ISO 20345 S2

LINING

Winter lining woven lambskin	▪ Good ventilation ▪ Skin-friendly ▪ High absorption of moisture ▪ Comfortable
Heel pocket lining	▪ Abrasion-resistant microfibre material, sturdy ▪ Comfortable

TOE PROTECTION CAP

Steel toe cap 	▪ Protection against impacts of min. 200 joules and pressure loading of min. 15 kN ▪ Permanent edge coverage for cushioning ▪ Ergonomically shaped ▪ Comfortable toe-room ▪ Good coverage of the little toe area

INLAY SOLE

Full-length fleece inlay sole	▪ Fleece material ▪ Exchangeable ▪ Sturdy ▪ Good moisture absorption and release for a comfortable foot climate

PENETRATION PROTECTION

Metal-free penetration protection 	▪ Fulfils the additional requirements for penetration protection in accordance with EN ISO 20344 / 20345 ▪ Fulfils the penetration safety standard EN 12568 ▪ Textile, penetration-resistant midsole ▪ Light and flexible: more comfort when working on the knees because of the shoe's greater elasticity ▪ Better foot-feel on uneven surfaces ▪ Good foot climate thanks to the thermo-insulating effect ▪ 100% foot coverage compared to 85% with steel midsoles ▪ 100% metal-free and antimagnetic

OUTSOLE

	SAFETY-GRIP deep-treaded double-density sole with profile	▪ S-line shaped configuration of the tread blocks, for an ergonomic foot roll ▪ Excellent slip resistance ▪ Antistatic
	Outsole: PU 	▪ Colour: black ▪ 6 mm profile depth ▪ Particularly abrasion-resistant ▪ Heat-resistant to approx. 130°C, flexible at cold temperatures to approx. -20°C ▪ Oil and fuel resistant
	Midsole: PU	▪ The soft PU core provides a good impact absorption and high wearing comfort