



SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Date of issue: 04/03/2014

Version 1.0

SECTION 1. Identification

Product identifier

Product number	CX0914
Product name	1-Chlorobutane [Butyl Chloride] For HPLC, Spectrophotometry and Gas Chromatography OmniSolv®
CAS-No.	109-69-3

Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Reagent for analysis
-----------------	----------------------

Details of the supplier of the safety data sheet

Company	EMD Millipore Corporation 290 Concord Road, Billerica, MA 01821, United States of America General Inquiries: +1-978-715-4321 Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5)
---------	--

Emergency telephone	800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week
---------------------	--

SECTION 2. Hazards identification

GHS Classification

Flammable liquid, Category 2, H225

For the full text of the H-Statements mentioned in this Section, see Section 16.

GHS-Labeling

Hazard pictograms



Signal Word
Danger

Hazard Statements
H225 Highly flammable liquid and vapor.

Precautionary Statements
P210 Keep away from heat.

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number

CX0914

Version 1.0

Product name

1-Chlorobutane [Butyl Chloride] For HPLC, Spectrophotometry
and Gas Chromatography OmniSolv®

OSHA Hazards

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). This information is based on 29 CFR 1910.1200 criteria prior to adoption of the GHS and may deviate from the GHS information.

Other hazards

None known.

SECTION 3. Composition/information on ingredients

Formula	CH ₃ (CH ₂) ₃ Cl	C ₄ H ₉ Cl (Hill)
Molar mass	92.57 g/mol	

Hazardous ingredients

Chemical Name (Concentration)

CAS-No.

1-chlorobutane (>= 90 % - <= 100 %)

109-69-3

Exact percentages are being withheld as a trade secret.

SECTION 4. First aid measures

Description of first-aid measures

Inhalation

After inhalation: fresh air.

Skin contact

After skin contact: wash off with plenty of water. Remove contaminated clothing.

Eye contact

After eye contact: rinse out with plenty of water.

Ingestion

After swallowing: caution if victim vomits. Risk of aspiration! Keep airways free. Pulmonary failure possible after aspiration of vomit. Call a physician immediately. Do not give milk, alcoholic beverages or castor oil.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

irritant effects, Dermatitis, Dizziness, Unconsciousness, narcosis, inebriation, Vomiting, Headache

Drying-out effect resulting in rough and chapped skin.

Indication of any immediate medical attention and special treatment needed

Subsequently administer: Sodium sulfate (1 tablespoon/1/4 l water).

SECTION 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO₂), Foam, Dry powder

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number

CX0914

Version 1.0

Product name

1-Chlorobutane [Butyl Chloride] For HPLC, Spectrophotometry and Gas Chromatography OmniSolv®

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air at ambient temperatures.

Pay attention to flashback.

Development of hazardous combustion gases or vapors possible in the event of fire.

Fire may cause evolution of:

Hydrogen chloride gas, Phosgene

Advice for firefighters

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system. Cool closed containers exposed to fire with water spray.

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

Environmental precautions

Do not empty into drains. Risk of explosion.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

Take up with liquid-absorbent material (e.g. Chemisorb®). Dispose of properly. Clean up affected area.

SECTION 7. Handling and storage

Precautions for safe handling

Observe label precautions.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Protected from light. Keep away from heat and sources of ignition.

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number

CX0914

Version 1.0

Product name

1-Chlorobutane [Butyl Chloride] For HPLC, Spectrophotometry
and Gas Chromatography OmniSolv®

Store at room temperature.

SECTION 8. Exposure controls/personal protection

Exposure limit(s)

Contains no substances with occupational exposure limit values.

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

Hygiene measures

Change contaminated clothing. Application of skin- protective barrier cream recommended.
Wash hands after working with substance.

Eye/face protection

Safety glasses

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Other protective equipment:

Flame retardant antistatic protective clothing

Respiratory protection

required when vapors/aerosols are generated.

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

SECTION 9. Physical and chemical properties

Physical state	liquid
Color	colorless
Odor	stinging
Odor Threshold	No information available.
pH	No information available.
Melting point	-123 °C
Boiling point/boiling range	ca. 174 °F (79 °C) at 1,013 hPa

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number

CX0914

Version 1.0

Product name

1-Chlorobutane [Butyl Chloride] For HPLC, Spectrophotometry and Gas Chromatography OmniSolv®

Flash point	ca. 1 °F (-17 °C) Method: DIN 51755 Part 1
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	1.8 %(V)
Upper explosion limit	10.1 %(V)
Vapor pressure	ca.110 hPa at 68 °F (20 °C)
Relative vapor density	3.2
Density	0.886 g/cm ³ at 68 °F (20 °C)
Relative density	No information available.
Water solubility	ca.0.5 g/l at 68 °F (20 °C)
Partition coefficient: n-octanol/water	log Pow: 2.66 OECD Test Guideline 107 Bioaccumulation is not expected.
Autoignition temperature	No information available.
Decomposition temperature	No information available.
Viscosity, dynamic	0.45 mPa.s at 68 °F (20 °C)
Explosive properties	Not classified as explosive.
Oxidizing properties	none
Ignition temperature	ca. 536 °F (280 °C)

SECTION 10. Stability and reactivity

Reactivity

Vapors may form explosive mixture with air.

Chemical stability

Sensitivity to light

Sensitive to air.

Decomposes on exposure to light.

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number

CX0914

Version 1.0

Product name

1-Chlorobutane [Butyl Chloride] For HPLC, Spectrophotometry and Gas Chromatography OmniSolv®

Possibility of hazardous reactions

Risk of explosion with:

Alkali metals, Alkaline earth metals, sodium amide

Risk of ignition or formation of inflammable gases or vapors with:

Oxidizing agents, Powdered light metals

Conditions to avoid

Warming.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

Incompatible materials

various plastics, Light metals

Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

Information on toxicological effects

Likely route of exposure

Inhalation, Eye contact, Skin contact

Acute oral toxicity

LD50 rat: 2,200 mg/kg (IUCLID)

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

Acute inhalation toxicity

LC50 rat: > 30.8 mg/l; 4 h (IUCLID)

Symptoms: slight mucosal irritations

Acute dermal toxicity

LDLO rabbit: 20 g/kg

(RTECS)

Skin irritation

rabbit

Result: No irritation

(IUCLID)

Drying-out effect resulting in rough and chapped skin. Dermatitis

Eye irritation

rabbit

Result: No eye irritation

(IUCLID)

slight irritation

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number

CX0914

Version 1.0

Product name

1-Chlorobutane [Butyl Chloride] For HPLC, Spectrophotometry and Gas Chromatography OmniSolv®

Sensitization

Sensitization test: guinea pig

Result: negative

Method: OECD Test Guideline 406

Genotoxicity in vitro

Mutagenicity (mammal cell test): chromosome aberration.

Result: negative

(National Toxicology Program)

Ames test

Salmonella typhimurium

Result: negative

(National Toxicology Program)

Specific target organ systemic toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ systemic toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Regarding the available data the classification criteria are not fulfilled.

Carcinogenicity

IARC

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

ACGIH

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

Further information

After absorption of toxic quantities:

narcosis

Possible symptoms:

Headache, Vomiting, inebriation, Dizziness, Unconsciousness

Chronic intoxication:

Damage to:

Liver

Further data:

Handle in accordance with good industrial hygiene and safety practice.

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number

CX0914

Version 1.0

Product name

1-Chlorobutane [Butyl Chloride] For HPLC, Spectrophotometry and Gas Chromatography OmniSolv®

SECTION 12. Ecological information

Ecotoxicity

Toxicity to fish

LC50 *Leuciscus idus* (Golden orfe): 600 mg/l; 48 h
DIN 38412 part 15

Toxicity to daphnia and other aquatic invertebrates

EC50 *Daphnia magna* (Water flea): 452 mg/l; 48 h
OECD Test Guideline 202

Toxicity to algae

IC50 *Desmodesmus subspicatus* (green algae): > 450 mg/l; 72 h (IUCLID)
NOEC *Desmodesmus subspicatus* (green algae): 90 mg/l; 72 h (External MSDS)

Toxicity to bacteria

BRINGMANN-KÜHN-TEST EC10 *Pseudomonas putida*: 332 mg/l; 18 h (IUCLID)

Persistence and degradability

Biodegradability

47 %; 28 d
ISO 10708
Not readily biodegradable.

Bioaccumulative potential

Partition coefficient: n-octanol/water

log Pow: 2.66
OECD Test Guideline 107
Bioaccumulation is not expected.

Mobility in soil

No information available.

Other adverse effects

Henry constant

1690 Pa·m³/mol
Method: (experimental)
(Lit.) Distribution preferentially in air.

Additional ecological information

Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number

CX0914

Version 1.0

Product name

1-Chlorobutane [Butyl Chloride] For HPLC, Spectrophotometry
and Gas Chromatography OmniSolv®

SECTION 14. Transport information

Land transport (DOT)

UN number	UN 1127
Proper shipping name	CHLOROBUTANES
Class	3
Packing group	II
Environmentally hazardous	--

Air transport (IATA)

UN number	UN 1127
Proper shipping name	CHLOROBUTANES
Class	3
Packing group	II
Environmentally hazardous	--
Special precautions for user	no

Sea transport (IMDG)

UN number	UN 1127
Proper shipping name	CHLOROBUTANES
Class	3
Packing group	II
Environmentally hazardous	--
Special precautions for user	yes
EmS	F-E S-D

SECTION 15. Regulatory information

United States of America

OSHA Hazards

Flammable Liquid

This information is based on 29 CFR 1910.1200 criteria prior to adoption of the GHS, and may deviate from the GHS information on the label and in section 2.

SARA 311/312 Hazards

Fire Hazard

SARA 313

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 302

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number

CX0914

Version 1.0

Product name

1-Chlorobutane [Butyl Chloride] For HPLC, Spectrophotometry
and Gas Chromatography OmniSolv®

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

DEA List I

Not listed

DEA List II

Not listed

US State Regulations

Massachusetts Right To Know

Ingredients

1-chlorobutane

Pennsylvania Right To Know

Ingredients

1-chlorobutane

New Jersey Right To Know

Ingredients

1-chlorobutane

California Prop 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

Notification status

TSCA: All components of the product are listed in the TSCA-inventory.

DSL: All components of this product are on the Canadian DSL.

SECTION 16. Other information

Training advice

Provide adequate information, instruction and training for operators.

Full text of H-Statements referred to under sections 2 and 3.

H225 Highly flammable liquid and vapor.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Date of issue: 04/03/2014

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number

CX0914

Version 1.0

Product name

1-Chlorobutane [Butyl Chloride] For HPLC, Spectrophotometry
and Gas
Chromatography OmniSolv®

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.