

Safety Data Sheet

According to Hazardous Products Regulation (SOR/2015-17)

Revision date: 21.03.2024

Version: 1.0

Print date: 21.03.2024

SECTION 1: Identification

Product identifier

Trade name/designation:	IC Instrument Ion Cation Check Standard 3 in 2% HNO ₃
Product No.:	BDH0834-125ML
Synonyms:	none
CAS No.:	Not applicable
Other means of identification:	

Relevant identified uses of the substance or mixture and uses advised against

Recommended use:	For Further Manufacturing Use Only
Uses advised against:	Not for Human or Animal Drug Use

Details of the supplier of the safety data sheet

Supplier

VWR International

Street	2360 Argentia Road
Postal code/City	Mississauga, Ontario
	Canada L5N 5Z7
Telephone	+1-800-932-5000 toll-free within US/Canada
Telefax	+1-610-728-2103

Emergency phone number

Telephone +1-613-996-6666 (Canutec, 24 hrs/day, 7 days/week, Canada)

Preparation Information

VWR International - Product Information Compliance

E-mail SDS@avantorsciences.com

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

Classification according to Hazardous Products Regulation (SOR/2015-17)

Hazard classes and hazard categories	Hazard statements
Substance or mixture corrosive to metals, category 1	H290
Skin irritation, category 2	H315
Eye irritation, category 2	H319

2.2 Label elements

Labelling in accordance with (SOR/2015-17)

Hazard pictograms



Signal word: Warning

Hazard statements	
H290	May be corrosive to metals.
H315	Causes skin irritation.
H319	Causes serious eye irritation.

Precautionary statements	
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P311	IF exposed or concerned: Call a POISON CENTER/doctor.

Hazard(s) not otherwise classified (HNOC)

none

SECTION 3: Composition/information on ingredients

3.1 Substances

not applicable

3.2 Mixtures

Hazardous ingredients GHS Classification in accordance with (SOR/2015-17)

Substance name	Concentration	Identifier	Hazard classes and hazard categories
Nitric acid	2%	CAS No.: 7697-37-2	Ox. Liq. 2 - H272 Met. Corr. 1 - H290 Acute Tox. 1 - H330 Skin Corr. 1A - H314 Eye Dam. 1 - H318
Calcium	0.1%	CAS No.: 7440-70-2	Water-react. 2 - H261
Ammonium chloride	0.04%	CAS No.: 12125-02-9	Acute Tox. 4 - H302 Eye Irrit. 2 - H319
Potassium nitrate	0.02%	CAS No.: 7757-79-1	Ox. Sol. 3 - H272
Sodium carbonate	0.02%	CAS No.: 497-19-8	Eye Irrit. 2 - H319
Lithium carbonate	0.02%	CAS No.: 554-13-2	Acute Tox. 4 - H302 Eye Irrit. 2 - H319

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice. Change contaminated, saturated clothing. Wash contaminated clothing before reuse. Do not leave affected person unattended.

In case of inhalation

Remove casualty to fresh air and keep warm and at rest. Obtain medical attention if symptoms appear.

In case of skin contact

Gently wash with plenty of soap and water. In case of skin reactions, consult a physician.

After eye contact:

Rinse immediately carefully and thoroughly with eye-bath or water. Obtain medical attention if symptoms appear.

In case of ingestion

Rinse mouth thoroughly with water. Call a doctor if you feel unwell.

Self-protection of the first aider

First aider: Pay attention to self-protection!

4.2 Most important symptoms/effects, acute and delayed

After inhalation: Cough. Following skin contact: Erythema (Redness). After eye contact: Irritation Conjunctival redness.

4.3 Indication of any immediate medical attention and special treatment needed

No special information on medical attention and special treatment available.

SECTION 5: Fire fighting measures

5.1 Extinguishing media

Suitable extinguishing media

no data available

Extinguishing media which must not be used for safety reasons

Full water jet

5.2 Specific hazards arising from the chemical

Non-combustible corrosive substances (liquid).

Irritating to eyes and skin.

Fire may produce irritating, corrosive and/or toxic gases.

In case of fire may be liberated:

Pyrolysis products, toxic

5.3 Advice for firefighters

no data available

No further relevant information available.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Wear personal protection equipment (refer to section 8). Avoid contact with eyes and skin.

Remove victim out of the danger area. Provide adequate ventilation. First Aid, decontamination, treatment of symptoms.

6.2 Environmental precautions

Try to prevent the material from entering drains or water courses.

6.3 Methods and material for containment and cleaning up

Take up mechanically, placing in appropriate containers for disposal. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Dispose according to legislation. Ventilate affected area. To clean the floor and all objects contaminated by this material, use plenty of water.

6.4 Reference to other sections

Personal protection equipment (PPE): see section 8 Disposal information: see section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling

Avoid contact with eyes and skin.

Do not breathe vapor.

Use personal protective equipment as required.

Measures to prevent fire, aerosol and dust generation

Usual measures for fire prevention.

Measures required to protect the environment

Do not empty into drains.

Collect spillage.

Wash hands before breaks and after work. Avoid contact with eyes and skin. When using do not eat, drink or smoke. Provide eye shower and label its location conspicuously.

7.2 Conditions for safe storage, including any incompatibilities

Recommended storage temperature: no data available

Storage: Keep container tightly closed and in a well-ventilated place. Keep/Store only in original container. Keep cool. Suitable container/equipment material: Glass Stainless steel Polyethylene Unsuitable container/equipment material: Alloy, containing copper. Copper.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredient (Designation)	Source	Country	parameter	Limit value
Nitric acid	CNESST	CA	VECD	10 mg/m ³ - 4 ppm
Nitric acid	CNESST	CA	VEMP	5.2 mg/m ³ - 2 ppm

8.2 Engineering controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment. If handled uncovered, arrangements with local exhaust ventilation have to be used.

Personal protection equipment (PPE)

Wear suitable protective clothing. When handling with chemical substances, protective clothing must be worn.

Eye/face protection

Eye glasses with side protection

Skin protection

Wear suitable gloves. When handling with chemical substances, protective gloves must be worn. In the case of wanting to use the gloves again, clean them before taking off and air them well. Check leak tightness/impermeability prior to use.

By short-term hand contact

Suitable material:	NBR (Nitrile rubber)
Thickness of the glove material:	0,12 mm
Breakthrough time	> 480 min

By long-term hand contact

Suitable material:	NBR (Nitrile rubber)
Thickness of the glove material:	0,38 mm
Breakthrough time	> 480 min

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation If exposure limits are exceeded or irritation is experienced, NIOSH approved respiratory protection should be worn.

Additional information

Wash hands before breaks and after work. Avoid contact with eyes and skin. When using do not eat, drink or smoke. Provide eye shower and label its location conspicuously.

Environmental exposure controls

no data available

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state:	liquid
Color:	colorless
Odor:	characteristic

Safety relevant basic data

pH:	no data available
Melting point/freezing point:	no data available
Initial boiling point and boiling range:	100 °C (1013 hPa)
Flash point:	no data available
Flammability:	Not applicable
Lower and upper explosion limit	
Lower explosion limit:	no data available
Upper explosion limit:	no data available
Vapor pressure:	no data available
Relative vapour density:	no data available
Density and/or relative density	
Density:	1.0127 g/cm ³ (20 °C)
Solubility(ies)	
Water solubility:	soluble (20°C)
Partition coefficient: n-octanol/water:	no data available
Auto-ignition temperature:	no data available
Decomposition temperature:	Not applicable
Viscosity	
Kinematic viscosity:	no data available
Dynamic viscosity:	no data available
Particle characteristics:	does not apply to liquids

9.2 Other information

Evaporation rate:	no data available
Explosive properties:	no data available
Oxidising properties:	Not applicable
Bulk density:	no data available
Refraction index:	no data available
Dissociation constant:	no data available
Surface tension:	no data available
Henry's Law Constant:	no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is non-reactive under normal conditions.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

No further relevant information available.

10.4 Conditions to avoid

No further relevant information available.

10.5 Incompatible materials:

No further relevant information available.

10.6 Hazardous decomposition products

Decomposition products in case of fire: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute effects

Acute oral toxicity:

Nitric acid - LDLo: > 430 mg/kg - Human - (Sax)

Ammonium chloride - LD50: < 1410 mg/kg (14 d) - Rat - (OECD 401)

Potassium nitrate - LD50: > 3015 mg/kg - Rat - (IUCLID)

Sodium carbonate - LD50: 2800 mg/kg - Rat - (IUCLID)

Sodium carbonate - LDLo: > 714 mg/kg - Human - (RTECS)

Lithium carbonate - LD50: > 525 mg/kg - Rat - (IUCLID)

Acute dermal toxicity:

Ammonium chloride - LC50: < 2000 mg/kg (24 h) - Rat - (European Food Safety Authority)

Potassium nitrate - LD50: 5000 mg/kg - Rat - (IUCLID)

Sodium carbonate - LD50: 2210 mg/kg - Mouse - (National Library of Medicine ChemID Plus (NLM CIP))

Acute inhalation toxicity:

Nitric acid - LC50: > 2.65 mg/l (4 h) - Rat - (OECD 403)

Potassium nitrate - LC50: 527 mg/m³ - Rat - (IUCLID)

Sodium carbonate - LC50: 2300 mg/m³ - Rat - (National Library of Medicine ChemID Plus (NLM CIP))

Lithium carbonate - LC50: > 2.17 mg/l - Rat - (IUCLID)

Irritant and corrosive effects:

Primary irritation to the skin:

Causes skin irritation.

Irritation to eyes:

Causes serious eye irritation.

Irritation to respiratory tract:

Not applicable

Respiratory or skin sensitization

In case of skin contact: not sensitizing

In case of inhalation: not sensitizing

STOT-single exposure

Not applicable

STOT-repeated exposure

Not applicable

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Carcinogenicity

No indication of human carcinogenicity.

Germ cell mutagenicity

No indications of human germ cell mutagenicity exist.

Reproductive toxicity

No indications of human reproductive toxicity exist.

Aspiration hazard

Not applicable

Other adverse effects

no data available

Additional information

no data available

SECTION 12: Ecological information

12.1 Toxicity

Fish toxicity:

Ammonium chloride - LC50: 209 mg/l (96 h) - IUCLID

Potassium nitrate - LC50: 180 - 200 mg/l (96 h) - Rubin, A.J., and M.A. Elmaraghy 1976. Studies on the Toxicity of Ammonia, Nitrate and Their Mixtures to the Common Guppy. Water Resour.Ctr.Rep.No.490, Ohio State Univ., Columbus, OH :47 p. (U.S.NTIS PB-255721)

Sodium carbonate - LC50: 300 mg/l (96 h) - Cairns, J.Jr., and A. Scheier 1959. The Relationship of Bluegill Sunfish Body Size to Tolerance for Some Common Chemicals. Proc.13th Ind.Waste Conf., Purdue Univ.Eng.Bull 96:243-252

Daphnia toxicity:

Potassium nitrate - LC50: 490 mg/l (48 h) - Dowden, B.F., and H.J. Bennett 1965. Toxicity of Selected Chemicals to Certain Animals. J.Water Pollut.Control Fed. 37(9):1308-1316

Sodium carbonate - EC50: 200 mg/l (48 h) - Warne, M.S.J., and A.D. Schifko 1999. Toxicity of Laundry Detergent Components to a Freshwater Cladoceran and Their Contribution to Detergent Toxicity. Ecotoxicol.Environ.Saf. 44(2):196-206

Sodium carbonate - LC50: 176 - 1640 mg/l (48 h) - Dowden, B.F., and H.J. Bennett 1965. Toxicity of Selected Chemicals to Certain Animals. J.Water Pollut.Control Fed. 37(9):1308-1316

Algae toxicity:

no data available

Bacteria toxicity:

no data available

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water: no data available

12.4 Mobility in soil:

no data available

12.5 Results of PBT/vPvB assessment

Not applicable

12.6 Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to the environment.

12.7 Other adverse effects

no data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Appropriate disposal / Product

Dispose according to legislation. Consult the appropriate local waste disposal expert about waste disposal. Send to a hazardous waste incinerator facility under observation of official regulations.

Waste code product: no data available

Appropriate disposal / Package

Dispose according to legislation. Handle contaminated packages in the same way as the substance itself.

Additional information

none

No further relevant information available.

SECTION 14: Transport information

Land transport (TDG)

UN-No.:	3264
Proper Shipping Name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID SOLUTION)
Class(es):	8
Packing group:	III
Environmental hazards:	No
Marine pollutant:	No
Special precautions for user:	

Sea transport (IMDG)

UN-No.:	3264
Proper Shipping Name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID SOLUTION)
Class(es):	8
Classification code:	
Hazard label(s):	8
Packing group:	III
Environmental hazards:	No
Marine pollutant:	No
Special precautions for user:	
Segregation group:	1
EmS-No.	F-A S-B
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	
not relevant	

Air transport (ICAO-TI / IATA-DGR)

UN-No.:	3264
Proper Shipping Name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID SOLUTION)
Class(es):	8
Classification code:	
Hazard label(s):	8
Packing group:	III
Special precautions for user:	

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Domestic Substance List:

SECTION 16: Other information

Abbreviations and acronyms

ACGIH - American Conference of Governmental Industrial Hygienists
 DOT - Department of Transportation
 IARC - International Agency for Research on Cancer
 IATA-DGR - International Air Transport Association-Dangerous Goods Regulations
 ICAO-TI - International Civil Aviation Organization-Technical Instructions
 IMDG - International Maritime Code for Dangerous Goods
 LTV - Long Term Value
 NIOSH - National Institute for Occupational Safety and Health
 NTP - National Toxicology Program
 OSHA - Occupational Safety & Health Administration
 PBT - Persistent, Bioaccumulative and Toxic
 PEL - Permissible Exposure Limit
 STV - Short Term Value
 SVHC - Substances of Very High Concern
 TDG - Transport of Dangerous Goods
 TLV - Threshold Limit Value
 vPvB - very Persistent, very Bioaccumulative

Key literature references and sources for data

This Safety Data Sheet has been prepared based on information available for public as TOXNET information, European Chemicals Agency (ECHA) substance dossier, papers from international cancer research institutes (IARC Monographs), U.S. National Toxicology Program data, U.S. Agency for Toxic Substances and Disease Control (ATSDR), PubChem websites and SDS from our raw material manufacturers.

Revision date	Version	Print date
21.03.2024	1.0	21.03.2024

Additional information

Indication of changes none/none

The above information is believed to be correct but does not purport to be all-inclusive and shall be used only as a guidance. The information in this document is based on the present state knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. VWR International and his Affiliates shall not be held liable for any damage resulting from handling.