

## Product Specification

Meets U.S.P Requirements, Meets F.C.C. Requirements, GMP Manufactured Product

Test	Specification
USP – Assay (CH <sub>3</sub> COONa) (dried basis)	99.0 – 101.0 %
USP – Calcium and Magnesium	Passes Test
USP – Chloride (Cl)	≤ 0.035 %
USP – Identification	Passes Test
USP – Insoluble Matter	≤ 0.05 %
USP – Loss on Drying at 120°C	≤ 1.0 %
USP – pH of 3% Solution at 25°C	7.5 – 9.2
USP – Potassium	Passes Test
USP – Residual Acetic Acid, For Information Only	
USP – Sulfate (SO <sub>4</sub> )	≤ 0.005 %
FCC – Assay (CH <sub>3</sub> COONa) (dried basis)	99.0 – 101.0 %
FCC – Alkalinity	≤ 0.2 %
FCC – Identification	Passes Test
FCC – Lead (Pb)	≤ 2 mg/kg
FCC – Loss on Drying at 120°C	≤ 1.0 %
FCC – Potassium Compounds	Passes Test

Sodium Acetate, Anhydrous  
U.S.P. – F.C.C.



Material No.: 3473-QM

---

Test

Specification

---

---

GMP Manufactured Product

Food GMP Manufactured Product

Bulk Food Chemical

Bulk Pharmaceutical Chemical

CAUTION: For Manufacturing, processing or repackaging

The Class 3 solvent, acetic acid, is used to produce this product. Residual concentration is controlled to <0.5%.

Elemental Impurities (USP 232, EP 5.20) – Information on elemental impurities for this product is available on the associated Product Regulatory Data Sheet and elemental impurity profile report.

Packaging Site: Paris Mfg Ctr & DC

Jamie Ethier  
Vice President Global Quality

For questions on this Product Specification please contact Technical Services at 855.282.6867 or +1.610.386.1700

Avantor Performance Materials, LLC

100 Matsonford Rd, Suite 200, Radnor, PA 19087. U.S.A. Phone 610.386.1700