

# **Methyl t-Butyl Ether**

242-1L

Version 1.6 Revision Date 06/13/2019 Print Date 10/17/2019

**SECTION 1. IDENTIFICATION** 

Product name Methyl t-Butyl Ether

Number 00000011395

Product Use Description Solvent

Manufacturer or supplier's

details

Honeywell International Inc. 1953 South Harvey Street Muskegon, MI 49442

For more information call 1-800-368-0050

+1-231-726-3171(Monday-Friday, 9:00am-5:00pm)

In case of emergency call Medical: 1-800-498-5701 or +1-303-389-1414

Transportation (CHEMTREC): 1-800-424-9300 or

+1-703-527-3887

(24 hours/day, 7 days/week)

### **SECTION 2. HAZARDS IDENTIFICATION**

**Emergency Overview** 

Form : liquid, clear

Color : colourless

Odor : pungent organic

Classification of the substance or mixture

or mixture

Classification of the substance : Flammable liquids, Category 2 Skin irritation, Category 2

GHS Label elements, including precautionary statements

Page 1 / 13



# **Methyl t-Butyl Ether**

### 242-1L

Version 1.6 Revision Date 06/13/2019 Print Date 10/17/2019

Symbol(s)





Signal word : Danger

Hazard statements : Highly flammable liquid and vapour.

Causes skin irritation.

Precautionary statements : Prevention:

Keep away from heat/sparks/open flames/hot surfaces. No

smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wash skin thoroughly after handling.

Wear protective gloves/ eye protection/ face protection.

### Response:

IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. If skin irritation occurs: Get medical advice/ attention. Take off contaminated clothing and wash before reuse.

In case of fire: Use dry sand, dry chemical or alcohol-resistant

foam for extinction.

### Storage:

Store in a well-ventilated place. Keep cool.

### Disposal:

Dispose of contents/ container to an approved waste disposal

plant.

### Carcinogenicity

ACGIH: Methyl t-butyl ether 1634-04-4

A3: Confirmed animal carcinogen



## **Methyl t-Butyl Ether**

242-1L

Version 1.6 Revision Date 06/13/2019 Print Date 10/17/2019

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Formula : C5H12O

Chemical nature : Substance

Chemical name	CAS-No.	Concentration
Methyl t-butyl ether	1634-04-4	100.00 %

### **SECTION 4. FIRST AID MEASURES**

Inhalation : Remove to fresh air. If not breathing, give artificial respiration. If

breathing is difficult, give oxygen. Use oxygen as required, provided a qualified operator is present. Call a physician.

Skin contact : Wash off immediately with plenty of water for at least 15

minutes. Take off contaminated clothing and shoes immediately. Wash contaminated clothing before re-use. Call a physician.

Eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes. Call a physician.

Ingestion : Do not induce vomiting without medical advice. If a person

vomits when lying on his back, place him in the recovery position. Call a physician immediately. Never give anything by

mouth to an unconscious person.

Notes to physician

Indication of immediate medical attention and special treatment needed, if

: Treat symptomatically.

necessary

### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Carbon dioxide (CO2)

Dry chemical

Page 3 / 13



# **Methyl t-Butyl Ether**

## 242-1L

Version 1.6 Revision Date 06/13/2019 Print Date 10/17/2019

Foam

Cool closed containers exposed to fire with water spray.

Unsuitable extinguishing

media

: Do not use a solid water stream as it may scatter and spread

fire.

Specific hazards during

firefighting

: Extremely flammable.

Vapours may form explosive mixtures with air.

Vapours are heavier than air and may spread along floors. Vapors may travel to areas away from work site before

igniting/flashing back to vapor source.

In case of fire hazardous decomposition products may be

produced such as: Carbon monoxide Carbon dioxide (CO2)

Special protective equipment

for firefighters

: Wear self-contained breathing apparatus and protective suit.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

: Wear personal protective equipment.

Immediately evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Ensure adequate ventilation. Remove all sources of ignition.

Do not swallow.

Avoid breathing vapours, mist or gas.

Avoid contact with skin, eyes and clothing.

Environmental precautions

Prevent further leakage or spillage if safe to do so.

Prevent product from entering drains.

Discharge into the environment must be avoided.

Do not flush into surface water or sanitary sewer system. Do not allow run-off from fire fighting to enter drains or water

courses.

Methods and materials for containment and cleaning

up

Ventilate the area.

No sparking tools should be used. Use explosion-proof equipment.

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national

Page 4 / 13



## **Methyl t-Butyl Ether**

242-1L

Version 1.6 Revision Date 06/13/2019 Print Date 10/17/2019

regulations (see section 13).

### **SECTION 7. HANDLING AND STORAGE**

#### Handling

Precautions for safe

handling

: Wear personal protective equipment.

Use only in well-ventilated areas.

Keep container tightly closed.

Do not smoke. Do not swallow.

Avoid breathing vapours, mist or gas. Avoid contact with skin, eyes and clothing.

Advice on protection against :

fire and explosion

Keep away from fire, sparks and heated surfaces.

Take precautionary measures against static discharges.

Ensure all equipment is electrically grounded before beginning

transfer operations.

Use explosion-proof equipment.

Keep product and empty container away from heat and sources

of ignition.

No sparking tools should be used.

No smoking.

### Storage

Conditions for safe storage,

including any incompatibilities

Store in area designed for storage of flammable liquids. Protect

from physical damage.

Keep containers tightly closed in a dry, cool and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Keep away from heat and sources of ignition.

Keep away from direct sunlight.

Store away from incompatible substances.

Container hazardous when empty.

Do not pressurize, cut, weld, braze, solder, drill, grind or expose

containers to heat or sources of ignition.

### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Protective measures : Ensure that eyewash stations and safety showers are close to

Page 5 / 13



# **Methyl t-Butyl Ether**

## 242-1L

Version 1.6 Revision Date 06/13/2019 Print Date 10/17/2019

the workstation location.

Engineering measures : Use with local exhaust ventilation.

Prevent vapour buildup by providing adequate ventilation during

and after use.

Eye protection : Do not wear contact lenses.

Wear as appropriate:

Safety glasses with side-shields
If splashes are likely to occur, wear:

Goggles or face shield, giving complete protection to eyes

Hand protection : Solvent-resistant gloves

Gloves must be inspected prior to use.

Replace when worn.

Skin and body protection : Wear as appropriate:

Solvent-resistant apron

Flame retardant antistatic protective clothing.

If splashes are likely to occur, wear:

Protective suit

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory

equipment.

For rescue and maintenance work in storage tanks use

self-contained breathing apparatus.

Use NIOSH approved respiratory protection.

Hygiene measures : When using, do not eat, drink or smoke.

Wash hands before breaks and immediately after handling the

product.

Keep working clothes separately.

Remove and wash contaminated clothing before re-use.

Do not swallow.

Avoid breathing vapours, mist or gas.

Avoid contact with skin, eyes and clothing.

### **Exposure Guidelines**

Components	CAS-No.	Value	Control parameters	Upda te	Basis
Methyl t-butyl ether	1634-04-4	TWA: Time weighted average	(50 ppm)	2008	ACGIH:US. ACGIH Threshold Limit Values



# **Methyl t-Butyl Ether**

## 242-1L

Version 1.6 Revision Date 06/13/2019 Print Date 10/17/2019

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical state : liquid, clear

Color : colourless

Odor : pungent organic

Odor threshold : Note: no data available

pH : Note: Not applicable

Melting point/range : -108.6 °C

Boiling point/boiling range : 55.2 °C

Flash point : -17 °F (-27 °C)

Method: closed cup

Evaporation rate : < 1

Method: Compared to Ether (anhydrous).

Lower explosion limit : 2.5 %(V)

Upper explosion limit : 15.1 %(V)

Vapor pressure : 320 hPa

at 20 °C(68 °F)

Vapor density : 3.1 Note: (Air = 1.0)

Density : 0.74 g/cm3 at 20 °C

Water solubility : ca. 50 g/l

Page 7 / 13



# **Methyl t-Butyl Ether**

## 242-1L

Version 1.6 Revision Date 06/13/2019 Print Date 10/17/2019

Partition coefficient:

n-octanol/water

: Note: no data available

Ignition temperature : 193 °C

Decomposition temperature : Note: no data available

Viscosity, dynamic : Note: no data available

Viscosity, kinematic : Note: no data available

Molecular weight : 88.14 g/mol

### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous

reactions

: Hazardous polymerisation does not occur.

Conditions to avoid : Heat, flames and sparks.

Keep away from direct sunlight.

Incompatible materials : Strong oxidizing agents

Strong acids

Hazardous decomposition

products

: In case of fire hazardous decomposition products may be

produced such as: Carbon monoxide Carbon dioxide (CO2)

### **SECTION 11. TOXICOLOGICAL INFORMATION**

Page 8 / 13



# **Methyl t-Butyl Ether**

## 242-1L

Version 1.6 Revision Date 06/13/2019 Print Date 10/17/2019

Acute oral toxicity : LD50: 3,870 mg/kg

Species: Rat

Acute inhalation toxicity : LC50: > 85 mg/l

Exposure time: 4 h

Species: Rat

Acute dermal toxicity : LD50: > 10,000 mg/kg

Species: Rabbit

Skin irritation : Species: Rabbit

Result: Irritating to skin.

Eye irritation : Species: Rabbit

Result: slight irritation

Further information : Note: Confirmed animal carcinogen with unknown relevance to

humans.

### **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity effects** 

Toxicity to fish : LC50: 672 mg/l

Exposure time: 96 h

Species: Pimephales promelas (fathead minnow)

Toxicity to daphnia and other

aquatic invertebrates

: LC50: 651 mg/l Exposure time: 48 h

Species: Daphnia (water flea)

Toxicity to bacteria : EC50: 8.23 mg/l

Exposure time: 5 min

Page 9 / 13



# **Methyl t-Butyl Ether**

## 242-1L

Version 1.6 Revision Date 06/13/2019 Print Date 10/17/2019

Species: Photobacterium phosphoreum

: EC50: 9.67 mg/l Exposure time: 15 min

Species: Photobacterium phosphoreum

: EC50: 11.4 mg/l Exposure time: 30 min

Species: Photobacterium phosphoreum

### Further information on ecology

Additional ecological : Harmful to aquatic organisms.

information Accumulation in aquatic organisms is unlikely.

#### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods : Observe all Federal, State, and Local Environmental

regulations.

### **SECTION 14. TRANSPORT INFORMATION**

: UN 2398 DOT UN/ID No.

> Proper shipping name : METHYL tert-BUTYL ETHER

Class 3 Packing group Ш Hazard Labels 3

**IATA** UN/ID No. : UN 2398

Description of the goods : METHYL tert-BUTYL ETHER

Class : 3 : II Packaging group Hazard Labels : 3 Packing instruction (cargo : 364

aircraft)

Packing instruction : 353

(passenger aircraft)

Packing instruction : Y341

(passenger aircraft)

**IMDG** UN/ID No. : UN 2398

Page 10 / 13



## **Methyl t-Butyl Ether**

### 242-1L

Version 1.6 Revision Date 06/13/2019 Print Date 10/17/2019

> Description of the goods : METHYL tert-BUTYL ETHER

Class Packaging group : 11 Hazard Labels : 3

EmS Number : F-E, S-D Marine pollutant : no

#### SECTION 15. REGULATORY INFORMATION

#### **Inventories**

US. Toxic Substances

Control Act

: On TSCA Inventory

Australia. Industrial

Chemical (Notification and

Assessment) Act

: On the inventory, or in compliance with the inventory

Canada. Canadian **Environmental Protection** Act (CEPA). Domestic Substances List (DSL)

: All components of this product are on the Canadian DSL

Japan. Kashin-Hou Law List : On the inventory, or in compliance with the inventory

Korea. Existing Chemicals

Inventory (KECI)

: On the inventory, or in compliance with the inventory

Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control

: On the inventory, or in compliance with the inventory

Act

Chemical Substances

China. Inventory of Existing : On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as

published by ERMA New

Zealand

: On the inventory, or in compliance with the inventory

## National regulatory information

US. EPA CERCLA : The following component(s) of this product is/are subject to

Page 11 / 13



# **Methyl t-Butyl Ether**

## 242-1L

Version 1.6 Revision Date 06/13/2019 Print Date 10/17/2019

Hazardous Substances (40

CFR 302)

release reporting under 40 CFR 302 when release exceeds the

Reportable Quantity (RQ):

Reportable quantity: 1000 lbs

: Methyl t-butyl ether 1634-04-4

SARA 302 Components : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 Components : The following components are subject to reporting levels

established by SARA Title III, Section 313: : Methyl t-butyl ether 1634-04-4

SARA 311/312 Hazards : Fire Hazard

Acute Health Hazard Chronic Health Hazard

**CERCLA Reportable** 

Quantity

: 1000 lbs

California Prop. 65 : This product does not contain any chemicals known to State of

California to cause cancer, birth defects, or any other

reproductive harm.

Massachusetts RTK : Methyl t-butyl ether 1634-04-4

New Jersey RTK : Methyl t-butyl ether 1634-04-4

Pennsylvania RTK : Methyl t-butyl ether 1634-04-4

### **SECTION 16. OTHER INFORMATION**

Health hazard : 2\* 1
Flammability : 3 3

Physical Hazard : 0

Instability : 0

\* - Chronic health hazard

Page 12 / 13



## **Methyl t-Butyl Ether**

242-1L

Version 1.6 Revision Date 06/13/2019 Print Date 10/17/2019

Hazard rating and rating systems (e.g. HMIS® III, NFPA): This information is intended solely for the use of individuals trained in the particular system.

### **Further information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user. This information should not constitute a guarantee for any specific product properties.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Previous Issue Date: 03/27/2014

Prepared by Honeywell Performance Materials and Technologies Product Stewardship Group