


Material Safety Data Sheet

United States
English

Section 1. Chemical product and company identification

Product name Wash buffer; part of 'illustra™ tissue and cells genomicPrep Mini Spin (250 pack)'

Catalogue Number 28904276 
9 0 2 8 9 0 4 2 7 6

Component Number 9603C

Material uses Industrial applications: Analytical reagent. Research.

Validation date 18 August 2006

Print date 18 August 2006

Supplier GE Healthcare Bio-Sciences AB
SE-751 84 Uppsala
Sweden
+46 (0)18 612 0000

In case of emergency

US	ChemTrec (US)	1-800-424-9300
Canada	ChemTrec (US)	1-703-527-3887

2. Hazards identification

Physical state Liquid.

Odor Odorless.

OSHA/HCS status While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product.

Emergency overview No specific hazard.

Potential acute health effects

Eyes No known significant effects or critical hazards.

Skin No known significant effects or critical hazards.

Inhalation No known significant effects or critical hazards.

Ingestion No known significant effects or critical hazards.

Potential chronic health effects **CARCINOGENIC EFFECTS:** Not available.
MUTAGENIC EFFECTS: Not available.
TERATOGENIC EFFECTS: Not available.

See toxicological information (section 11)

3. Composition/information on ingredients

Section 4. First aid measures

Eye contact In case of contact with eyes, rinse immediately with plenty of water. Get medical attention if irritation occurs.

Skin contact Wash with soap and water. Get medical attention if symptoms appear.

Inhalation If inhaled, remove to fresh air. Get medical attention if symptoms appear.

Ingestion Do not ingest. Get medical attention if symptoms appear.

Protection of first-aiders No action shall be taken involving any personal risk or without suitable training.



Section 5. Fire fighting measures

Flammability of the product	Non-flammable.
Extinguishing media	
Suitable	Use an extinguishing agent suitable for the surrounding fire.
Not suitable	None known.
Special exposure hazards	No specific hazard.
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions	Immediately contact emergency personnel. Keep unnecessary personnel away. Use suitable protective equipment.
Environmental precautions	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Methods for cleaning up	If emergency personnel are unavailable, contain spilled material. For small spills, add absorbent (soil may be used in the absence of other suitable materials), scoop up material and place in a sealable, liquid-proof container for disposal. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Place spilled material in an appropriate container for disposal.

Section 7. Handling and storage

Handling	Wash thoroughly after handling.
Storage	Keep container tightly closed. Keep container in a cool, well-ventilated area.

Section 8. Exposure controls, personal protection

Engineering measures	No special ventilation requirements. Good general ventilation should be sufficient to control airborne levels. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.
Personal protection	
Eyes	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.
Skin	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Hands	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Consult local authorities for acceptable exposure limits.	

Section 9. Physical and chemical properties

Physical state	Liquid.
Color	Colorless.
Odor	Odorless.
pH	8 (Conc. (% w/w): 100) [Basic.]
Boiling/condensation point	The lowest known value is 100°C (212°F) (water).
Melting/freezing point	May start to solidify at 0°C (32°F) based on data for: water.
Critical temperature	The lowest known value is 374.3°C (705.7°F) (water).
Vapor pressure	The highest known value is 3.2 kPa (23.8 mm Hg) (at 20°C) (water).
Evaporation rate	0.36 (water) compared with Butyl acetate.
Dispersibility properties	See solubility in water, methanol, acetone.
Solubility	Easily soluble in cold water, hot water, methanol, acetone.



Section 10. Stability and reactivity

Stability and reactivity	The product is stable.
Incompatibility with various substances	Non-reactive or compatible with the following materials: oxidizing materials, reducing materials, combustible materials, organic materials, metals, acids, alkalis and moisture.
Hazardous polymerization	Will not occur.
Conditions of reactivity	Non-flammable in the presence of the following materials or conditions: open flames, sparks and static discharge, heat, shocks and mechanical impacts, oxidizing materials, reducing materials, combustible materials, organic materials, metals, acids, alkalis and moisture. Non-explosive in the presence of the following materials or conditions: open flames, sparks and static discharge, heat, shocks and mechanical impacts, oxidizing materials, reducing materials, combustible materials, organic materials, metals, acids, alkalis and moisture.

Section 11. Toxicological information

Other toxic effects on humans	No specific information is available in our database regarding the other toxic effects of this material to humans.
Specific effects	
Carcinogenic effects	No known significant effects or critical hazards.
Mutagenic effects	No known significant effects or critical hazards.
Teratogenicity / Reproduction toxicity	No known significant effects or critical hazards.
Sensitization	
Ingestion	No known significant effects or critical hazards.
Inhalation	No known significant effects or critical hazards.
Eyes	No known significant effects or critical hazards.
Skin	No known significant effects or critical hazards.

Section 12. Ecological information

Environmental precautions	No known significant effects or critical hazards.
Toxicity of the products of biodegradation	The product itself and its products of degradation are not toxic.

Section 13. Disposal considerations

Waste disposal	The generation of waste should be avoided or minimized wherever possible. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
Consult your local or regional authorities.	

Section 14. Transport information

International transport regulations

Not classified.

Section 15. Regulatory information

HCS Classification	Not regulated.
U.S. Federal regulations	TSCA 8(b) inventory: water; ethylenediamine tetraacetic acid; Tris(hydroxymethyl)aminomethane SARA 302/304/311/312 extremely hazardous substances: No products were found. SARA 302/304 emergency planning and notification: No products were found. SARA 302/304/311/312 hazardous chemicals: No products were found. SARA 311/312 MSDS distribution - chemical inventory - hazard identification: No products were found. Clean Water Act (CWA) 307: No products were found. Clean Water Act (CWA) 311: ethylenediamine tetraacetic acid Clean Air Act (CAA) 112 accidental release prevention: No products were found. Clean Air Act (CAA) 112 regulated flammable substances: No products were found. Clean Air Act (CAA) 112 regulated toxic substances: No products were found.
State regulations	Pennsylvania RTK: ethylenediamine tetraacetic acid: (environmental hazard, generic environmental hazard) Massachusetts RTK: ethylenediamine tetraacetic acid New Jersey: ethylenediamine tetraacetic acid

EU regulations



Article Number

28904276-4



9 5 2 8 9 0 4 2 7 6 - 4

Page: 3/4

Validation date 18 August 2006

Version 1.01

Risk phrases This product is not classified according to EU legislation.

International regulations

International lists

Australia (NICNAS): water; ethylenediamine tetraacetic acid; Tris(hydroxymethyl)aminomethane

China: water; ethylenediamine tetraacetic acid; Tris(hydroxymethyl)aminomethane

Germany water class: ethylenediamine tetraacetic acid; Tris(hydroxymethyl)aminomethane

Japan (METI): water; ethylenediamine tetraacetic acid; Tris(hydroxymethyl)aminomethane

Korea (TCCL): water; ethylenediamine tetraacetic acid; Tris(hydroxymethyl)aminomethane


Philippines (RA6969): water; ethylenediamine tetraacetic acid; Tris(hydroxymethyl)aminomethane

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	0
Fire hazard	0
Reactivity	0
Personal protection	B

National Fire Protection Association (U.S.A.)



Indicates information that has changed from previously issued version.

History

Date of printing	18 August 2006	Date of previous issue	18 August 2006
Date of issue	18 August 2006	Version	1.01

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.




Material Safety Data Sheet

United States
English

Section 1. Chemical product and company identification

Product name Lysis Solution 2; part of 'illustra™ tissue and cells genomicPrep Mini Spin (250 pack)'

Catalogue Number 28904276  9 0 2 8 9 0 4 2 7 6

Component Number 9603B

Material uses Industrial applications: Analytical reagent. Research.

Validation date 18 August 2006

Print date 18 August 2006

Supplier GE Healthcare Bio-Sciences AB
SE-751 84 Uppsala
Sweden
+46 (0)18 612 0000

In case of emergency

US	ChemTrec (US)	1-800-424-9300
Canada	ChemTrec (US)	1-703-527-3887

2. Hazards identification

Physical state Liquid.

Odor Faint odor. Irritant.

OSHA/HCS status This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Emergency overview Warning!
CAUSES EYE AND SKIN IRRITATION.
MAY BE HARMFUL IF SWALLOWED.
CONTAINS MATERIAL WHICH MAY CAUSE DAMAGE TO THE FOLLOWING ORGANS: CENTRAL NERVOUS SYSTEM.
Do not ingest. Avoid contact with skin and clothing. Wash thoroughly after handling.

Routes of entry Dermal contact. Eye contact.

Potential acute health effects

Eyes	Irritating to eyes.
Skin	Irritating to skin.
Inhalation	No known significant effects or critical hazards.
Ingestion	Harmful if swallowed.

Potential chronic health effects **CARCINOGENIC EFFECTS:** Not available.
MUTAGENIC EFFECTS: Not available.
TERATOGENIC EFFECTS: Not available.

Medical conditions aggravated by over-exposure Repeated skin exposure can produce local skin destruction or dermatitis. Repeated or prolonged contact with spray or mist may produce chronic eye irritation and severe skin irritation. Repeated or prolonged exposure to the substance can produce target organs damage.

See toxicological information (section 11)



3. Composition/information on ingredients

<u>Name</u>	<u>CAS number</u>	<u>% by weight</u>	<u>Exposure limits</u>
Guanidinium chloride	50-01-1	66.87	

Section 4. First aid measures

Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention.
Skin contact	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Inhalation	Move exposed person to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if symptoms occur. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Ingestion	Wash out mouth with water. Remove dentures if any. Move exposed person to fresh air. Keep person warm and at rest. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Protection of first-aiders	No action shall be taken involving any personal risk or without suitable training.

Section 5. Fire fighting measures

Flammability of the product	Non-flammable.
<u>Extinguishing media</u>	
Suitable	Use an extinguishing agent suitable for the surrounding fire.
Not suitable	None known.
Special exposure hazards	No specific hazard.
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions	Immediately contact emergency personnel. Keep unnecessary personnel away. Use suitable protective equipment.
Environmental precautions	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Methods for cleaning up	If emergency personnel are unavailable, contain spilled material. For small spills, add absorbent (soil may be used in the absence of other suitable materials), scoop up material and place in a sealable, liquid-proof container for disposal. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Place spilled material in an appropriate container for disposal.

Section 7. Handling and storage

Handling	Do not ingest. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling.
Storage	Keep container tightly closed. Keep container in a cool, well-ventilated area.

Section 8. Exposure controls, personal protection

Engineering measures	No special ventilation requirements. Good general ventilation should be sufficient to control airborne levels. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.
<u>Personal protection</u>	
Eyes	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.
Skin	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Hands	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Consult local authorities for acceptable exposure limits.



Section 9. Physical and chemical properties

Physical state	Liquid.
Color	Colorless.
Odor	Faint odor. Irritant.
pH	7 (Conc. (% w/w): 100) [Neutral.]
Boiling/condensation point	The lowest known value is 100°C (212°F) (water). Weighted average: 101.56°C (214.8°F)
Melting/freezing point	May start to solidify at 0°C (32°F) based on data for: water.
Critical temperature	The lowest known value is 374.3°C (705.7°F) (water).
Relative density	The only known value is 1.11 (Water = 1) (Tween 20).
Vapor pressure	The highest known value is 3.2 kPa (23.8 mm Hg) (at 20°C) (water). Weighted average: 2.7 kPa (20.25 mm Hg) (at 20°C)
Evaporation rate	0.36 (water) compared with Butyl acetate.
Dispersibility properties	See solubility in water, methanol, acetone.
Solubility	Easily soluble in cold water, hot water, methanol, acetone.

Section 10. Stability and reactivity

Stability and reactivity	The product is stable.
Incompatibility with various substances	Reactive or incompatible with the following materials: oxidizing materials and reducing materials. Slightly reactive or incompatible with the following materials: moisture. Non-reactive or compatible with the following materials: combustible materials, organic materials, metals, acids and alkalis.
Hazardous decomposition products	These products are halogenated compounds, hydrogen chloride.
Hazardous polymerization	Will not occur.
Conditions of reactivity	Non-flammable in the presence of the following materials or conditions: open flames, sparks and static discharge, heat, shocks and mechanical impacts, oxidizing materials, reducing materials, combustible materials, organic materials, metals, acids, alkalis and moisture. Non-explosive in the presence of the following materials or conditions: open flames, sparks and static discharge, heat, shocks and mechanical impacts, oxidizing materials, reducing materials, combustible materials, organic materials, metals, acids, alkalis and moisture.

Section 11. Toxicological information

Toxicity data

<u>Product/ingredient name</u>	<u>Test</u>	<u>Result</u>	<u>Route</u>	<u>Species</u>
Guanidinium chloride	LD50	475 mg/kg	Oral	Rat
	LD50	571 mg/kg	Oral	Mouse
	LD50	>2000 mg/kg	Dermal	Rabbit
	LDLo	300 mg/kg	Oral	Mammal
	LC50	500 mg/m ³ (24 hour/hours)	Inhalation	Rabbit

Chronic effects on humans Contains material which may cause damage to the following organs: central nervous system (CNS).

Other toxic effects on humans Hazardous in case of skin contact (irritant), of eye contact (irritant).

Specific effects

Carcinogenic effects No known significant effects or critical hazards.

Mutagenic effects No known significant effects or critical hazards.

Teratogenicity / Reproduction toxicity No known significant effects or critical hazards.

Target organs Contains material which may cause damage to the following organs: central nervous system (CNS).

Sensitization

Ingestion No known significant effects or critical hazards.

Inhalation No known significant effects or critical hazards.

Eyes Irritating to eyes.

Skin Irritating to skin.



Section 12. Ecological information

Ecotoxicity data

<u>Product/ingredient name</u>	<u>Species</u>	<u>Period</u>	<u>Result</u>
Guanidinium chloride	L. idus (LC50)	48 hour/hours	1759 mg/l
Environmental precautions	No known significant effects or critical hazards.		
Products of degradation	These products are carbon oxides (CO, CO ₂) and water, nitrogen oxides (NO, NO ₂ etc.), halogenated compounds.		
Toxicity of the products of biodegradation	The products of degradation are as toxic as the product itself.		

Section 13. Disposal considerations

Waste disposal	The generation of waste should be avoided or minimized wherever possible. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
Consult your local or regional authorities.	

Section 14. Transport information

International transport regulations

Not classified.

Section 15. Regulatory information

HCS Classification	Irritating material Target organ effects
U.S. Federal regulations	TSCA 8(b) inventory: water; Tween 20; Guanidinium chloride; ethylenediamine tetraacetic acid; Tris (hydroxymethyl)aminomethane SARA 302/304/311/312 extremely hazardous substances: No products were found. SARA 302/304 emergency planning and notification: Guanidinium chloride SARA 302/304/311/312 hazardous chemicals: No products were found. SARA 311/312 MSDS distribution - chemical inventory - hazard identification: No products were found. Clean Water Act (CWA) 307: No products were found. Clean Water Act (CWA) 311: ethylenediamine tetraacetic acid Clean Air Act (CAA) 112 accidental release prevention: No products were found. Clean Air Act (CAA) 112 regulated flammable substances: No products were found. Clean Air Act (CAA) 112 regulated toxic substances: No products were found.
State regulations	Pennsylvania RTK: ethylenediamine tetraacetic acid: (environmental hazard, generic environmental hazard) Florida: Guanidinium chloride Minnesota: Guanidinium chloride Massachusetts RTK: ethylenediamine tetraacetic acid New Jersey: ethylenediamine tetraacetic acid

EU regulations

Hazard symbol/symbols



Risk phrases

R22- Harmful if swallowed.
R36/38- Irritating to eyes and skin.

International regulations

International lists

Australia (NICNAS): water; Tween 20; Guanidinium chloride; ethylenediamine tetraacetic acid; Tris (hydroxymethyl)aminomethane
China: water; Tween 20; Guanidinium chloride; ethylenediamine tetraacetic acid; Tris(hydroxymethyl)aminomethane
Germany water class: Tween 20; Guanidinium chloride; ethylenediamine tetraacetic acid; Tris (hydroxymethyl)aminomethane
Japan (METI): water; Tween 20; Guanidinium chloride; ethylenediamine tetraacetic acid; Tris (hydroxymethyl)aminomethane



Article Number

28904276-3



9 5 2 8 9 0 4 2 7 6 - 3

Page: 4/5

Validation date 18 August 2006

Version 1

Korea (TCCL): water; Tween 20; Guanidinium chloride; ethylenediamine tetraacetic acid; Tris (hydroxymethyl)aminomethane

Philippines (RA6969): water; Tween 20; Guanidinium chloride; ethylenediamine tetraacetic acid; Tris (hydroxymethyl)aminomethane

Section 16. Other information


Label requirements

CAUSES EYE AND SKIN IRRITATION.
 MAY BE HARMFUL IF SWALLOWED.
 CONTAINS MATERIAL WHICH MAY CAUSE DAMAGE TO THE FOLLOWING ORGANS: CENTRAL NERVOUS SYSTEM.

Hazardous Material Information System (U.S.A.)

Health	*	2
Fire hazard		0
Reactivity		0
Personal protection		B

National Fire Protection Association (U.S.A.)



Indicates information that has changed from previously issued version.

History

Date of printing	18 August 2006	Date of previous issue	No previous validation
Date of issue	18 August 2006	Version	1

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.




Material Safety Data Sheet

United States
English

Section 1. Chemical product and company identification

Product name Lysis Solution 1; part of 'illustra™ tissue and cells genomicPrep Mini Spin (250 pack)'

Catalogue Number 28904276 

Component Number 406188

Material uses Industrial applications: Analytical reagent. Research.

Validation date 16 August 2006

Print date 16 August 2006

Supplier GE Healthcare Bio-Sciences AB
SE-751 84 Uppsala
Sweden
+46 (0)18 612 0000

In case of emergency

US	ChemTrec (US)	1-800-424-9300
Canada	ChemTrec (US)	1-703-527-3887

2. Hazards identification

Physical state Liquid.

Odor Odorless.

OSHA/HCS status This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Emergency overview Warning!

CAUSES RESPIRATORY TRACT AND EYE IRRITATION.
CONTAINS MATERIAL WHICH CAUSES DAMAGE TO THE FOLLOWING ORGANS: SKIN, EYES, STOMACH.
MAY BE HARMFUL IF ABSORBED THROUGH SKIN OR IF SWALLOWED.
MAY CAUSE SKIN IRRITATION.

Do not ingest. Avoid prolonged contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep container closed. Use only with adequate ventilation. Wash thoroughly after handling.

Routes of entry Inhalation. Ingestion.

Potential acute health effects

Eyes Irritating to eyes.

Skin Harmful in contact with skin. Moderately irritating to the skin.

Inhalation Irritating to respiratory system.

Ingestion Harmful if swallowed.

Potential chronic health effects **CARCINOGENIC EFFECTS:** Not available.
MUTAGENIC EFFECTS: Not available.
TERATOGENIC EFFECTS: Not available.

Medical conditions aggravated by over-exposure Repeated skin exposure can produce local skin destruction or dermatitis. Repeated or prolonged exposure to the substance can produce lung damage. Repeated or prolonged contact with spray or mist may produce chronic eye irritation and severe skin irritation. Repeated or prolonged exposure to the substance can produce target organs damage.

See toxicological information (section 11)



3. Composition/information on ingredients

<u>Name</u>	<u>CAS number</u>	<u>% by weight</u>	<u>Exposure limits</u>
Sodium chloride	7647-14-5	11.69	Del Lietuvos Higienos Normos (Lithuania, 12/2001). TWA: 5 mg/m ³ 8 hour/hours. Form: All forms LV Nat. Standardisation and Meterological Centre (Latvia, 11/2004). TWA: 5 mg/m ³ 8 hour/hours. Form: All forms
Sodium dodecyl sulfate	151-21-3	1.2	

Section 4. First aid measures

Eye contact	In case of contact with eyes, rinse immediately with plenty of water. Get medical attention if irritation occurs.
Skin contact	Wash with soap and water. Get medical attention if symptoms appear.
Inhalation	If inhaled, remove to fresh air. Get medical attention if symptoms appear.
Ingestion	Do not ingest. Get medical attention if symptoms appear.
Protection of first-aiders	No action shall be taken involving any personal risk or without suitable training.

Section 5. Fire fighting measures

Flammability of the product	Non-flammable.
Extinguishing media	
Suitable	Use an extinguishing agent suitable for the surrounding fire.
Not suitable	None known.
Special exposure hazards	No specific hazard.
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions	Immediately contact emergency personnel. Keep unnecessary personnel away. Use suitable protective equipment.
Environmental precautions	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Methods for cleaning up	If emergency personnel are unavailable, contain spilled material. For small spills, add absorbent (soil may be used in the absence of other suitable materials), scoop up material and place in a sealable, liquid-proof container for disposal. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Place spilled material in an appropriate container for disposal.

Section 7. Handling and storage

Handling	Do not ingest. Avoid contact with eyes, skin and clothing. Keep container closed. Use only with adequate ventilation. Avoid breathing vapor or mist. Wash thoroughly after handling.
Storage	Keep container tightly closed. Keep container in a cool, well-ventilated area.

Section 8. Exposure controls, personal protection

Engineering measures	Use only with adequate ventilation. If user operations generate dust, fumes, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Personal protection	
Eyes	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.
Skin	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Hands	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Consult local authorities for acceptable exposure limits.



Section 9. Physical and chemical properties

Physical state	Liquid.
Color	Colorless.
Odor	Odorless.
pH	8 (Conc. (% w/w): 100) [Basic.]
Boiling/condensation point	The lowest known value is 100°C (212°F) (water). Weighted average: 100.23°C (212.4°F)
Melting/freezing point	May start to solidify at 0°C (32°F) based on data for: water.
Critical temperature	The lowest known value is 374.3°C (705.7°F) (water).
Relative density	The only known value is 1.11 (Water = 1) (Tween 20).
Vapor pressure	The highest known value is 3.2 kPa (23.8 mm Hg) (at 20°C) (water). Weighted average: 3.13 kPa (23.48 mm Hg) (at 20°C)
Evaporation rate	0.36 (water) compared with Butyl acetate.
Dispersibility properties	See solubility in water, methanol, acetone.
Solubility	Easily soluble in cold water, hot water, methanol, acetone. Insoluble in diethyl ether.

Section 10. Stability and reactivity

Stability and reactivity	The product is stable.
Incompatibility with various substances	Reactive or incompatible with the following materials: oxidizing materials, reducing materials and acids. Slightly reactive or incompatible with the following materials: metals. Non-reactive or compatible with the following materials: combustible materials, organic materials, alkalis and moisture.
Hazardous decomposition products	These products are halogenated compounds, hydrogen chloride.
Hazardous polymerization	Will not occur.
Conditions of reactivity	Non-flammable in the presence of the following materials or conditions: open flames, sparks and static discharge, heat, shocks and mechanical impacts, oxidizing materials, reducing materials, combustible materials, organic materials, metals, acids, alkalis and moisture. Non-explosive in the presence of the following materials or conditions: open flames, sparks and static discharge, heat, shocks and mechanical impacts, oxidizing materials, reducing materials, combustible materials, organic materials, metals, acids, alkalis and moisture.

Section 11. Toxicological information

Toxicity data

<u>Product/ingredient name</u>	<u>Test</u>	<u>Result</u>	<u>Route</u>	<u>Species</u>
Sodium chloride	LD50	3000 mg/kg	Oral	Rat
	LD50	>10000 mg/kg	Dermal	Rabbit
Sodium dodecyl sulfate	LD50	1288 mg/kg	Oral	Rat

Chronic effects on humans Contains material which causes damage to the following organs: skin, eyes, stomach.

Other toxic effects on humans No specific information is available in our database regarding the other toxic effects of this material to humans.

Specific effects

Carcinogenic effects	No known significant effects or critical hazards.
Mutagenic effects	No known significant effects or critical hazards.
Teratogenicity / Reproduction toxicity	No known significant effects or critical hazards.
Target organs	Contains material which causes damage to the following organs: skin, eyes, stomach.

Sensitization

Ingestion	No known significant effects or critical hazards.
Inhalation	Irritating to respiratory system.
Eyes	Irritating to eyes.
Skin	Moderately irritating to the skin.



Section 12. Ecological information

Ecotoxicity data

<u>Product/ingredient name</u>	<u>Species</u>	<u>Period</u>	<u>Result</u>
Sodium chloride	Daphnia magna (EC50)	48 hour/hours	402.6 mg/l
	Oncorhynchus mykiss (LC50)	96 hour/hours	6094 mg/l
	Pimephales promelas (LC50)	96 hour/hours	6390 mg/l
	Pimephales promelas (LC50)	96 hour/hours	7050 mg/l
	Pimephales promelas (LC50)	96 hour/hours	7100 mg/l
	Pimephales promelas (LC50)	96 hour/hours	7200 mg/l
Sodium dodecyl sulfate	Daphnia magna (EC50)	48 hour/hours	6 mg/l
	Daphnia magna (EC50)	48 hour/hours	31 mg/l
	Selenastrum capricornutum (EC50)	48 hour/hours	104.8 mg/l
	Cyprinus carpio (LC50)	96 hour/hours	1.31 mg/l
	Lepomis macrochirus (LC50)	96 hour/hours	4.5 mg/l
	Oncorhynchus mykiss (LC50)	96 hour/hours	4.62 mg/l
Environmental precautions	No known significant effects or critical hazards.		
Products of degradation	These products are carbon oxides (CO, CO ₂) and water, sulfur oxides (SO ₂ , SO ₃ etc.), halogenated compounds. Some metallic oxides.		
Toxicity of the products of biodegradation	The products of degradation are as toxic as the product itself.		

Section 13. Disposal considerations

Waste disposal The generation of waste should be avoided or minimized wherever possible. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Consult your local or regional authorities.

Section 14. Transport information

International transport regulations

Not classified.

Section 15. Regulatory information

HCS Classification

Irritating material
Target organ effects

U.S. Federal regulations

TSCA 8(b) inventory: Tween 20; Sodium chloride; Sodium dodecyl sulfate; ethylenediamine tetraacetic acid; Tris(hydroxymethyl)aminomethane hydrochloride; water

SARA 302/304/311/312 extremely hazardous substances: No products were found.

SARA 302/304 emergency planning and notification: No products were found.

SARA 302/304/311/312 hazardous chemicals: Sodium chloride; Sodium dodecyl sulfate

SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Sodium chloride: Immediate (acute) health hazard, Delayed (chronic) health hazard; Sodium dodecyl sulfate: Immediate (acute) health hazard, Delayed (chronic) health hazard

Clean Water Act (CWA) 307: No products were found.

Clean Water Act (CWA) 311: ethylenediamine tetraacetic acid

Clean Air Act (CAA) 112 accidental release prevention: No products were found.

Clean Air Act (CAA) 112 regulated flammable substances: No products were found.

Clean Air Act (CAA) 112 regulated toxic substances: No products were found.

State regulations

Pennsylvania RTK: ethylenediamine tetraacetic acid: (environmental hazard, generic environmental hazard)

Massachusetts RTK: ethylenediamine tetraacetic acid

New Jersey: ethylenediamine tetraacetic acid

EU regulations

Risk phrases

This product is not classified according to EU legislation.

International regulations



Article Number

28904276-2



9 5 2 8 9 0 4 2 7 6 - 2

Page: 4/5

Validation date 16 August 2006

Version 1

International lists

Australia (NICNAS): Tween 20; Sodium chloride; Sodium dodecyl sulfate; ethylenediamine tetraacetic acid; Tris(hydroxymethyl)aminomethane hydrochloride; water

China: Tween 20; Sodium chloride; Sodium dodecyl sulfate; ethylenediamine tetraacetic acid; Tris(hydroxymethyl)aminomethane hydrochloride; water

Germany water class: Tween 20; Sodium chloride; Sodium dodecyl sulfate; ethylenediamine tetraacetic acid; Tris(hydroxymethyl)aminomethane hydrochloride

Japan (METI): Tween 20; Sodium chloride; Sodium dodecyl sulfate; ethylenediamine tetraacetic acid; Tris(hydroxymethyl)aminomethane hydrochloride; water

Korea (TCCL): Tween 20; Sodium chloride; Sodium dodecyl sulfate; ethylenediamine tetraacetic acid; Tris(hydroxymethyl)aminomethane hydrochloride; water


Philippines (RA6969): Tween 20; Sodium chloride; Sodium dodecyl sulfate; ethylenediamine tetraacetic acid; Tris(hydroxymethyl)aminomethane hydrochloride; water

Section 16. Other information**Label requirements**

CAUSES RESPIRATORY TRACT AND EYE IRRITATION.
CONTAINS MATERIAL WHICH CAUSES DAMAGE TO THE FOLLOWING ORGANS: SKIN, EYES, STOMACH.
MAY BE HARMFUL IF ABSORBED THROUGH SKIN OR IF SWALLOWED.
MAY CAUSE SKIN IRRITATION.

Hazardous Material Information System (U.S.A.)

Health	*	1
Fire hazard		0
Reactivity		0
Personal protection		B

National Fire Protection Association (U.S.A.)

Indicates information that has changed from previously issued version.

History

Date of printing	16 August 2006	Date of previous issue	No previous validation
Date of issue	16 August 2006	Version	1

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.


Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



Material Safety Data Sheet

United States
English

Section 1. Chemical product and company identification

Product name	Proteinase K; part of 'illustra™ tissue and cells genomicPrep Mini Spin (250 pack)'		
Catalogue Number	28904276		
Component Number	406172		
Material uses	Industrial applications: Analytical chemistry. Research.		
Validation date	16 August 2006		
Print date	16 August 2006		
Supplier	GE Healthcare Bio-Sciences AB SE-751 84 Uppsala Sweden +46 (0)18 612 0000		
In case of emergency	US Canada	ChemTrec (US) ChemTrec (US)	1-800-424-9300 1-703-527-3887

2. Hazards identification

Physical state	Solid.
Odor	Odorless.
OSHA/HCS status	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Emergency overview	Warning! CAUSES RESPIRATORY TRACT, EYE AND SKIN IRRITATION. MAY CAUSE ALLERGIC RESPIRATORY REACTION. CONTAINS MATERIAL WHICH MAY CAUSE DAMAGE TO THE FOLLOWING ORGANS: LUNGS. Avoid contact with skin and clothing. Do not breathe dust. Keep container closed. Use only with adequate ventilation. Wash thoroughly after handling.
Routes of entry	Dermal contact. Eye contact. Inhalation. Ingestion.
Potential acute health effects	
Eyes	Irritating to eyes.
Skin	Irritating to skin.
Inhalation	Irritating to respiratory system. May cause sensitization by inhalation.
Ingestion	No known significant effects or critical hazards.
Potential chronic health effects	CARCINOGENIC EFFECTS: Not available. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available.
Medical conditions aggravated by over-exposure	Repeated skin exposure can produce local skin destruction or dermatitis. Repeated or prolonged exposure to the substance can produce lung damage. Repeated exposure of the eyes to a low level of dust can produce eye irritation. Repeated or prolonged exposure to the substance can produce target organs damage.

See toxicological information (section 11)



3. Composition/information on ingredients

<u>Name</u>	<u>CAS number</u>	<u>% by weight</u>	<u>Exposure limits</u>
Proteinase K	39450-01-6	100	

Section 4. First aid measures

Eye contact	In case of contact with eyes, rinse immediately with plenty of water. Get medical attention if irritation occurs.
Skin contact	Wash with soap and water. Get medical attention if symptoms appear.
Inhalation	If inhaled, remove to fresh air. Get medical attention if symptoms appear.
Ingestion	Do not ingest. If potentially dangerous quantities of this material have been swallowed, call a physician immediately. Get medical attention if symptoms appear.
Protection of first-aiders	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

Section 5. Fire fighting measures

Flammability of the product	Non-flammable.
<u>Extinguishing media</u>	
Suitable	Use an extinguishing agent suitable for the surrounding fire.
Not suitable	None known.
Special exposure hazards	No specific hazard.
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions	Immediately contact emergency personnel. Keep unnecessary personnel away. Use suitable protective equipment.
Environmental precautions	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Methods for cleaning up	If emergency personnel are unavailable, vacuum or carefully scoop up spilled material and place in an appropriate container for disposal by incineration. Avoid creating dusty conditions and prevent wind dispersal.

Section 7. Handling and storage

Handling	Avoid contact with eyes, skin and clothing. Keep container closed. Use only with adequate ventilation. Do not breathe dust. Wash thoroughly after handling.
Storage	Keep container tightly closed. Keep container in a cool, well-ventilated area.

Section 8. Exposure controls, personal protection

Engineering measures	Use only with adequate ventilation. If user operations generate dust, fumes, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
<u>Personal protection</u>	
Eyes	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.
Skin	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory	Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Hands	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Consult local authorities for acceptable exposure limits.	



Section 9. Physical and chemical properties

Physical state	Solid.
Color	White.
Odor	Odorless.
Volatility	0% (w/w)
VOC	0 (g/l).
Dispersibility properties	See solubility in water.
Solubility	Easily soluble in cold water, hot water.

Section 10. Stability and reactivity

Stability and reactivity	The product is stable.
Incompatibility with various substances	Reactive or incompatible with the following materials: oxidizing materials.
Hazardous polymerization	Will not occur.
Conditions of reactivity	Non-flammable in the presence of the following materials or conditions: open flames, sparks and static discharge, heat, shocks and mechanical impacts, oxidizing materials, reducing materials, combustible materials, organic materials, metals, acids, alkalis and moisture. Not considered to be a product presenting a risk of explosion.

Section 11. Toxicological information

Chronic effects on humans	Contains material which may cause damage to the following organs: lungs.
Other toxic effects on humans	Hazardous in case of skin contact (irritant), of eye contact (irritant), of inhalation (lung irritant, lung sensitizer).
Special remarks on chronic effects on humans	To the best of our knowledge, the toxicological properties of this substance have not been thoroughly investigated. (Proteinase K)
Specific effects	
Carcinogenic effects	No known significant effects or critical hazards.
Mutagenic effects	No known significant effects or critical hazards.
Teratogenicity / Reproduction toxicity	No known significant effects or critical hazards.
Target organs	Contains material which may cause damage to the following organs: lungs.

Sensitization

Ingestion	No known significant effects or critical hazards.
Inhalation	Irritating to respiratory system. May cause sensitization by inhalation.
Eyes	Irritating to eyes.
Skin	Irritating to skin.

Section 12. Ecological information

Environmental precautions	No known significant effects or critical hazards.
----------------------------------	---

Section 13. Disposal considerations

Waste disposal	The generation of waste should be avoided or minimized wherever possible. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
RCRA classification	Code: Not classified

Consult your local or regional authorities.

Section 14. Transport information

International transport regulations

Not classified.




Section 15. Regulatory information

HCS Classification Irritating material
Sensitizing material
Target organ effects

U.S. Federal regulations TSCA: No products were found.
SARA 302/304/311/312 extremely hazardous substances: No products were found.
SARA 302/304 emergency planning and notification: No products were found.
SARA 302/304/311/312 hazardous chemicals: No products were found.
SARA 311/312 MSDS distribution - chemical inventory - hazard identification: No products were found.
Clean Water Act (CWA) 307: No products were found.
Clean Water Act (CWA) 311: No products were found.
Clean Air Act (CAA) 112 accidental release prevention: No products were found.
Clean Air Act (CAA) 112 regulated flammable substances: No products were found.
Clean Air Act (CAA) 112 regulated toxic substances: No products were found.

State regulations No products were found.

EU regulations

Hazard symbol/symbols 

Risk phrases R36/37/38- Irritating to eyes, respiratory system and skin.
R42- May cause sensitization by inhalation.

Safety phrases S22- Do not breathe dust.
S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

International regulations

International lists China: Proteinase K


Section 16. Other information

Label requirements CAUSES RESPIRATORY TRACT, EYE AND SKIN IRRITATION.
MAY CAUSE ALLERGIC RESPIRATORY REACTION.
CONTAINS MATERIAL WHICH MAY CAUSE DAMAGE TO THE FOLLOWING ORGANS: LUNGS.

Hazardous Material Information System (U.S.A.)

Health	*	1
Fire hazard		0
Reactivity		0
Personal protection		B

National Fire Protection Association (U.S.A.)



Indicates information that has changed from previously issued version.

History

Date of printing	16 August 2006	Date of previous issue	No previous validation
Date of issue	16 August 2006	Version	1

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



SAFETY STATEMENT

This document is only available in English.

1. Identification of the substance/preparation and of the company/undertaking

Product name Elution buffer; part of 'illustra™ tissue and cells genomicPrep Mini Spin (250 pack)'

Catalogue Number 28904276



Component Number 406298

Supplier GE Healthcare Bio-Sciences AB
SE-751 84 Uppsala
Sweden
+46 (0)18 612 0000

Swedish Poisons Information Centre :
+46 (0)8 331 231

Europe
+46 18 612 0000

USA
1-800-424-9300

Australia
000 or +61 2 9899 0999

2. Composition / information on ingredients

Substance/Preparation Preparation

Within the present knowledge of the supplier, this product does not contain any hazardous ingredients in quantities requiring reporting in this section, in accordance with EU or national regulations.

Statement of hazardous nature

To the best of our knowledge this substance/preparation is not classified as hazardous according to EU, US or any other known national regulations.

9. Physical and chemical properties

Physical state Liquid.

Color Colorless.

16. Other information

History

Date of printing	28 September 2006	Date of previous issue	18 August 2006
Date of issue	28 September 2006	Version	2

Notice to Reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

This is not an MSDS. According to EU and US regulations we are not required to supply an MSDS for a product which is not classified as hazardous.



Article Number

28904276-5



Page: 1/1

Validation date 28 September 2006

Version 2