



# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Date of issue: 04/24/2014

Version 1.0

## SECTION 1. Identification

### Product identifier

Product number	EX0237
Product name	Ethyl Acetate Anhydrous DriSolv®
CAS-No.	141-78-6

### Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Reagent for analysis
-----------------	----------------------

### Details of the supplier of the safety data sheet

Company	EMD Millipore Corporation   290 Concord Road, Billerica, MA 01821, United States of America   General Inquiries: +1-978-715-4321   Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5)
---------	--

Emergency telephone	800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week
---------------------	--

## SECTION 2. Hazards identification

### GHS Classification

Flammable liquid, Category 2, H225  
Eye irritation, Category 2, H319  
Specific target organ systemic toxicity - single exposure, Category 3, Central nervous system, H336  
For the full text of the H-Statements mentioned in this Section, see Section 16.

### GHS-Labeling

#### Hazard pictograms



Signal Word  
Danger

#### Hazard Statements

H225 Highly flammable liquid and vapor.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.

# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number EX0237  
Product name Ethyl Acetate Anhydrous DriSolv®

Version 1.0

## *Precautionary Statements*

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P403 + P235 Store in a well-ventilated place. Keep cool.

## **OSHA Hazards**

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). This information is based on 29 CFR 1910.1200 criteria prior to adoption of the GHS and may deviate from the GHS information.

## **Other hazards**

None known.

---

## **SECTION 3. Composition/information on ingredients**

Formula	CH <sub>3</sub> COOC <sub>2</sub> H <sub>5</sub>	C <sub>4</sub> H <sub>8</sub> O <sub>2</sub> (Hill)
Molar mass	88.11 g/mol	

## **Hazardous ingredients**

*Chemical Name (Concentration)*

CAS-No.

*ethyl acetate (>= 90 % - <= 100 % )*

141-78-6

Exact percentages are being withheld as a trade secret.

---

## **SECTION 4. First aid measures**

### **Description of first-aid measures**

#### *Inhalation*

After inhalation: fresh air. Consult doctor if feeling unwell.

#### *Skin contact*

After skin contact: wash off with plenty of water. Remove contaminated clothing.

#### *Eye contact*

After eye contact: rinse out with plenty of water. Call in ophthalmologist.

#### *Ingestion*

After swallowing: caution if victim vomits. Risk of aspiration! Keep airways free. Pulmonary failure possible after aspiration of vomit. Call a physician immediately. Subsequently administer: activated charcoal (20 - 40 g in 10% slurry). Laxative: Sodium sulfate (1 tablespoon/1/4 l water).

Never give anything by mouth to an unconscious person.

### **Most important symptoms and effects, both acute and delayed**

irritant effects, respiratory paralysis, Drowsiness, narcosis, Nausea, Vomiting, Headache, drowsiness, Salivation

### **Indication of any immediate medical attention and special treatment needed**

## SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number EX0237  
Product name Ethyl Acetate Anhydrous DriSolv®

Version 1.0

---

After swallowing of large amounts: Gastric lavage.

---

### SECTION 5. Fire-fighting measures

#### Extinguishing media

##### *Suitable extinguishing media*

Carbon dioxide (CO<sub>2</sub>), Dry powder, Foam

##### *Unsuitable extinguishing media*

For this substance/mixture no limitations of extinguishing agents are given.

#### Special hazards arising from the substance or mixture

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air at ambient temperatures.

Pay attention to flashback.

Development of hazardous combustion gases or vapors possible in the event of fire.

#### Advice for firefighters

##### *Special protective equipment for fire-fighters*

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

##### *Further information*

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

### SECTION 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

#### Environmental precautions

Do not empty into drains. Risk of explosion.

#### Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

Take up with liquid-absorbent material (e.g. Chemisorb®). Dispose of properly. Clean up affected area.

---

### SECTION 7. Handling and storage

#### Precautions for safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapors/aerosols.

Observe label precautions.

##### *Advice on protection against fire and explosion*

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number EX0237  
Product name Ethyl Acetate Anhydrous DriSolv®

Version 1.0

## Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Store at room temperature.

## SECTION 8. Exposure controls/personal protection

### Exposure limit(s)

#### Ingredients

Basis	Value	Threshold limits	Remarks
<i>ethyl acetate 141-78-6</i>			
ACGIH	Time Weighted Average (TWA):	400 ppm	
NIOSH/GUIDE	Recommended exposure limit (REL):	400 ppm 1,400 mg/m <sup>3</sup>	
OSHA_TRANS	PEL:	400 ppm 1,400 mg/m <sup>3</sup>	
Z1A	Time Weighted Average (TWA):	400 ppm 1,400 mg/m <sup>3</sup>	

### Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

### Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

#### Hygiene measures

Immediately change contaminated clothing. Apply skin- protective barrier cream. Wash hands and face after working with substance.

#### Eye/face protection

Safety glasses

#### Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

#### Other protective equipment:

Flame retardant antistatic protective clothing

#### Respiratory protection

required when vapors/aerosols are generated.

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number

EX0237

Version 1.0

Product name

Ethyl Acetate Anhydrous DriSolv®

---

## SECTION 9. Physical and chemical properties

Physical state	liquid
Color	colorless
Odor	fruity
Odor Threshold	0.1 - 181.5 ppm
pH	No information available.
Melting point	-83 °C
Boiling point/boiling range	171 °F (77 °C) at 1,013 hPa
Flash point	25 °F (-4 °C) Method: c.c.
Evaporation rate	No information available.
Flammability (solid, gas)	not applicable
Lower explosion limit	2.1 %(V)
Upper explosion limit	11.5 %(V)
Vapor pressure	97 hPa at 68 °F (20 °C)
Relative vapor density	3.04
Density	0.90 g/cm <sup>3</sup> at 68 °F (20 °C)
Relative density	No information available.
Water solubility	85.3 g/l at 68 °F (20 °C)
Partition coefficient: n-octanol/water	log Pow: 0.73 (experimental) (Lit.) Bioaccumulation is not expected.
Autoignition temperature	No information available.
Decomposition temperature	Distillable in an undecomposed state at normal pressure.

# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number

EX0237

Version 1.0

Product name

Ethyl Acetate Anhydrous DriSolv®

---

Viscosity, dynamic	0.44 mPa.s at 68 °F (20 °C)
Explosive properties	Not classified as explosive.
Oxidizing properties	none
Ignition temperature	860 °F (460 °C) Method: DIN 51794
Minimum ignition energy	1.42 mJ

---

## SECTION 10. Stability and reactivity

### Reactivity

Vapors may form explosive mixture with air.

### Chemical stability

Sensitivity to light

Sensitive to air.

### Possibility of hazardous reactions

Risk of ignition or formation of inflammable gases or vapors with:

Exothermic reaction with:

Fluorine, chlorosulfonic acid, Strong oxidizing agents, fuming sulfuric acid

Risk of explosion with:

lithium aluminum hydride, Alkali metals, hydrides

### Conditions to avoid

Warming.

### Incompatible materials

various plastics

### Hazardous decomposition products

no information available

---

## SECTION 11. Toxicological information

### Information on toxicological effects

*Likely route of exposure*

Inhalation, Eye contact, Skin contact

*Target Organs*

Eyes

Skin

Respiratory system

---

## SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number EX0237  
Product name Ethyl Acetate Anhydrous DriSolv®

Version 1.0

### *Acute oral toxicity*

LD50 rat: 5,620 mg/kg (RTECS)

Symptoms: Risk of aspiration upon vomiting., Aspiration may cause pulmonary edema and pneumonitis., Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

### *Acute inhalation toxicity*

LC50 rat: 5.86 mg/l; 8 h (Lit.)

Symptoms: Possible damages:, mucosal irritations

### *Acute dermal toxicity*

LD50 rabbit: > 18,000 mg/kg  
(External MSDS)

### *Skin irritation*

rabbit

Result: No skin irritation  
(IUCLID)

Repeated exposure may cause skin dryness or cracking.

### *Eye irritation*

rabbit

Result: slight irritation  
OECD Test Guideline 405

(Regulation (EC) No 1272/2008, Annex VI)

Causes serious eye irritation.

### *Sensitization*

Maximization Test (GPMT) guinea pig

Result: negative

Method: OECD Test Guideline 406

After long-term exposure to the chemical: Sensitization possible in predisposed persons.

### *Genotoxicity in vitro*

Ames test

Salmonella typhimurium

Result: negative

Method: OECD Test Guideline 471

Mutagenicity (mammal cell test): chromosome aberration.

Result: negative

(National Toxicology Program)

### *Specific target organ systemic toxicity - single exposure*

May cause drowsiness or dizziness.

### *Specific target organ systemic toxicity - repeated exposure*

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### *Aspiration hazard*

Regarding the available data the classification criteria are not fulfilled.

## **Carcinogenicity**

## SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number

EX0237

Version 1.0

Product name

Ethyl Acetate Anhydrous DriSolv®

---

IARC	No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
NTP	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
ACGIH	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

### Further information

Systemic effects:

lack of appetite, Headache

In high concentrations:

Salivation, Nausea, Vomiting, narcosis, respiratory paralysis

Handle in accordance with good industrial hygiene and safety practice.

---

## SECTION 12. Ecological information

### Ecotoxicity

*Toxicity to fish*

LC50 Pimephales promelas (fathead minnow): 230 mg/l; 96 h (IUCLID)

*Toxicity to daphnia and other aquatic invertebrates*

EC50 Daphnia magna (Water flea): 717 mg/l; 48 h (IUCLID)

*Toxicity to algae*

IC50 Desmodesmus subspicatus (green algae): 3,300 mg/l; 48 h (IUCLID)

*Toxicity to bacteria*

EC10 Pseudomonas putida: 2,900 mg/l; 16 h (IUCLID)

### Persistence and degradability

*Biodegradability*

100 %; 28 d

OECD Test Guideline 301D

Readily biodegradable.

*Theoretical oxygen demand (ThOD)*

1,820 mg/g

(Lit.)

### Bioaccumulative potential

*Partition coefficient: n-octanol/water*

log Pow: 0.73

(experimental)

(Lit.) Bioaccumulation is not expected.

### Mobility in soil



# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number EX0237  
Product name Ethyl Acetate Anhydrous DriSolv®

Version 1.0

No information available.

### *Additional ecological information*

Discharge into the environment must be avoided.

---

## SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

---

## SECTION 14. Transport information

### Land transport (DOT)

UN number UN 1173  
Proper shipping name ETHYL ACETATE  
Class 3  
Packing group II  
Environmentally hazardous --

### Air transport (IATA)

UN number UN 1173  
Proper shipping name ETHYL ACETATE  
Class 3  
Packing group II  
Environmentally hazardous --  
Special precautions for user no

### Sea transport (IMDG)

UN number UN 1173  
Proper shipping name ETHYL ACETATE  
Class 3  
Packing group II  
Environmentally hazardous --  
Special precautions for user yes  
EmS F-E S-D

---

## SECTION 15. Regulatory information

### United States of America

#### OSHA Hazards

Flammable Liquid

Eye irritant

Target organ effects

# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number EX0237  
Product name Ethyl Acetate Anhydrous DriSolv®

Version 1.0

This information is based on 29 CFR 1910.1200 criteria prior to adoption of the GHS, and may deviate from the GHS information on the label and in section 2.

## SARA 311/312 Hazards

Fire Hazard  
Acute Health Hazard  
Chronic Health Hazard

## SARA 313

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

## SARA 302

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

## Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

## DEA List I

Not listed

## DEA List II

Not listed

## US State Regulations

### Massachusetts Right To Know

*Ingredients*  
ethyl acetate

### Pennsylvania Right To Know

*Ingredients*  
ethyl acetate

### New Jersey Right To Know

*Ingredients*  
ethyl acetate

### California Prop 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

## Notification status

TSCA: All components of the product are listed in the TSCA-inventory.

DSL: All components of this product are on the Canadian DSL.

---

## SECTION 16. Other information

# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number

EX0237

Version 1.0

Product name

Ethyl Acetate Anhydrous DriSolv®

---

## Training advice

Provide adequate information, instruction and training for operators.

## Full text of H-Statements referred to under sections 2 and 3.

H225	Highly flammable liquid and vapor.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

## Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at [www.wikipedia.org](http://www.wikipedia.org).

Date of issue: 04/24/2014

---

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

*All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.*