

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Revision Date 01/27/2015

Version 1.2

SECTION 1.Identification

Product identifier

Product number 100062

Product name Acetic acid 96% for analysis EMSURE®

Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis, Chemical for synthesis

Details of the supplier of the safety data sheet

Company EMD Millipore Corporation | 290 Concord Road, Billerica, MA 01821,

United States of America | General Inquiries: +1-978-715-4321 | Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5)

Emergency telephone 800-424-9300 CHEMTREC (USA)

+1-703-527-3887 CHEMTREC (International)

24 Hours/day; 7 Days/week

SECTION 2. Hazards identification

GHS Classification

Flammable liquid, Category 3, H226 Corrosive to Metals, Category 1, H290 Skin corrosion, Category 1A, H314 Serious eye damage, Category 1, H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

GHS-Labeling

Hazard pictograms





Signal Word
Danger

Hazard Statements

H226 Flammable liquid and vapor.

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary Statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 100062 Version 1.2

Product name Acetic acid 96% for analysis EMSURE®

P233 Keep container tightly closed.

P234 Keep only in original container.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing.

Rinse skin with water/ shower.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/ physician.

P321 Specific treatment (see supplemental first aid instructions on this label).

P363 Wash contaminated clothing before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

P390 Absorb spillage to prevent material damage.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P406 Store in corrosive resistant stainless steel container with a resistant inliner.

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. Composition/information on ingredients

Chemical nature Aqueous solution

Hazardous ingredients

Chemical Name (Concentration)

CAS-No.

acetic acid (>= 90 % - <= 100 %)

64-19-7

Exact percentages are being wihtheld as a trade secret.

SECTION 4. First aid measures

Description of first-aid measures

Inhalation

After inhalation: fresh air. Call in physician.

Skin contact

After skin contact: wash off with plenty of water. Immediately remove contaminated clothing. If available swab with polyethylene glycol 400. Call a physician immediately.

Eve contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 100062 Version 1.2

Product name Acetic acid 96% for analysis EMSURE®

Ingestion

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation!). Call a physician immediately. Do not attempt to neutralize. Pulmonary failure possible after aspiration of vomit.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Irritation and corrosion, Nausea, Vomiting, bronchitis, Shortness of breath, gastric spasms,

Circulatory collapse, shock, Pneumonia

Risk of corneal clouding.

Risk of blindness!

Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Water, Foam, Carbon dioxide (CO2), Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air at elevated temperatures.

Development of hazardous combustion gases or vapors possible in the event of fire.

Fire may cause evolution of:

Acetic acid vapors

Advice for firefighters

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

Environmental precautions

Do not let product enter drains. Risk of explosion.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 100062 Version 1.2

Product name Acetic acid 96% for analysis EMSURE®

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent and neutralizing material (e.g. Chemizorb® H⁺, Art. No. 101595). Dispose of properly. Clean up affected area.

SECTION 7. Handling and storage

Precautions for safe handling

Observe label precautions.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

No metal containers.

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Store at +15°C to +25°C (+59°F to +77°F).

SECTION 8. Exposure controls/personal protection

Exposure limit(s)

Ingredients					
	Basis	Value	Threshold limits	Remarks	
acetic acid 64-19-7					
	ACGIH	Time Weighted Average (TWA):	10 ppm		
		Short Term Exposure Limit (STEL):	15 ppm		
	NIOSH/GUIDE	Recommended	10 ppm		
		exposure limit (REL):	25 mg/m³		
		Short Term Exposure	15 ppm		
		Limit (STEL):	37 mg/m³		
	OSHA_TRANS	PEL:	10 ppm		
			25 mg/m³		
	Z1A	Time Weighted Average	10 ppm		
		(TWA):	25 mg/m³		

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 100062 Version 1.2

Product name Acetic acid 96% for analysis EMSURE®

Hygiene measures

Immediately change contaminated clothing. Apply skin- protective barrier cream. Wash hands and face after working with substance.

Eye/face protection

Tightly fitting safety goggles

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Other protective equipment:

Flame retardant antistatic protective clothing.

Respiratory protection

required when vapors/aerosols are generated.

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

SECTION 9. Physical and chemical properties

Physical state liquid

Color colorless

Odor stinging

Odor Threshold 0.24 ppm

(anhydrous substance)

pH ca. 2.5

at 10 g/l 68 °F (20 °C)

Melting point 16.6 °C

Boiling point/boiling range 244.2 °F (117.9 °C)

at 1,013 hPa

Flash point 102 °F (39 °C)

Evaporation rate No information available.

Flammability (solid, gas) No information available.

Lower explosion limit 4 %(V)

Upper explosion limit 19.9 %(V)

Vapor pressure 15.2 hPa

at 68 °F (20 °C)

Relative vapor density No information available.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	100062	Version 1.2
Product name	Acetic acid 96% for analysis EMSURE®	

·

Density 1.05 g/cm³

at 68 °F (20 °C)

Relative density No information available.

Water solubility at 68 °F (20 °C)

soluble

Partition coefficient: n-

octanol/water

No information available.

Autoignition temperature No information available.

Decomposition temperature No information available.

Viscosity, dynamic 1.17 mPa.s

at 77 °F (25 °C)

Explosive properties Not classified as explosive.

Oxidizing properties none

Ignition temperature 865 °F (463 °C)

Corrosion May be corrosive to metals.

SECTION 10. Stability and reactivity

Reactivity

Vapor/air-mixtures are explosive at intense warming.

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

Possibility of hazardous reactions

Risk of explosion with:

peroxi compounds, perchloric acid, fuming sulfuric acid, phosphorus halides, hydrogen peroxide, chromium(VI) oxide, potassium permanganate, Peroxides, Strong oxidizing agents

Risk of ignition or formation of inflammable gases or vapors with:

Metals, Iron, Zinc, magnesium, Mild steel

Possible formation of:

Hydrogen

Violent reactions possible with:

strong alkalis, anhydrides, Aldehydes, alkali hydroxides, nonmetallic halides, ethanolamine, Acetaldehyde, Alcohols, halogen-halogen compounds, chlorosulfonic acid, chromosulfuric acid, Potassium hydroxide, Nitric acid

Conditions to avoid

Heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 100062 Version 1.2

Product name Acetic acid 96% for analysis EMSURE®

Incompatible materials

various metals

Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

Information on toxicological effects

Likely route of exposure

Inhalation, Eye contact, Skin contact

Target Organs

Eyes

Skin

Respiratory system

teeth

Acute oral toxicity

Symptoms: Nausea, Vomiting, If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach., Pulmonary failure possible after aspiration of vomit.

Acute inhalation toxicity

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract, Inhalation may lead to the formation of oedemas in the respiratory tract.

Skin irritation

Mixture causes severe burns.

Eye irritation

Mixture causes serious eye damage. Risk of corneal clouding. Risk of blindness!

Specific target organ systemic toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ systemic toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Regarding the available data the classification criteria are not fulfilled.

Carcinogenicity

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

ACGIH No ingredient of this product present at levels greater than or

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 100062 Version 1.2

Product name Acetic acid 96% for analysis EMSURE®

equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

Further information

Quantitative data on the toxicity of this product are not available.

Further toxicological data:

Systemic effects:

Shortness of breath, gastric spasms, shock, bronchitis, acidosis, Circulatory collapse,

Pneumonia

Absorption may result in damage of the following:

Kidney

Further data:

Handle in accordance with good industrial hygiene and safety practice.

Ingredients

acetic acid

Acute oral toxicity

LD50 Rat: 3,310 mg/kg (RTECS)

Acute inhalation toxicity

LCLO Rat: 39.95 mg/l; 4 h (RTECS)

Skin irritation

Rabbit

Result: Causes burns.

(IUCLID)

Eye irritation

Rabbit

Result: Causes burns.

(IUCLID)

Germ cell mutagenicity

Genotoxicity in vitro

Ames test

Salmonella typhimurium

Result: negative

(National Toxicology Program)

Teratogenicity

Did not show teratogenic effects in animal experiments. (IUCLID)

SECTION 12. Ecological information

Ecotoxicity

No information available.

Persistence and degradability

No information available.

Bioaccumulative potential

No information available.

Mobility in soil

No information available.

Additional ecological information

Biological effects:

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 100062 Version 1.2

Product name Acetic acid 96% for analysis EMSURE®

Harmful effect due to pH shift. Caustic even in diluted form.

Further information on ecology

Discharge into the environment must be avoided.

Ingredients

acetic acid

Toxicity to fish

LC50 Lepomis macrochirus (Bluegill sunfish): 75 mg/l; 96 h (Lit.)

Toxicity to daphnia and other aquatic invertebrates

EC5 E.sulcatum: 78 mg/l; 72 h neutral (maximum permissible toxic concentration) (Lit.)

EC50 Daphnia magna (Water flea): 47 mg/l; 24 h (Lit.)

Toxicity to algae

IC5 Scenedesmus quadricauda (Green algae): 4,000 mg/l; 16 h (maximum permissible toxic concentration) (Lit.)

Toxicity to bacteria

EC5 Pseudomonas putida: 2,850 mg/l; 16 h neutral (maximum permissible toxic concentration) (Lit.)

microtox test EC50 Photobacterium phosphoreum: 11 mg/l; 15 min (IUCLID)

Biodegradability
99 %; 30 d
OECD Test Guideline 301D
(HSDB)

Readily biodegradable.

95 %; 5 d OECD Test Guideline 302B Readily eliminated from water

Biochemical Oxygen Demand (BOD) 880 mg/g (5 d)

Ratio BOD/ThBOD BOD5 76 % (IUCLID)

(Lit.)

Substance does not meets the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 100062 Version 1.2

Product name Acetic acid 96% for analysis EMSURE®

SECTION 14. Transport information

Land transport (DOT)

UN number UN 2789

Proper shipping name ACETIC ACID SOLUTION

Class 8 (3)
Packing group II
Environmentally hazardous --

Air transport (IATA)

UN number UN 2789

Proper shipping name ACETIC ACID SOLUTION

Class 8 (3)
Packing group II
Environmentally hazardous -Special precautions for user no

Sea transport (IMDG)

UN number UN 2789

Proper shipping name ACETIC ACID SOLUTION

Class 8 (3)
Packing group II
Environmentally hazardous -Special precautions for user
EmS F-E S-C

SECTION 15. Regulatory information

United States of America

SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 302

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 100062 Version 1.2

Product name Acetic acid 96% for analysis EMSURE®

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

Ingredients acetic acid

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

Ingredients acetic acid

DEA List I

Not listed

DEA List II

Not listed

US State Regulations

Massachusetts Right To Know

Ingredients acetic acid

Pennsylvania Right To Know

Ingredients acetic acid

New Jersey Right To Know

Ingredients acetic acid

California Prop 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

Notification status

TSCA: All components of the product are listed in the TSCA-inventory.

DSL: All components of this product are on the Canadian DSL.

KOREA: Not in compliance with the inventory

SECTION 16. Other information

Training advice

Provide adequate information, instruction and training for operators.

Labeling

Hazard pictograms





Signal Word

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 100062 Version 1.2

Product name Acetic acid 96% for analysis EMSURE®

Danger

Hazard Statements

H226 Flammable liquid and vapor. H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary Statements

Prevention

P210 Keep away from heat.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

Full text of H-Statements referred to under sections 2 and 3.

H226	Flammable liquid and vapor.
H290	May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Revision Date01/27/2015

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.