

Material Safety Data Sheet

United States
English

Section 1. Chemical product and company identification

Product name Amersham™ Protran™ Supported Sandwich 0.45 μm NC +3MM 80 mm x 90 mm, 10+20/PK

Catalogue Number 10600119



Material uses Industrial applications: Analytical chemistry. Research.
Product type Solid.
Validation date 25 September 2013
Print date 25 September 2013
Supplier GE Healthcare UK Ltd
 Amersham Place
 Little Chalfont
 Buckinghamshire HP7 9NA
 England
 +44 0870 606 1921

In case of emergency

US	ChemTrec (US)	1-800-424-9300
Canada	ChemTrec (US)	1-703-527-3887

2. Hazards identification

Physical state Solid.
Color White.
Odor Odorless.
Signal word WARNING!
Hazard statements FLAMMABLE SOLID. MAY CAUSE TARGET ORGAN DAMAGE, BASED ON ANIMAL DATA.
Precautionary measures Do not eat, drink or smoke when using this product. Keep away from heat, sparks and flame. Keep container closed. Wash thoroughly after handling.
OSHA/HCS status This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Potential acute health effects

Eyes No known significant effects or critical hazards.
Skin No known significant effects or critical hazards.
Inhalation Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
Ingestion No known significant effects or critical hazards.

Potential chronic health effects

Chronic effects May cause target organ damage, based on animal data.
Carcinogenicity No known significant effects or critical hazards.
Mutagenicity No known significant effects or critical hazards.
Teratogenicity No known significant effects or critical hazards.
Developmental effects No known significant effects or critical hazards.
Fertility effects No known significant effects or critical hazards.
Target organs May cause damage to the following organs: central nervous system (CNS).

Over-exposure signs/symptoms

Inhalation No specific data.
Ingestion No specific data.
Skin No specific data.
Eyes No specific data.

Medical conditions aggravated by over-exposure Pre-existing disorders involving any target organs mentioned in this MSDS as being at risk may be aggravated by over-exposure to this product.



Article Number
29050392



Page: 1/6
Validation date 25 September 2013

Version 1

See toxicological information (Section 11)

3. Composition/information on ingredients

Name	CAS number	% by weight
Nitrocellulose with <12.6% N	9004-70-0	100

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Section 4. First aid measures

Eye contact	Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.
Skin contact	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately.
Inhalation	Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.
Ingestion	Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.
Protection of first-aiders	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
Notes to physician	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Section 5. Fire-fighting measures

Flammability of the product	Flammable solid. Runoff to sewer may create fire or explosion hazard.
Extinguishing media	
Suitable	Use dry chemical, CO ₂ , water spray (fog) or foam.
Not suitable	Do not use water jet.
Special exposure hazards	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
Hazardous combustion products	Decomposition products may include the following materials: nitrogen oxides
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).
Environmental precautions	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods for cleaning up	Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.
Small spill	Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

Handling	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not ingest. Avoid contact with eyes, skin and clothing. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use non-sparking tools. Empty containers retain product residue and can be hazardous. Do not reuse container.
-----------------	---



Article Number

29050392



9 5 2 9 0 5 0 3 9 2

Page: 2/6

Validation date 25 September 2013

Version 1

Storage	Store between the following temperatures: 18 to 25°C (64.4 to 77°F). Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.
----------------	---

Section 8. Exposure controls/personal protection

Consult local authorities for acceptable exposure limits.

Recommended monitoring procedures	If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.
Engineering measures	Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Personal protection	
Respiratory	Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Hands	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Eyes	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves.
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Section 9. Physical and chemical properties

Physical state	Solid.
Flash point	Closed cup: 40°C (104°F)
Auto-ignition temperature	>160°C (>320°F)
Color	White.
Odor	Odorless.
Molecular formula	HNO ₃ .xUnspecified
Volatility	0% (w/w)
Solubility	Partially soluble in the following materials: methanol, diethyl ether and acetone. Insoluble in the following materials: cold water and hot water.

Section 10. Stability and reactivity

Chemical stability	The product is stable.
Conditions to avoid	Avoid all possible sources of ignition (spark or flame).
Incompatible materials	Reactive or incompatible with the following materials: oxidizing materials
Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Possibility of hazardous reactions	Under normal conditions of storage and use, hazardous reactions will not occur.



Section 11. Toxicological information

<u>Acute toxicity</u>				
Product/ingredient name	Result	Species	Dose	Exposure
Nitrocellulose with <12.6% N	LD50 Oral	Rat	>5 g/kg	-
Conclusion/Summary	Not toxic.			
<u>Chronic toxicity</u>				
Conclusion/Summary	Not toxic.			
<u>Irritation/Corrosion</u>				
Conclusion/Summary	Not available.			
<u>Sensitizer</u>				
Conclusion/Summary	Not available.			
<u>Carcinogenicity</u>				
Conclusion/Summary	Not available.			
<u>Mutagenicity</u>				
Conclusion/Summary	Not available.			
<u>Teratogenicity</u>				
Conclusion/Summary	Not available.			
<u>Reproductive toxicity</u>				
Conclusion/Summary	Not available.			

Section 12. Ecological information

Environmental effects	No known significant effects or critical hazards.			
<u>Aquatic ecotoxicity</u>				
Nitrocellulose with <12.6% N	Acute EC50 579000 µg/l Fresh water	Algae - Pseudokirchneriella subcapitata	96 hours	
Conclusion/Summary	No known significant effects or critical hazards.			
<u>Persistence/degradability</u>				
Conclusion/Summary	Not available.			



Section 13. Disposal considerations

Waste disposal	The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
-----------------------	--

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

Section 14. Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
DOT Classification	UN3270	MEMBRANE FILTER OF NITROCELLULOSE	4.1	II		-
TDG Classification	UN3270	MEMBRANE FILTER OF NITROCELLULOSE	4.1	II		-
Mexico Classification	UN3270	MEMBRANE FILTER OF NITROCELLULOSE	4.1	II		-



Article Number

29050392






9 5 2 9 0 5 0 3 9 2

Page: 4/6

Validation date 25 September 2013

Version 1

ADR/RID Class	UN3270	MEMBRANE FILTER OF NITROCELLULOSE	4.1	II		-
IMDG Class	UN3270	MEMBRANE FILTER OF NITROCELLULOSE	4.1	II		-
IATA-DGR Class	UN3270	Nitrocellulose membrane filters	4.1	II		-

PG* : Packing group

Section 15. Regulatory information

HCS Classification Flammable solid
Target organ effects

U.S. Federal regulations **TSCA 8(a) CDR Exempt/Partial exemption:** This material is listed or exempted.
United States inventory (TSCA 8b): This material is listed or exempted.

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs) Not listed

Clean Air Act Section 602 Class I Substances Not listed

Clean Air Act Section 602 Class II Substances Not listed

DEA List I Chemicals (Precursor Chemicals) Not listed

DEA List II Chemicals (Essential Chemicals) Not listed

SARA 302/304**Composition/information on ingredients**

No products were found.

SARA 304 RQ Not applicable.

SARA 311/312

Classification Fire hazard
Delayed (chronic) health hazard

Composition/information on ingredients

Name	%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
Nitrocellulose with <12.6% N	100	Yes.	No.	No.	No.	Yes.

State regulations

Massachusetts This material is listed.
New York This material is not listed.
New Jersey This material is listed.
Pennsylvania This material is listed.

California Prop. 65

United States inventory (TSCA 8b) This material is listed or exempted.

International regulations

Article Number

29050392



9 5 2 9 0 5 0 3 9 2

Page: 5/6

Validation date 25 September 2013

Version 1


International lists	<p>Australia Inventory (AICS): This material is listed or exempted.</p> <p>China inventory (IECSC): This material is listed or exempted.</p> <p>Japan inventory: This material is listed or exempted.</p> <p>Korea inventory: This material is listed or exempted.</p> <p>Malaysia Inventory (EHS Register): Not determined.</p> <p>New Zealand Inventory of Chemicals (NZIoC): This material is listed or exempted.</p> <p>Philippines inventory (PICCS): This material is listed or exempted.</p> <p>Taiwan inventory (CSNN): Not determined.</p>
Chemical Weapons Convention List Schedule I Chemicals	Not listed
Chemical Weapons Convention List Schedule II Chemicals	Not listed
Chemical Weapons Convention List Schedule III Chemicals	Not listed


Section 16. Other information

Label requirements FLAMMABLE SOLID. MAY CAUSE TARGET ORGAN DAMAGE, BASED ON ANIMAL DATA.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)



 Indicates information that has changed from previously issued version.

History

Date of printing	25 September 2013	Date of previous issue	No previous validation
Date of issue	25 September 2013	Version	1

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

