

0.1% Formic Acid in Methanol

LC445-2.5

Version 2.1 Revision Date 08/21/2018 Print Date 10/17/2019

SECTION 1. IDENTIFICATION

Product name : 0.1% Formic Acid in Methanol

Number : 000000013137

Product Use Description : Solvent

Manufacturer or supplier's

details

Honeywell International Inc. 1953 South Harvey Street

Muskegon, MI 49442

For more information call : 1-800-368-0050

+1-231-726-3171

(Monday-Friday, 9:00am-5:00pm)

In case of emergency call : Medical: 1-800-498-5701 or +1-303-389-1414

Transportation (CHEMTREC): 1-800-424-9300 or

+1-703-527-3887

.

(24 hours/day, 7 days/week)

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Form : liquid, clear

Color : colourless

Odor : alcohol-like

Page 1 / 19



0.1% Formic Acid in Methanol

LC445-2.5

Version 2.1 Revision Date 08/21/2018 Print Date 10/17/2019

Classification of the substance or mixture

or mixture

Classification of the substance : Flammable liquids, Category 2

Specific target organ toxicity - single exposure, Category 1,

Eyes, Nervous system, Systemic toxicity

GHS Label elements, including precautionary statements

Symbol(s)





Signal word : Danger

Hazard statements : Highly flammable liquid and vapour.

Causes damage to organs.

Precautionary statements : Prevention:

Keep away from heat/sparks/open flames/hot surfaces. No

smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge. Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

Wash skin thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face

protection.

Response:

IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF exposed: Call a POISON CENTER or doctor/ physician. In case of fire: Use dry sand, dry chemical or alcohol-resistant

foam for extinction.



0.1% Formic Acid in Methanol

LC445-2.5

Version 2.1 Revision Date 08/21/2018 Print Date 10/17/2019

Storage:

Store in a well-ventilated place. Keep cool.

Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal

plant.

Carcinogenicity

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP, IARC, or OSHA.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Mixture

Chemical name	CAS-No.	Concentration
Methanol	67-56-1	99.90 %
Formic acid	64-18-6	0.10 %

SECTION 4. FIRST AID MEASURES

Inhalation : Call a physician immediately. Remove to fresh air. If not

breathing, give artificial respiration. If breathing is difficult, give oxygen. Use oxygen as required, provided a qualified operator is

present.

Skin contact : Wash off immediately with plenty of water for at least 15

minutes. Take off contaminated clothing and shoes immediately. Wash contaminated clothing before re-use. Call a physician.

Eye contact : Rinse immediately with plenty of water, also under the eyelids,

Page 3 / 19



0.1% Formic Acid in Methanol

LC445-2.5

Version 2.1 Revision Date 08/21/2018 Print Date 10/17/2019

for at least 15 minutes. Call a physician.

Ingestion : Call a physician immediately. Do NOT induce vomiting.

Immediate medical attention is required. Never give anything by

mouth to an unconscious person.

Notes to physician

Indication of immediate medical attention and special treatment needed, if

: Treat symptomatically.

necessary

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Alcohol-resistant foam

Carbon dioxide (CO2)

Dry chemical

Cool closed containers exposed to fire with water spray.

Unsuitable extinguishing

media

: Do not use a solid water stream as it may scatter and spread

fire.

Specific hazards during

firefighting

: Flammable.

Vapours may form explosive mixtures with air.

Vapours are heavier than air and may spread along floors. Vapors may travel to areas away from work site before

igniting/flashing back to vapor source.

In case of fire hazardous decomposition products may be

produced such as: Carbon monoxide Carbon dioxide (CO2)

Formaldehyde

Special protective equipment

for firefighters

: Wear self-contained breathing apparatus and protective suit.



0.1% Formic Acid in Methanol

LC445-2.5

Version 2.1 Revision Date 08/21/2018 Print Date 10/17/2019

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Wear personal protective equipment.

Immediately evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Ensure adequate ventilation. Remove all sources of ignition.

Do not swallow.

Do not breathe vapours or spray mist. Avoid contact with skin, eyes and clothing.

Environmental precautions

Prevent further leakage or spillage if safe to do so.

Prevent product from entering drains.

Discharge into the environment must be avoided.

Do not flush into surface water or sanitary sewer system. Do not allow run-off from fire fighting to enter drains or water

courses.

Methods and materials for containment and cleaning

up

: Ventilate the area.

No sparking tools should be used. Use explosion-proof equipment.

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations

(see section 13).

SECTION 7. HANDLING AND STORAGE

Handling

Precautions for safe

handling

: Wear personal protective equipment.

Use only in well-ventilated areas. Keep container tightly closed.

Do not smoke. Do not swallow.

Do not breathe vapours or spray mist. Avoid contact with skin, eyes and clothing.

Advice on protection against : Keep away from fire, sparks and heated surfaces.

Page 5 / 19



0.1% Formic Acid in Methanol

LC445-2.5

Version 2.1 Revision Date 08/21/2018 Print Date 10/17/2019

fire and explosion Take precautionary measures against static discharges.

Ensure all equipment is electrically grounded before beginning

transfer operations.

Use explosion-proof equipment.

Keep product and empty container away from heat and sources

of ignition.

No sparking tools should be used.

No smoking.

Storage

Conditions for safe storage,

including any incompatibilities

Store in area designed for storage of flammable liquids. Protect

from physical damage.

Keep containers tightly closed in a dry, cool and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Keep away from heat and sources of ignition.

Keep away from direct sunlight.

Store away from incompatible substances.

Container hazardous when empty.

Do not pressurize, cut, weld, braze, solder, drill, grind or expose

containers to heat or sources of ignition.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Protective measures : Ensure that eyewash stations and safety showers are close to

the workstation location.

Engineering measures : Use with local exhaust ventilation.

Prevent vapour buildup by providing adequate ventilation during

and after use.

Eye protection : Do not wear contact lenses.

Wear as appropriate:

Safety glasses with side-shields If splashes are likely to occur, wear:

Goggles or face shield, giving complete protection to eyes

Page 6 / 19



0.1% Formic Acid in Methanol

LC445-2.5

Version 2.1 Revision Date 08/21/2018 Print Date 10/17/2019

Hand protection : Solvent-resistant gloves

Gloves must be inspected prior to use.

Replace when worn.

Skin and body protection : Wear as appropriate:

Solvent-resistant apron

Flame retardant antistatic protective clothing.

If splashes are likely to occur, wear:

Protective suit

Respiratory protection : In case of insufficient ventilation wear suitable respiratory

equipment.

For rescue and maintenance work in storage tanks use

self-contained breathing apparatus.

Use NIOSH approved respiratory protection.

: When using, do not eat, drink or smoke. Hygiene measures

Wash hands before breaks and immediately after handling the

product.

Keep working clothes separately.

Do not swallow.

Do not breathe vapours or spray mist. Avoid contact with skin, eyes and clothing.

This material has an established AIHA ERPG exposure limit. The current list of ERPG exposure limits can be found at

http://www.aiha.org/insideaiha/GuidelineDevelopment/ERPG/D

ocuments/2011erpgweelhandbook_table-only.pdf.

Exposure Guidel	ines				
Components	CAS-No.	Value	Control parameters	Upda te	Basis
Methanol	67-56-1	SKIN_DE S : Skin designati on:	Can be absorbed through the skin.	2008	ACGIH:US. ACGIH Threshold Limit Values
Mathanal	07.50.4	OTEL :	(050)	0000	ACCULATIC ACCULA

Methanol	67-56-1	STEL : Short	(250 ppm)	2008	ACGIH:US. ACGIH Threshold Limit
		term			Values
		exposure			
		limit			

Page 7 / 19



0.1% Formic Acid in Methanol

LC445-2.5

Version 2.1 Revision Date 08/21/2018 Print Date 10/17/2019

Methanol	anol 67-56-1 TWA Time weigh avera				ACGIH:US. ACGIH Threshold Limit Values	
			I	2005	In a control was a control	
Methanol	67-56-1	STEL: Short term exposure limit	Short (250 ppm) erm exposure		NIOSH/GUIDE:US. NIOSH: Pocket Guide to Chemical Hazards	
		10.00. ==	· · · · · · · · · · · · · · · · · · ·		1	
Methanol	lethanol 67-56-1 SKIN_I S : Skii designa on:		Can be absorbed through the skin.	2005	NIOSH/GUIDE:US. NIOSH: Pocket Guide to Chemical Hazards	
Methanol	67-56-1	REL: Recomm ended exposure limit (REL):	260 mg/m3 (200 ppm)	2005	NIOSH/GUIDE:US. NIOSH: Pocket Guide to Chemical Hazards	
Methanol	67-56-1	PEL: Permissi ble exposure limit	260 mg/m3 (200 ppm)	02 2006	OSHA_TRANS:US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)	
Methanol	67-56-1	SKIN_FI NAL: Skin designati on (Final Rule Limit applies):	Can be absorbed through the skin.	1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000)	



0.1% Formic Acid in Methanol

LC445-2.5

Version 2.1 Revision Date 08/21/2018 Print Date 10/17/2019

	1	1 -	т .		T
Methanol	67-56-1	STEL: Short term exposure limit	325 mg/m3 (250 ppm)	1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000)
Methanol	67-56-1	TWA: Time weighted average	260 mg/m3 (200 ppm)	1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000)
Formic acid	64-18-6	TWA : Time weighted average	(5 ppm)	2008	ACGIH:US. ACGIH Threshold Limit Values
Formic acid	64-18-6	STEL: Short term exposure limit	(10 ppm)	2008	ACGIH:US. ACGIH Threshold Limit Values
Formic acid	64-18-6	REL: Recomm ended exposure limit (REL):	9 mg/m3 (5 ppm)	2005	NIOSH/GUIDE:US. NIOSH: Pocket Guide to Chemical Hazards
Formic acid	64-18-6	PEL: Permissi ble exposure limit	9 mg/m3 (5 ppm)	02 2006	OSHA_TRANS:US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)
Formic acid	64-18-6	TWA : Time weighted average	9 mg/m3 (5 ppm)	1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000)



0.1% Formic Acid in Methanol

LC445-2.5

Version 2.1 Revision Date 08/21/2018 Print Date 10/17/2019

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid, clear

Color : colourless

Odor : alcohol-like

Odor threshold : Note: no data available

pH : Note: not determined

Melting point/range : -97.68 °C

Note: The physical data is that of the main component.

Boiling point/boiling range : 64.7 °C

Note: The physical data is that of the main component.

Flash point : 52 °F (11 °C)

Method: closed cup

Evaporation rate : ca. 5

Method: Compared to Butyl acetate.

Lower explosion limit : 6 %(V)

Note: The physical data is that of the main component.

Upper explosion limit : 36 %(V)

Note: The physical data is that of the main component.

Vapor pressure : 129.32 hPa

at 20 °C(68 °F)Note: The physical data is that of the main

component.

Page 10 / 19



0.1% Formic Acid in Methanol

LC445-2.5

Version 2.1 Revision Date 08/21/2018 Print Date 10/17/2019

Vapor density : 1.11 Note: (Air = 1.0), The physical data is that of the main

component.

Density : 0.792 g/cm3 at 20 °C

Note: The physical data is that of the main component.

Water solubility : Note: completely soluble

Partition coefficient:

n-octanol/water

: Note: no data available

Ignition temperature : 464 °C

Method: The physical data is that of the main component.

Viscosity, dynamic : Note: no data available

Viscosity, kinematic : Note: no data available

SECTION 10. STABILITY AND REACTIVITY

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous

Conditions to avoid

reactions

: Hazardous polymerisation does not occur.

Keep away from direct sunlight.

: Heat, flames and sparks.

Incompatible materials : Strong oxidizing agents

Aluminium Magnesium

May attack many plastics, rubbers and coatings.

Page 11 / 19



0.1% Formic Acid in Methanol

LC445-2.5

Version 2.1 Revision Date 08/21/2018 Print Date 10/17/2019

Hazardous decomposition

products

: In case of fire hazardous decomposition products may be

produced such as: Carbon monoxide Carbon dioxide (CO2)

Formaldehyde

SECTION 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity

Methanol : LD50: 5,628 mg/kg

Species: Rat

Formic acid : LD50: 730 mg/kg

Species: Rat

Method: OECD Test Guideline 401

Acute inhalation toxicity : Acute toxicity estimate: > 40 mg/l , vapour

Exposure time: 4 h

Method: Calculation method

Acute dermal toxicity

Methanol : LD50: 15,800 mg/kg

Species: Rabbit

Formic acid : Note: no data available

Skin irritation

Methanol : Species: Rabbit

Classification: irritating Exposure time: 24 h

Formic acid : Species: Rabbit

Result: Causes severe burns.

Page 12 / 19



0.1% Formic Acid in Methanol

LC445-2.5

Version 2.1 Revision Date 08/21/2018 Print Date 10/17/2019

Classification: Corrosive

Method: OECD

Eye irritation

Methanol : Species: rabbit eye

Classification: irritating

Formic acid : Species: Rabbit

Result: Risk of serious damage to eyes. Method: OECD Test Guideline 405

Sensitisation

Formic acid : Buehler Test

Species: Guinea pig

Classification: non-sensitizing

Repeated dose toxicity

Methanol : Species: Rat

Application Route: Inhalation Test substance: Methanol Developmental Toxicity NOAEL (maternal toxicity)

10,000 ppm

NOAEL (developmental toxicity)

5,000 ppm

Skeletal and visceral malformations.

Genotoxicity in vitro

Methanol : Note: In vitro tests did not show mutagenic effects

Formic acid : Test Method: sister chromatid exchange assay

Cell type: Chinese hamster fibroblasts

Metabolic activation: with and without metabolic activation

Result: negative

Method: OECD Test Guideline 479

Test Method: Ames test

Metabolic activation: with and without metabolic activation

Page 13 / 19



0.1% Formic Acid in Methanol

LC445-2.5

Version 2.1 Revision Date 08/21/2018 Print Date 10/17/2019

Result: negative

Method: OECD Test Guideline 471

Test Method: In vitro gene mutation study in mammalian cells

Cell type: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Result: negative

Method: OECD Test Guideline 476

Genotoxicity in vivo

Methanol : Note: In vivo tests did not show mutagenic effects

Formic acid : Species: Drosophila melanogaster (vinegar fly)

Method: OECD Test Guideline 477

Result: negative

SECTION 12. ECOLOGICAL INFORMATION

Toxicity to fish

Methanol : LC50: 29,400 mg/l

Exposure time: 96 h

Species: Pimephales promelas (fathead minnow)

Formic acid : static test

LC50: 130 mg/l Exposure time: 96 h

Species: Danio rerio (zebra fish)

Test substance: REACH dossier "read-across"

Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates

Methanol : LC50: 10,000 mg/l

Exposure time: 24 h

Species: Daphnia (water flea)

Page 14 / 19



0.1% Formic Acid in Methanol

LC445-2.5

Version 2.1 Revision Date 08/21/2018 Print Date 10/17/2019

Formic acid : Immobilization

EC50: 365 mg/l Exposure time: 48 h

Species: Daphnia magna (Water flea)

Test substance: REACH dossier "read-across"

Method: OECD Test Guideline 202

Toxicity to algae

Formic acid : Growth rate

EC50: 1,240 mg/l Exposure time: 72 h

Species: Pseudokirchneriella subcapitata (green algae)

Test substance: REACH dossier "read-across"

Method: OECD Test Guideline 201

Toxicity to bacteria

Methanol : EC50: 43,000 mg/l

Exposure time: 5 min

Species: Photobacterium phosphoreum

EC50: 40,000 mg/l Exposure time: 15 min

Species: Photobacterium phosphoreum

EC50: 39,000 mg/l Exposure time: 25 min

Species: Photobacterium phosphoreum

Further information on ecology

Additional ecological : Accumulation in aquatic organisms is unlikely.

information The product is readily degradable in the environment.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods : Observe all Federal, State, and Local Environmental

regulations.

Page 15 / 19



0.1% Formic Acid in Methanol

LC445-2.5

Version 2.1 Revision Date 08/21/2018 Print Date 10/17/2019

SECTION 14. TRANSPORT INFORMATION

DOT UN/ID No. : UN 1230

> Proper shipping name : METHANOL SOLUTION

Class 3 Packing group Ш Hazard Labels 3

IATA UN/ID No. : UN 1230

> Description of the goods : METHANOL SOLUTION

Class : 3 Packaging group : II Hazard Labels : 3 (6.1) Packing instruction (cargo : 364

aircraft)

Packing instruction : 352

(passenger aircraft)

Packing instruction : Y341

(passenger aircraft)

IMDG UN/ID No. : UN 1230

> Description of the goods : METHANOL SOLUTION

Class : 3 Packaging group : 11 Hazard Labels : 3 (6.1) EmS Number : F-E, S-D

Marine pollutant : no

SECTION 15. REGULATORY INFORMATION

Inventories

US. Toxic Substances : On TSCA Inventory

Control Act

Australia. Industrial : On the inventory, or in compliance with the inventory

Chemical (Notification and

Assessment) Act

Page 16 / 19



0.1% Formic Acid in Methanol

LC445-2.5

Version 2.1 Revision Date 08/21/2018 Print Date 10/17/2019

Canada, Canadian **Environmental Protection** Act (CEPA). Domestic Substances List (DSL)

: All components of this product are on the Canadian DSL

Japan. Kashin-Hou Law List : On the inventory, or in compliance with the inventory

Korea. Existing Chemicals Inventory (KECI)

: On the inventory, or in compliance with the inventory

Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control

: On the inventory, or in compliance with the inventory

Act

China. Inventory of Existing

Chemical Substances

: On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New

: On the inventory, or in compliance with the inventory

Zealand

National regulatory information

US. EPA CERCLA

Hazardous Substances (40

CFR 302)

: The following component(s) of this product is/are subject to release reporting under 40 CFR 302 when release exceeds the

Reportable Quantity (RQ):

Reportable quantity: 5000 lbs

Methanol 67-56-1

SARA 302 Components

: No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 Components

: The following components are subject to reporting levels

established by SARA Title III, Section 313: : Methanol

67-56-1

SARA 311/312 Hazards

: Fire Hazard

Page 17 / 19



0.1% Formic Acid in Methanol

LC445-2.5

Version 2.1 Revision Date 08/21/2018 Print Date 10/17/2019

Acute Health Hazard Chronic Health Hazard

CERCLA Reportable

Quantity

: 5005 lbs

California Prop. 65

WARNING: This product can expose you to chemicals, listed below, known to the State of California to cause birth defects or other reproductive harm. For more information go to

www.P65Warnings.ca.gov.

Methanol 67-56-1

Massachusetts RTK : Methanol 67-56-1

: Formic acid 64-18-6

New Jersey RTK : Methanol 67-56-1

: Formic acid 64-18-6

Pennsylvania RTK : Methanol 67-56-1

: Formic acid 64-18-6

SECTION 16. OTHER INFORMATION

	HMIS III	NFPA
Health hazard	: 2*	1
Flammability	: 3	3
Physical Hazard	: 0	
Instability	:	0

* - Chronic health hazard

Hazard rating and rating systems (e.g. HMIS® III, NFPA): This information is intended solely for the use of individuals trained in the particular system.

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information

Page 18 / 19



0.1% Formic Acid in Methanol

ı	C	1	1	5.	.2	5
_	v.	٠,	٠,	J	-	

Version 2.1 Revision Date 08/21/2018 Print Date 10/17/2019

and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user. This information should not constitute a guarantee for any specific product properties.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Previous Issue Date: 02/08/2017

Prepared by Honeywell Performance Materials and Technologies Product Stewardship Group