

Immersion oil

10976-20ML Version 1.0 Revision Date 01/19/2018 Print Date 10/17/2019 **SECTION 1. IDENTIFICATION** Product name Immersion oil 2 Number 00000022520 2 Product Use Description Laboratory chemicals 1 Manufacturer or supplier's Honeywell International Inc. 2 1953 South Harvey Street details Muskegon, MI 49442 For more information call : 1-800-368-0050 +1-231-726-3171 (Monday-Friday, 9:00am-5:00pm) In case of emergency call Medical: 1-800-498-5701 or +1-303-389-1414 : Transportation (CHEMTREC): 1-800-424-9300 or 1 +1-703-527-3887 1 (24 hours/day, 7 days/week) 2 SECTION 2. HAZARDS IDENTIFICATION **Emergency Overview** Form : liquid Color : colourless Odor : aromatic Classification of the substance or mixture Classification of the substance : Skin irritation, Category 2 or mixture GHS Label elements, including precautionary statements Page 1 / 10



Immersion oil

10976-20ML

sion 1.0	Revision Date 01	/19/2018	Print Date 10/17/2
Symbol(s)	:		
Signal word	: Warning		
Hazard statements	: Causes skin irrita	tion.	
Precautionary statements		ghly after handling. loves/protective clc	othing/eye protection/face
	If skin irritation oc	h with plenty of soa curs: Get medical a nated clothing and v	advice/ attention.
Carcinogenicity			
Carcinogenicity No component of this product anticipated carcinogen by NTF CTION 3. COMPOSITION/INF	P, IARC, or OSHA.		1% is identified as a know
No component of this product anticipated carcinogen by NTI	P, IARC, or OSHA.		1% is identified as a know
No component of this product anticipated carcinogen by NTF CTION 3. COMPOSITION/INF	ORMATION ON INGRE		1% is identified as a know
No component of this product anticipated carcinogen by NTF CTION 3. COMPOSITION/INF Chemical nature	ORMATION ON INGRE	DIENTS	
No component of this product anticipated carcinogen by NTF CTION 3. COMPOSITION/INF Chemical nature Chemical r Hexanedioic acid, bis[(octahydro-4,7-methano-4	ORMATION ON INGRE	DIENTS CAS-No.	Concentration
No component of this product anticipated carcinogen by NTF CTION 3. COMPOSITION/INF Chemical nature Chemical r Hexanedioic acid, bis[(octahydro-4,7-methano-4 ester	ORMATION ON INGRE : Mixture hame	DIENTS CAS-No. 195371-10-9	<u>Concentration</u> >=70.00 - <=75.00 %
No component of this product anticipated carcinogen by NTF CTION 3. COMPOSITION/INF Chemical nature Chemical nature Hexanedioic acid, bis[(octahydro-4,7-methano- ester Benzyl benzoate	or OSHA. ORMATION ON INGRE : Mixture hame IH-inden-5-yl)methyl]	DIENTS <u>CAS-No.</u> 195371-10-9 120-51-4	<u>Concentration</u> >=70.00 - <=75.00 %

Honeywell Fluka[™]

Immersion oil

sion 1.0		Revision Date 01/19/2018	Print Date 10/17/2
		area. Take off all contaminated clothin	g immediately.
Inhalation	:	Remove to fresh air. If not breathing, g breathing is difficult, give oxygen. Use provided a qualified operator is presen	oxygen as required,
Skin contact	:	Wash off immediately with plenty of wa minutes. Take off contaminated clothin Wash contaminated clothing before re irritation develops or persists.	g and shoes immediately.
Eye contact	:	Rinse immediately with plenty of water for at least 15 minutes. Protect unharn	
Ingestion	:	Do not induce vomiting without medica anything by mouth to an unconscious conscious, give a cupful of water. Call	person. If victim is fully
TION 5. FIREFIGHTING MEA Suitable extinguishing media	ISU :	Alcohol-resistant foam Dry chemical	
	.SU	Alcohol-resistant foam	
	.SU :	Alcohol-resistant foam Dry chemical Carbon dioxide (CO2)	ion products may be
Suitable extinguishing media Specific hazards during	:	Alcohol-resistant foam Dry chemical Carbon dioxide (CO2) Water spray In case of fire hazardous decompositi produced such as:	
Suitable extinguishing media Specific hazards during firefighting Special protective equipment	:	Alcohol-resistant foam Dry chemical Carbon dioxide (CO2) Water spray In case of fire hazardous decompositi produced such as: carbon oxides (CO, CO2).	atus and protective suit. appropriate to local
Suitable extinguishing media Specific hazards during firefighting Special protective equipment for firefighters	:	Alcohol-resistant foam Dry chemical Carbon dioxide (CO2) Water spray In case of fire hazardous decompositi produced such as: carbon oxides (CO, CO2). Wear self-contained breathing appara Use extinguishing measures that are circumstances and the surrounding e	atus and protective suit. appropriate to local
Suitable extinguishing media Specific hazards during firefighting Special protective equipment for firefighters Further information CTION 6. ACCIDENTAL RELE Personal precautions, protective equipment and	:	Alcohol-resistant foam Dry chemical Carbon dioxide (CO2) Water spray In case of fire hazardous decompositi produced such as: carbon oxides (CO, CO2). Wear self-contained breathing appara Use extinguishing measures that are circumstances and the surrounding e	atus and protective suit. appropriate to local nvironment.
Suitable extinguishing media Specific hazards during firefighting Special protective equipment for firefighters Further information	:	Alcohol-resistant foam Dry chemical Carbon dioxide (CO2) Water spray In case of fire hazardous decompositi produced such as: carbon oxides (CO, CO2). Wear self-contained breathing appara Use extinguishing measures that are circumstances and the surrounding e	atus and protective suit. appropriate to local nvironment.



Immersion oil

10976-20ML

976-20ML sion 1.0		Revision Date 01/19/2018	Print Date 10/17/2
Environmental precautions	:	Prevent further leakage or spillage if Discharge into the environment must Do not flush into surface water or sat	t be avoided.
Methods and materials for containment and cleaning up	:	Ventilate the area. Soak up with inert absorbent materia Take up mechanically and collect in disposal. Dispose of in accordance with local r	suitable container for
TION 7. HANDLING AND ST Handling	OR	AGE	
Precautions for safe handling	:	Use only in well-ventilated areas. Wear personal protective equipment Avoid contact with skin, eyes and clo	
Advice on protection against fire and explosion	:	Normal measures for preventive fire	protection.
Storage			
Conditions for safe storage, including any incompatibilities	:	Store in original container. Keep containers tightly closed in a duplace. Keep away from direct sunlight.	ry, cool and well-ventilated
TION 8. EXPOSURE CONTE	ROL	S/PERSONAL PROTECTION	
Protective measures	:	Ensure that eyewash stations and sa the workstation location. Legal requirements are to be conside selection, use and care of personal	ered in regard of the
Engineering measures	:	Prevent vapour buildup by providing and after use.	adequate ventilation during
Eye protection	:	Safety goggles	
Hand protection	:	Impervious gloves Gloves must be inspected prior to us Replace when worn.	se.



Immersion oil

10976-20ML

sion 1.0		Revision Date 01/19/2018	Print Date 10/17/20
Skin and body protection	:	Wear suitable protective equipment. Wear as appropriate: Impervious clothing	
Respiratory protection	:	In case of insufficient ventilation, wear equipment.	suitable respiratory
Hygiene measures	:	When using do not eat, drink or smoke Wash hands before breaks and immed product. Keep working clothes separately. Remove and wash contaminated cloth	diately after handling the
Exposure Guidelines	h occ	cupational exposure limit values.	
Contains no substances with			
CTION 9. PHYSICAL AND C Physical state		ICAL PROPERTIES	
Color	:	colourless	
Color Odor	:	colourless aromatic	
	:		
Odor	:	aromatic	
Odor pH	:	aromatic Note: no data available	
Odor pH Melting point/range	:	aromatic Note: no data available Note: no data available	
Odor pH Melting point/range Boiling point/boiling range	:	aromatic Note: no data available Note: no data available ca. 320 °C	
Odor pH Melting point/range Boiling point/boiling range Flash point	:	aromatic Note: no data available Note: no data available ca. 320 °C 480 °F (249 °C)	



Immersion oil

10976-20ML

976-20ML			
rsion 1.0	<u> </u>	evision Date 01/19/2018	Print Date 10/17/2
Density	: 1.	093 g/cm3 at 20 °C	
Water solubility	: Nc	te: immiscible	
Partition coefficient: n-octanol/water	: Nc	te: no data available	
Auto-ignition temperature	: Nc	te: no data available	
Decomposition temperature	: Nc	te: No decomposition if stored an	d applied as directed.
Viscosity, kinematic	: 44	5 mm2/s at 20 °C	
CTION 10. STABILITY AND R	EACTIV	ITY	
Chemical stability	: Sta	able under recommended storage	conditions.
Possibility of hazardous reactions	: Nc	dangerous reaction known under	conditions of normal use.
Conditions to avoid	: Ke	ep away from heat and sources o	f ignition.
Incompatible materials	: Nc	ne known.	
Hazardous decomposition products	pro	case of fire hazardous decompos oduced such as:	ition products may be

carbon oxides (CO, CO2).

SECTION 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity	: Acute toxicity estimate: 2,500 mg/kg
	Method: Calculation method

Page 6 / 10



Immersion oil

10976-20ML

976-20ML		
sion 1.0	Revision Date 01/19/2018	Print Date 10/17/2
Acute inhalation toxicity	: Note: no data available	
Acute dermal toxicity	: Note: no data available	
Skin irritation	: Note: no data available	
Eye irritation	: Note: no data available	
Sensitisation	: Note: no data available	
CTION 12. ECOLOGICAL INF	ORMATION	
CTION 12. ECOLOGICAL INF Ecotoxicity effects	ORMATION	
	-ORMATION : Note: no data available	

Elimination information (persistence and degradability)

: Note: no data available

Bioaccumulation	: Note: no data available

Biodegradability : Note: no data available

Further information on ecology

Toxicity to algae

Additional ecological	: We	have no quantitative data concerning the ecological effects
information	of t	his product.

SECTION 13. DISPOSAL CONSIDERATIONS

Page 7 / 10



Immersion oil

10976-20	ML			
Version 1.0			Revision Date 01/19/2018	Print Date 10/17/2019
Disposal	methods	:	Observe all Federal, State, and Local Envi regulations.	ronmental
SECTION 14.	TRANSPORT INFO	RM	ATION	
DOT	Not dangerous go	oods		
TDG	Not dangerous go	bods		
ΙΑΤΑ	Not dangerous go	oods		
IMDG	Not dangerous go	oods		
Control A	c Substances Act		Not On TSCA Inventory	
	. Industrial I (Notification and ent) Act	:	Not in compliance with the inventory	
Environm Act (CEP	Canadian nental Protection PA). Domestic ces List (DSL)	:	Not in compliance with the inventory	
Japan. K	ashin-Hou Law List	:	Not in compliance with the inventory	
Korea. E: Inventory	xisting Chemicals ⁄ (KECI)	:	Not in compliance with the inventory	
Substanc	es. The Toxic ces and Hazardous ear Waste Control	:	Not in compliance with the inventory	

China. Inventory of Existing : Not in compliance with the inventory Chemical Substances New Zealand. Inventory of : Not in compliance with the inventory

Chemicals (NZIoC), as

Page 8 / 10



Immersion oil

76-20ML		
ion 1.0	Revision Date 01/19/2018	Print Date 10/17/
published by ERMA New Zealand		
National regulatory inforn	ation	
TSCA	: This material must be used in con Research and Development Exen 720.36).	
	:	
SARA 302 Components	: No chemicals in this material are requirements of SARA Title III, Se	
SARA 313 Components	: This material does not contain any known CAS numbers that exceed reporting levels established by SA	the threshold (De Minimis)
SARA 311/312 Hazards	: Acute Health Hazard	
California Prop. 65	: This product does not contain any California to cause cancer, birth d reproductive harm.	
New Jersey RTK	: Hexanedioic acid,	195371-10-9
	bis[(octahydro-4,7-methano-1H-in en-5-yl)methyl] ester : Benzyl benzoate : nsb	120-51-4
Pennsylvania RTK	: Hexanedioic acid, bis[(octahydro-4,7-methano-1H-in	195371-10-9 Id
	en-5-yl)methyl] ester : Benzyl benzoate : nsb	120-51-4
TION 16. OTHER INFORM	ATION	
	Page 9 / 10	



Immersion oil

10976-20ML

Version 1.0	Revision Date 01/19/2018	8 Print Date 10/17/2019
Health bazard	HMIS III NFPA	

Health hazard	: 1	1
Flammability	: 1	1
Physical Hazard	: 0	
Instability	:	0

Hazard rating and rating systems (e.g. HMIS® III, NFPA): This information is intended solely for the use of individuals trained in the particular system.

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user. This information should not constitute a guarantee for any specific product properties.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Prepared by Honeywell Performance Materials and Technologies Product Stewardship Group