Safety Data Sheet

CAMCO QUIK STAIN, #210

1. Identification of Substance / Mixture and of Supplier:

Product Identifier: Laboratory Reagent, Methanol Solution

Synonyms: Hematology Stain

Supplier Details:

Commercial Product Name: CAMCO QUIK STAIN, #210

Typically sold in small quantity, laboratory use 32 fl. oz. or less.

Company: CAMBRIDGE DIAGNOSTIC PRODUCTS, INC.

Product Information: Phone: 954.971.4040 Fax: 954.975.5609 6880 NW 17th Avenue, Fort Lauderdale, FL 33309, U.S.A.

Emergency Contact/Assistance:

For Hazardous Materials [or Dangerous Goods] Incident Spill, Leak, Fire, Exposure or Accident Call

CHEM-TREC Day or Night

Within the USA and Canada: 1.800.424.9300

Outside USA & Canada 1.703.527.3887 (collect calls accepted)

CCN3673

2. HAZARDS IDENTIFICATION:

OSHA Hazards:

Flammable liquid, Irritant, Target organ effect, Toxic by ingestion, Toxic by skin absorption

Target Organs:

Central nervous system, Eyes, Kidney, Liver

NFPA



GHS label elements, including precautionary statements



Signal Word: DANGER!

Hazard statement(s)

H225 Highly flammable liquid and vapor.

H301 + H311+ H331 Toxic if swallowed or in contact with skin or if inhaled.

H315 Causes skin irritation.
H370 Causes damage to organs.

Precautionary statement(s)

P210 Keep away from heat, sparks, open flames, and hot surfaces. No smoking.

P233 Keep container tightly closed.

P260 Do not breathe dust/fume/gas/mist/vapors/spray P263 Avoid contact during pregnancy/while nursing.

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use in a well-ventilated area.

P280 Wear protective gloves and eye and face protection.

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or a doctor/physician.

P303 + P361 + P353 IF ON SKIN (or hair): Remove immediately all contaminated clothing.

Rinse skin with water.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P307 + P311 IF exposed: Call a POISON CENTER or doctor/ physician.

P321 Specific treatment (see supplemental first aid instructions on this label).

P322 Specific measures (see first aid measures on this label)

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for

extinction.

P403 + P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents and container to an approved waste disposal plant.

GHS Classification(s)

Acute Toxicity, Dermal (Category 3)
Acute Toxicity, Inhalation (Category 3)
Acute Toxicity, Oral (Category 3)
Flammable Liquids (Category 2)

Specific target organ toxicity - single exposure (Category 1) Specific target organ toxicity - single exposure (Category 2)

Other hazards which do not result in classification:

Potential Health Effects:

Organ Description

Eyes - Causes eye irritation. Ingestion - Toxic if swallowed.

Inhalation - May be harmful if inhaled. Causes respiratory tract irritation.

Skin - Toxic if absorbed through skin. Causes skin irritation.

3. Composition and Information on Ingredients:

Chemical identity: Laboratory Reagent, Methanol Solution

Common name / Synonym: Hematology Stain Trade Secret

Molecular Weight: N/A

CAS number: 67-56-1 Methanol

62-56-6 Thiourea

EINECS number: 200-659-6 Methanol

200-543-5 Thiourea

ICSC number: 0057 Methanol

0680 Thiourea

RTECS #: PC1400000 Methanol

YU2800000 Thiourea

UN #: 1230 Methanol Solution EC #: 603-001-00-X Methanol

612-082-00-0 Thiourea

 Weight
 Material
 CAS #

 89%
 Methanol
 67-56-1

 <1%</td>
 Thiourea
 62-56-6

4. FIRST AID MEASURES:

General advice

Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid. Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

Skin

Wash skin with soap and copious amounts of water. Seek medical attention.

Inhalation

Remove person to fresh air. If signs/symptoms continue, get medical attention. Give oxygen or artificial respiration as needed.

Eves

Thoroughly flush the eyes with large amounts of clean low-pressure water for at least 15 minutes, occasionally lifting the upper and lower eyelids. If irritation persists, seek medical attention.

Ingestion

DO NOT induce vomiting. If vomiting does occur, have victim lean forward to prevent aspiration. Rinse mouth with water. Seek medical attention. Never give anything my mouth to an unconscious individual.

5. FIRE FIGHTING MEASURES:

Suitable extinguishing media:

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Specific hazards arising from the chemical (e.g., nature of any hazardous combustion products):

Carbon oxides expected to be the primary hazardous combustion product.

Special protective equipment and precautions for firefighters:

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

Further information:

Keep unopened containers cool by spraying with water.

Flammable Properties

Classification

OSHA/NFPA Class IB Flammable Liquid.

Flash point

11 °C (52 °F) - Closed Cup

Autoignition temperature

464 °C (867 °F)

6. ACCIDENTAL RELEASE MEASURES:

Personal precautions, protective equipment and emergency procedures:

Wear respiratory protection. Do not inhale vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Environmental precautions:

Stop leak / contain spill if possible and safe to do so. Prevent product from entering drains.

Methods and materials for containment and cleaning up:

Contain spill, then collect with an electrically protected vacuum cleaner or by wet-brushing and put the material into a convenient waste disposal container. Keep container closed.

7. HANDLING AND STORAGE:

Precautions for safe handling:

Do not get on skin or in eyes. Do not inhale vapor or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the buildup of electrostatic charge.

Conditions for safe storage, including any incompatibilities:

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION:

Control parameters, e.g., occupational exposure limit values or biological limit values:

Occupational Exposure Limits

Component	Source	Type	Value
Methyl Alcohol	US (ACGIH)	TWA	200 ppm
Methyl Alcohol	US (OSHA)	TWA	200 ppm
Methyl Alcohol	US (ACGIH)	STEL	250 ppm

Appropriate engineering controls:

General room or local exhaust ventilation is usually required to meet exposure limit(s). Electrical equipment should be grounded and conform to applicable electrical code.

Individual protection measures, such as personal protective equipment:

Respiratory protection:

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection:

Handle with gloves. Use appropriate gloves approved for laboratory and chemical handling. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash with soap and water then dry hands.

BULK USE ONLY:

Full contact

Material: butyl-rubber

Minimum layer thickness: 0.3 mm

Break through time 48 min

Material tested: Butoject® (KCL 897 /Aldrich Z7677647, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.4 mm Break through time: 31 min

Material tested: Camatril® (KCL730 / Aldrich Z677442, Size M)

Data source MCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, email sales@kcl.de, test method: EN374 If used in solution mixed with other substances and under conditions which differ from EN374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. If should not be construed as offering an approval for any specific use scenario.

Eye protection:

Use chemical safety goggles and/or a full face shield where splashing is possible. Use equipment approved by appropriate government standards, such as NIOSH (US) or EN166 (EU) Maintain eye wash fountain and quick-drench facilities in work area.

Skin and body protection:

As appropriate in bulk or small quantity laboratory use: wear impervious, flame retardant, antistatic protective clothing, including boots, gloves, lab coat, apron or coveralls, to prevent skin contact.

Hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES:

Appearance (physical state, color, etc.)

Dark blue, low viscosity liquid

Freezing point -98 °C (-144 °F) Initial boiling point and boiling range 64 °C (147 °F)

Flash point and boiling range 64 °C (147 °F) 11 °C (52 °F) - Closed Cup

Upper / Lower flammability or explosive limits 6.0% (V) / 36.0% (V)

Vapor pressure <1 atm at 20 °C (68 °F) **Vapor Density** 1.1

Relative Density

0.85 g/mL at 25 °C (77 °F)

Solubility(ies)

Completely miscible

Auto-ignition temperature 464 °C (867 °F)
Formula Trade Secret

Molecular Weight Not applicable multiple compound product

10. STABILITY AND REACTIVITY:

Incompatible materials

Product Stability Stable 3 ½ years from date of manufacturer under

recommended storage conditions.

Possibility of hazardous reactions Vapors may form explosive mixture with air.

Conditions to avoid (e.g., static discharge, shock or vibration)

Heat, flames and sparks. Extreme temperatures and

direct sunlight.

Acid chlorides, Acid anhydrides, Oxidizing agents, Alkali metals, Reducing agents, Acids, Nitrates and

Nitrites

Hazardous decomposition products

Hazardous decomposition products formed under fire

conditions. - Carbon oxides

11. TOXICOLOGICAL INFORMATION:

Methyl Alcohol 67-56-1 Thiourea 62-56-6

Product Summary:

No data available for the mutagenic, teratogenic, or reproductive effects of the product.

Acute Toxicity:

LC50 (Inhl) Rat 64,000 mg/Kg BWT 4 hours

LD50 (Oral) Rat 5,628 mg/Kg BWT LD50 (Skin) Rabbit 15,800 mg/Kg BWT

Irritation:

Eyes

Direct contact with the eyes produces a mild, reversible irritation, assuming treatment is initiated promptly. Methanol solution ingestion or inhalation can lead to visual disturbance that can proceed to blindness.

Skin Standard Draize skin test (rabbit) - Dose: 20 mg/24 hrs Reaction: Moderate Repeated exposure may cause skin dryness or cracking.

Carcinogenicity (this is for information is for METHANOL)

IARC: Not classifiable as a human carcinogen.
ACGIH: Not classifiable as a human carcinogen.
NTP: Not classifiable as a human carcinogen.
OSHA: Not classifiable as a human carcinogen.

Carcinogenicity (This product contains less than 1% Thiourea)

This product is or contains a component that has been reported to be probably carcinogenic based on its IARC, OSHA, ACGIH, NTP, or EPA classifications.

Limited evidence of carcinogenicity in animal studies.

IARC: 3 – Group 3: not classifiable as to its carcinogenicity to humans (Thiourea)

ACGIH: No component of this product presents at levels greater than or equal to 0.1% is identified as

a carcinogen or potential carcinogen by ACGIH.

NTP: Reasonably anticipated to be a human carcinogen (Thiourea)

OSHA: No component of this product presents at levels greater than or equal to 0.1% is identified as

a carcinogen or potential carcinogen by OSHA.

Other Hazards

Specific target organ toxicity – single exposure (Globally Harmonized System)

Causes damage to organs

Specific target organ toxicity – repeated exposure (Globally Harmonized System)

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Signs and Symptoms of Exposure

Methyl alcohol may be fatal or cause blindness if swallowed.

Effects due to ingestion may include: Headache, Dizziness, Drowsiness, metabolic acidosis, Coma, Seizures, Symptoms may be delayed. Damage of the Liver, Kidney

Organ Description

Eyes Irritating to the eyes.

Ingestion Poison, may be fatal or cause blindness if swallowed. Cannot be made non-

poisonous. Ingestion may cause gastrointestinal irritation, nausea, vomiting and

diarrhea.

Inhalation Toxic by inhalation. Vapor harmful. May be irritating to the respiratory tract.

Skin Toxic in contact with skin. Irritating to skin.

Chronic Toxic: danger of very serious irreversible effects through inhalation, in contact with

skin and if swallowed. Experiments have shown reproductive toxicity effects on laboratory animals. May cause adverse liver effects. May cause adverse kidney effects. Methanol is slowly eliminated from the body, therefore it can have cumulative

toxicity effects with repeated exposures.

12. ECOLOGICAL INFORMATION:

Methyl Alcohol 67-56-1 Thiourea 62-56-6

Eco-toxicity (aquatic and terrestrial, where available):

Acute Fish Toxicity (METHANOL)

LC50 / 96 hours Lepomis macrocirus: 15,400 mg/L / LC50 / 96 hours Fathead minnow: 29,400 mg/L

Toxicity to Aquatic Plants (METHANOL)

EC50 / 96 hours Scenedesmus capricornutum: 22,000 mg/L

Persistence and degradability:

This material is expected to be readily biodegradable. There is evidence that it is degraded under anaerobic conditions.

Bio-accumulative potential:

Bio-concentration factor (BCF) of 0.2. This material is not expected to bio-accumulate.

13. DISPOSAL CONSIDERATIONS:

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging:

Vapors may collect in empty containers. Treat empty containers as hazardous. Dispose of spill-clean up and other wastes in accordance with federal, state, and local regulations.

Collect all solution used in the laboratory in a special container (consult hazardous disposal company) and dispose of according to all relevant regulations. This product should not be discharged into the sewer system or open bodies of water.

14. TRANSPORT INFORMATION:

Description of waste residues and information on their safe handling and methods of disposal:

UN number UN1230

UN proper shipping name Methanol Solution

Transport hazard class(es) 3
Packing group (if applicable) |

Reportable Quantity

5,000 lbs. **IMDG**

UN-Number: UN1230 Class: 3 (6.1) Packing Group: II

EMS-No: F-E, S-D

15. **REGULATORY INFORMATION:**

Safety, health and environmental regulations specific for the product in question: OSHA Hazards

Flammable liquid, Irritant, Target organ effect, Toxic by ingestion, Toxic by skin absorption

All ingredients are on the following inventories or are exempted from listing

Country Notification

Australia AICS
Canada DSL
China IECS
European Union EINECS
Japan ENCS/ISHL
Korea ECL
New Zealand NZIoC

New Zealand NZIoC
Philippines PICCS
United States of America TSCA

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA title III, Section 313: METHANOL

(CAS# 67-56-1) Revision date 2007-07-01.

SARA 311/312 Hazards

Acute Health Hazard Chronic Health Hazard Fire Hazard

CERCLA

No chemicals in this material with known CAS numbers are subject to the reporting requirements of CERCLA

Massachusetts Right To Know Components

Methanol CAS-No. 67-56-1 Revision Date 2007-07-01 Thiourea 62-56-6 Revision Date 2007-07-01

Pennsylvania Right To Know Components

Methanol CAS-No. 67-56-1 Revision Date 2007-07-01 Thiourea 62-56-6 Revision Date 2007-07-01

New Jersey Right To Know Components

Methanol CAS-No. 67-56-1 Revision Date 2007-07-01 Thiourea 62-56-6 Revision Date 2007-07-01

California Prop 65 Components

WARNING! This product contains a chemical known to the State of California to cause birth defects or other reproductive harm. METHANOL CAS-No. 67-56-1 Revision Date 2012-03-16 WARNING! This product contains a chemical known to the State of California to cause cancer Thiourea 62-56-6 Revision Date 2007-09-28

16. FURTHER DATA: INCLUDING INFORMATION ON PREPARATION AND REVISION OF THE SDS Disclaimer

This product is for *in vitro* laboratory use only. Cambridge Diagnostic Products, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide for the appropriate precautionary handling of the material by a properly trained person using the product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. CAMBRIDGE DIAGNOSTIC PRODUCTS, INC. MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, CAMBRIDGE DIAGNOSTIC PRODUCTS, INC. WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OF OR RELIANCE UPON THIS INFORMATION.