	Revision Date 01/27/2015	Version 1.1
SECTION 1.Identification Product identifier		
Product number	TX1202	
Product name	Triethylamine HPLC Grade	
Synonyms	TEA	
CAS-No.	121-44-8	
Relevant identified uses of t Identified uses	he substance or mixture and uses advised against Reagent for analysis	
Details of the supplier of the	e safety data sheet	
Company	EMD Millipore Corporation 290 Concord Road, Billerica, MA 018 United States of America General Inquiries: +1-978-715-4321 Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5)	321,
Emergency telephone	800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week	

SECTION 2. Hazards identification

GHS Classification Flammable liquid, Category 2, H225 Acute toxicity, Category 4, Oral, H302 Acute toxicity, Category 4, Inhalation, H332 Acute toxicity, Category 4, Dermal, H312 Skin corrosion, Category 1A, H314 Serious eye damage, Category 1, H318 Specific target organ systemic toxicity - single exposure, Category 3, Respiratory system, H335 For the full text of the H-Statements mentioned in this Section, see Section 16.

GHS-Labeling

Hazard pictograms



Signal Word

Product number	TX1202	Version 1.1
Product name	Triethylamine HPLC Grade	

Danger

Hazard Statements

H225 Highly flammable liquid and vapor. H302 + H312 + H332 Harmful if swallowed, in contact with skin or if inhaled. H314 Causes severe skin burns and eye damage. H335 May cause respiratory irritation.

Precautionary Statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/ physician.

P322 Specific measures (see supplemental first aid instructions on this label).

P363 Wash contaminated clothing before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. Composition/information on ingredients

Chemical nature Formula	Amines (C₂H₅)₃N	C₀H₁₅N (Hill)
Synonyms	TEA	
Molar mass	101.19 g/mol	

Hazardous ingredients

Chemical Name (Concentration) CAS-No.

Product number	TX1202	Version 1.1
Product name	Triethylamine HPLC Grade	

triethylamine (>= 90 % - <= 100 %) 121-44-8 Exact percentages are being wihtheld as a trade secret.

SECTION 4. First aid measures

Description of first-aid measures

General advice First aider needs to protect himself.

Inhalation

After inhalation: fresh air. Call in physician.

Skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

Eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.

Ingestion

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation!). Call a physician immediately. Do not attempt to neutralize.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Irritation and corrosion, Cough, Shortness of breath, Nausea, Vomiting, Convulsions Risk of corneal clouding. Risk of blindness!

Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Foam, Carbon dioxide (CO2), Dry powder

Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air at ambient temperatures. Pay attention to flashback. Development of hazardous combustion gases or vapors possible in the event of fire. Fire may cause evolution of: nitrogen oxides

Advice for firefighters

Product number	TX1202	Version 1.1
Product name	Triethylamine HPLC Grade	

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

Environmental precautions

Do not let product enter drains. Risk of explosion.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent and neutralizing material (e.g. Chemizorb® OH⁻, Art. No. 101596). Dispose of properly. Clean up affected area.

SECTION 7. Handling and storage

Precautions for safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapors/aerosols.

Observe label precautions.

Advice on protection against fire and explosion Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Store at room temperature.

Product number	TX1202	Version 1.1
Product name	Triethylamine HPLC Grade	

SECTION 8. Exposure controls/personal protection

Exposure limit(s) Ingredients			
Basis	Value	Threshold limits	Remarks
triethylamine 12	21-44-8		
ACGIH	Time Weighted Average (TWA):	1 ppm	
	Short Term Exposure Limit (STEL):	3 ppm	
	Skin designation:		Can be absorbed through the skin.
OSHA_TRANS	PEL:	25 ppm 100 mg/m³	
Z1A	Short Term Exposure Limit (STEL):	15 ppm 60 mg/m³	
	Time Weighted Average (TWA):	10 ppm 40 mg/m³	

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

Hygiene measures

Immediately change contaminated clothing. Apply skin- protective barrier cream. Wash hands and face after working with substance.

Eye/face protection

Tightly fitting safety goggles

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Other protective equipment:

Flame retardant antistatic protective clothing.

Respiratory protection

required when vapors/aerosols are generated.

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

SECTION 9. Physical and chemical properties

Physical state liquid

oduct number oduct name	TX1202 Triethylamine HPLC Grade	Version 1.
Color	colorless	
Odor	amine-like	
Odor Threshold	No information available.	
рН	12.7 at 100 g/l 59 °F (15 °C)	
Melting point	-115 °C	
Boiling point/boiling range	194 °F (90 °C) at 1,013 hPa	
Flash point	12 °F (-11 °C) Method: c.c.	
Evaporation rate	No information available.	
Flammability (solid, gas)	No information available.	
Lower explosion limit	1.2 %(V)	
Upper explosion limit	9.3 %(V)	
Vapor pressure	69 hPa at 68 °F (20 °C)	
Relative vapor density	3.48	
Density	0.73 g/cm³ at 68 °F (20 °C)	
Relative density	No information available.	
Water solubility	133 g/l at 68 °F (20 °C)	
Partition coefficient: n- octanol/water	log Pow: 1.45 (calculated) (IUCLID) Bioaccumulation is not expected.	
Autoignition temperature	No information available.	
Decomposition temperature	No information available.	
Viscosity, dynamic	0.36 mPa.s at 68 °F (20 °C)	
Explosive properties	Not classified as explosive.	

Product number Product name	TX1202 Triethylamine HPLC Grade	Version 1.1
Oxidizing properties	none	
Ignition temperature	419 °F (215 °C)	

SECTION 10. Stability and reactivity

Reactivity

Vapors may form explosive mixture with air.

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions

Caution! In contact with nitrites, nitrates, nitrous acid possible liberation of nitosamines!

Exothermic reaction with:

anhydrides, Halogenated hydrocarbon, organic nitro compounds

Risk of explosion with:

nitrogen dioxide, Acids

Risk of ignition or formation of inflammable gases or vapors with:

Oxidizing agents

Conditions to avoid

Warming.

Incompatible materials

rubber, various plastics

Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

Information on toxicological effects

Likely route of exposure Inhalation, Eye contact, Skin contact *Target Organs* Liver Kidneys Eyes Skin Respiratory system cardiovascular system Lungs Gastro-intestinal system head

Product number	TX1202	Version 1.1
Product name	Triethylamine HPLC Grade	

Acute oral toxicity LD50 Rat: 730 mg/kg OECD Test Guideline 401

Symptoms: Nausea, Vomiting, If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach. absorption

Acute inhalation toxicity Corrosive to respiratory system.

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract

absorption

Acute dermal toxicity absorption

Skin irritation Rabbit

Result: Causes burns. (External MSDS)

Causes severe burns.

Eye irritation Rabbit Result: Corrosive OECD Test Guideline 405

Risk of corneal clouding. Causes serious eye damage. Risk of blindness!

Sensitization Sensitization test: Guinea pig Result: negative (ECHA)

Genotoxicity in vitro Ames test Salmonella typhimurium Result: negative Method: OECD Test Guideline 471

Specific target organ systemic toxicity - single exposure Target Organs: Respiratory system May cause respiratory irritation.

Specific target organ systemic toxicity - repeated exposure The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard Regarding the available data the classification criteria are not fulfilled.

Carcinogenicity

IARC No ingredient of this product present at levels greater than or

TX1202 Triethylamine HPLC Grade	Version 1.1
equal to 0.1% is identified as probable, possible or confirmed	
human carcinogen by IARC.	
No ingredient of this product present at levels greater than or	
equal to 0.1% is identified as a carcinogen or potential	
carcinogen by OSHA.	
No ingredient of this product present at levels greater than or	
equal to 0.1% is identified as a known or anticipated carcinogen	
by NTP.	
No ingredient of this product present at levels greater than or	
equal to 0.1% is identified as a carcinogen or potential	
carcinogen by ACGIH.	
	 Triethylamine HPLC Grade equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Further information

After absorption:

Convulsions, strong pain (risk of perforation!), shock, Causes poorly healing wounds. Under given conditions, contact with nitrites or nitric acid can lead to the formation of nitrosamines, which have shown themselves to be carcinogenic in animal experiments. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

Ecotoxicity

Toxicity to fish LC50 Pimephales promelas (fathead minnow): 43.7 mg/l; 96 h (IUCLID) *Toxicity to daphnia and other aquatic invertebrates* semi-static test EC50 Ceriodaphnia Dubia (water flea): 17 mg/l; 48 h US-EPA

Toxicity to algae IC5 Scenedesmus quadricauda (Green algae): 1 mg/l; 96 h (IUCLID) (maximum permissible toxic concentration)

Toxicity to bacteria EC50 Pseudomonas putida: 95 mg/l; 17 h (IUCLID)

Toxicity to fish (Chronic toxicity) NOEC Oncorhynchus mykiss (rainbow trout): 3.2 mg/l; 60 d (ECHA)

Persistence and degradability

Biodegradability > 90 % OECD Test Guideline 302B Easily eliminable.

Bioaccumulative potential

Partition coefficient: n-octanol/water log Pow: 1.45 (calculated) (IUCLID) Bioaccumulation is not expected.

Product number	TX1202	Version 1.1
Product name	Triethylamine HPLC Grade	

Mobility in soil

No information available.

Additional ecological information

Biological effects: Forms corrosive mixtures with water even if diluted. Harmful effect due to pH shift. Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

SECTION 14. Transport information

Land transport (DOT)	
UN number	UN 1296
Proper shipping name	TRIETHYLAMINE
Class	3 (8)
Packing group	II
Environmentally hazardous	
Air transport (IATA)	
UN number	UN 1296
Proper shipping name	TRIETHYLAMINE
Class	3 (8)
Packing group	II
Environmentally hazardous	
Special precautions for user	no
Sea transport (IMDG)	
UN number	UN 1296
Proper shipping name	TRIETHYLAMINE
Class	3 (8)
Packing group	II
Environmentally hazardous	
Special precautions for user	yes
EmS	F-E S-C

SECTION 15. Regulatory information

United States of America

SARA 313

The following components are subject to reporting levels established by SARA Title III, Section 313:

roduct name	TX1202 Triethylamine HPLC Grade	9		Version 1.
<i>Ingredients</i> triethylamine		121-44-8	100 %	
SARA 302 No chemicals in this 1 302.	naterial are subject to the reporting r	equirements of SA	RA Title III, Section	
Clean Water Act				
The following Hazard <i>Ingredients</i> triethylamine	ous Substances are listed under the	U.S. CleanWater A	Act, Section 311, Table	e 116.4A:
The following Hazard <i>Ingredients</i> triethylamine	ous Chemicals are listed under the L	J.S. CleanWater Ad	ct, Section 311, Table	117.3:
DEA List I Not listed				
DEA List II Not listed				
US State Regulations				
US State Regulations Massachusetts Right Ingredients triethylamine	To Know			
Massachusetts Right				
Massachusetts Right Ingredients triethylamine Pennsylvania Right T Ingredients	o Know			
Massachusetts Right Ingredients triethylamine Pennsylvania Right T Ingredients triethylamine New Jersey Right To Ingredients triethylamine California Prop 65 Co	o Know Know omponents t contain any chemicals known to the	State of California	to cause cancer,	
Massachusetts Right Ingredients triethylamine Pennsylvania Right T Ingredients triethylamine New Jersey Right To Ingredients triethylamine California Prop 65 Co This product does no	o Know Know omponents t contain any chemicals known to the	State of California	to cause cancer,	
Massachusetts Right Ingredients triethylamine Pennsylvania Right T Ingredients triethylamine New Jersey Right To Ingredients triethylamine California Prop 65 Co This product does no birth, or any other rep	o Know Know omponents t contain any chemicals known to the			

SECTION 16. Other information

Training advice

Provide adequate information, instruction and training for operators.

Product numberTX1202Version 1.1Product nameTriethylamine HPLC Grade

Labeling



Signal Word Danger

Hazard Statements
H225 Highly flammable liquid and vapor.
H302 + H312 + H332 Harmful if swallowed, in contact with skin or if inhaled.
H314 Causes severe skin burns and eye damage.
H335 May cause respiratory irritation.

Precautionary Statements

Prevention

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P240 Ground/bond container and receiving equipment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician. Storage

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

Full text of H-Statements referred to under sections 2 and 3.

H225	Highly flammable liquid and vapor.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.

Key or legend to abbreviations and acronyms used in the safety data sheet Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Revision Date 01/27/2015

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

Product numberTX1202Version 1.1Product nameTriethylamine HPLC Grade

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.