

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Revision Date 08/21/2013 Version 1.2

SECTION 1. Identification

Product identifier

Product number 102439

Product name Eosin Y-solution 0.5% alcoholic for microscopy

Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis

Details of the supplier of the safety data sheet

Company EMD Millipore Corporation | 290 Concord Road, Billerica, MA 01821,

United States of America | SDS Phone Support: +1-978-715-1335 | General Inquiries: +1-978-715-4321 | Monday to Friday, 9:00 AM to

4:00 PM Eastern Time (GMT-5)

Emergency telephone 800-424-9300 CHEMTREC (USA)

+1-703-527-3887 CHEMTREC (International)

24 Hours/day; 7 Days/week

SECTION 2. Hazards identification

GHS Classification

Flammable liquid, Category 2, H225

For the full text of the H-Statements mentioned in this Section, see Section 16.

GHS-Labeling

Hazard pictograms



Signal Word
Danger

Hazard Statements

H225 Highly flammable liquid and vapor.

Precautionary Statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P403 + P235 Store in a well-ventilated place. Keep cool.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 102439 Version 1.2

Product name Eosin Y-solution 0.5% alcoholic for microscopy

OSHA Hazards

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Other hazards

None known.

SECTION 3. Composition/information on ingredients

Chemical nature Mixture of organic compounds

Hazardous ingredients

Chemical Name (Concentration)
CAS-No.
ethanol (>= 50 % - < 70 %)
64-17-5
ethyl methyl ketone (>= 0.1 % - < 1 %)
78-93-3

SECTION 4. First aid measures

Description of first-aid measures

Inhalation

After inhalation: fresh air.

Skin contact

After skin contact: wash off with plenty of water. Remove contaminated clothing.

Eye contact

After eye contact: rinse out with plenty of water.

Ingestion

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

irritant effects, respiratory paralysis, Dermatitis, Dizziness, narcosis, inebriation, euphoria, Nausea, Vomiting

Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Fire-fighting measures

Extinguishing media

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Pay attention to flashback.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air at ambient temperatures.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 102439 Version 1.2

Product name Eosin Y-solution 0.5% alcoholic for microscopy

Advice for firefighters

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

Environmental precautions

Do not let product enter drains. Risk of explosion.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

SECTION 7. Handling and storage

Precautions for safe handling

Observe label precautions.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Store at +15°C to +25°C (+59°F to +77°F).

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 102439 Version 1.2

Product name Eosin Y-solution 0.5% alcoholic for microscopy

SECTION 8. Exposure controls/personal protection

Exposure limit(s)

Ingredients

Basis Value Threshold Remarks

limits

ethanol 64-17-5

ACGIH Short Term Exposure 1,000 ppm

Limit (STEL):

NIOSH/GUIDE Recommended 1,000 ppm

exposure limit (REL): 1,900 mg/m³

OSHA_TRANS PEL: 1,000 ppm

1,900 mg/m³

Z1A Time Weighted Average 1,000 ppm

(TWA): 1,900 mg/m³

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

Hygiene measures

Immediately change contaminated clothing. Apply skin- protective barrier cream. Wash hands and face after working with substance.

Eye/face protection

Safety glasses

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Other protective equipment:

Flame retardant antistatic protective clothing

Respiratory protection

required when vapors/aerosols are generated.

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

SECTION 9. Physical and chemical properties

Physical state liquid

Color dark red

Odor alcoholic

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	102439	Version 1.2
Product name	Eosin Y-solution 0.5% alcoholic for microscopy	

Odor Threshold No information available.

pH No information available.

Melting point No information available.

Boiling point No information available.

Flash point 66.4 °F (19.1 °C)

Evaporation rate No information available.

Flammability (solid, gas) No information available.

Lower explosion limit No information available.

Upper explosion limit No information available.

Vapor pressure No information available.

Relative vapor density No information available.

Relative density 0.8889 g/cm³

at 68 °F (20 °C)

Water solubility No information available.

Partition coefficient: n-

octanol/water

No information available.

Autoignition temperature

No information available.

Decomposition temperature

No information available.

Viscosity, dynamic

No information available.

Explosive properties

No information available.

SECTION 10. Stability and reactivity

Reactivity

Vapors may form explosive mixture with air.

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions

A risk of explosion and/or of toxic gas formation exists with the following substances:

chromium(VI) oxide, hydrogen peroxide, uranium hexafluoride, nitrogen dioxide, Nitric acid, Oxides of phosphorus, permanganic acid, perchloric acid, sulfuric acid, potassium permanganate, perchlorates, Fluorine, Ethylene oxide, chromyl chloride, halogen-halogen compounds, Strong oxidizing agents, alkali oxides, Alkaline earth metals, Alkali metals

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 102439 Version 1.2

Product name Eosin Y-solution 0.5% alcoholic for microscopy

Conditions to avoid

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

Warming.

Incompatible materials

rubber, various plastics

Hazardous decomposition products

no information available

SECTION 11. Toxicological information

Information on toxicological effects

Likely route of exposure

Eye contact, Skin contact

Target Organs

Eyes Skin

Respiratory system

Central nervous system

Liver Blood

reproductive system

Carcinogenicity

Carcinogen classifications of IARC, NTP, California proposition 65 for Ethanol CAS 64-17-5 apply to beverage use only. This product is NOT intended for this use.

Specific target organ systemic toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ systemic toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Regarding the available data the classification criteria are not fulfilled.

Carcinogenicity

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

ACGIH No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 102439 Version 1.2

Product name Eosin Y-solution 0.5% alcoholic for microscopy

carcinogen by ACGIH.

Further information

Handle in accordance with good industrial hygiene and safety practice.

Ingredients

ethanol

Acute oral toxicity

LD50 rat: 6,200 mg/kg (IUCLID)

Acute inhalation toxicity

LC50 rat: 95.6 mg/l; 4 h (RTECS)

Skin irritation

rabbit

Result: No irritation OECD Test Guideline 404

Sensitization

Sensitization test (Magnusson and Kligman):

Result: negative (IUCLID)

Germ cell mutagenicity

Genotoxicity in vitro

Ames test

Salmonella typhimurium

Result: negative

(National Toxicology Program)

ethyl methyl ketone

Acute oral toxicity

LD50 rat: 3,400 mg/kg OECD Test Guideline 401

LD50 rat: > 2,600 mg/kg (IUCLID)

Acute dermal toxicity

LD50 rabbit: > 8,000 mg/kg (Lit.)

Skin irritation

rabbit

Result: slight irritation

(IUCLID)

Eye irritation

rabbit

Result: Severe irritations

(IUCLID)

Sensitization

Sensitization test: guinea pig

Result: negative

(IUCLID)

Germ cell mutagenicity

Genotoxicity in vitro

Ames test

Result: negative

(IUCLID)

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 102439 Version 1.2

Product name Eosin Y-solution 0.5% alcoholic for microscopy

Mutagenicity (mammal cell test): chromosome aberration.

Result: negative

(National Toxicology Program)

SECTION 12. Ecological information

Ecotoxicity

No information available.

Persistence and degradability

No information available.

Bioaccumulative potential

No information available.

Mobility in soil

No information available.

Additional ecological information

Discharge into the environment must be avoided.

Ingredients

ethanol

Toxicity to fish

LC50 Leuciscus idus (Golden orfe): 8,140 mg/l; 48 h (IUCLID)

Toxicity to daphnia and other aquatic invertebrates

EC5 E.sulcatum: 65 mg/l; 72 h (Lit.)

EC50 Daphnia magna (Water flea): 9,268 - 14,221 mg/l; 48 h (IUCLID)

Toxicity to algae

IC5 Scenedesmus quadricauda (Green algae): 5,000 mg/l; 7 d (Lit.)

Toxicity to bacteria

EC5 Pseudomonas putida: 6,500 mg/l; 16 h (IUCLID)

Biodegradability

94 %

OECD Test Guideline 301E

Readily biodegradable.

Biochemical Oxygen Demand (BOD)

930 - 1,670 mg/g (5 d)

(Lit.)

Theoretical oxygen demand (ThOD)

2,100 mg/g

(Lit.)

Ratio COD/ThBOD

90 %

(Lit.)

Substance does not meets the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

ethyl methyl ketone

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 102439 Version 1.2

Product name Eosin Y-solution 0.5% alcoholic for microscopy

Toxicity to fish

LC50 Pimephales promelas (fathead minnow): 3,220 mg/l; 96 h (IUCLID)

Toxicity to daphnia and other aquatic invertebrates

EC50 Daphnia magna (Water flea): 5,091 mg/l; 48 h (IUCLID)

Toxicity to algae

IC5 Scenedesmus quadricauda (Green algae): >= 4,300 mg/l; 7 d (IUCLID)

Toxicity to bacteria

EC5 Pseudomonas putida: 1,150 mg/l; 16 h (IUCLID)

Biodegradability

Readily biodegradable.

Theoretical oxygen demand (ThOD) 2,440 mg/g (Lit.)

Ratio BOD/ThBOD BOD5 76 % (IUCLID)

Ratio COD/ThBOD 95 % (IUCLID)

Substance does not meets the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

SECTION 14. Transport information

Land transport (DOT)

UN number UN 1170

Proper shipping name ETHANOL SOLUTION

Class 3
Packing group II
Environmentally hazardous ---

Air transport (IATA)

UN number UN 1170

Proper shipping name ETHANOL SOLUTION

Class 3
Packing group II
Environmentally hazardous --

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 102439 Version 1.2

Product name Eosin Y-solution 0.5% alcoholic for microscopy

Special precautions for user no

Sea transport (IMDG)

UN number UN 1170

Proper shipping name ETHANOL SOLUTION

Class 3
Packing group II
Environmentally hazardous -Special precautions for user
EmS yes
F-E S-D

SECTION 15. Regulatory information

United States of America

OSHA Hazards

Flammable Liquid

Target organ effects

Carcinogen

This information is based on 29 CFR 1910.1200 criteria prior to adoption of the GHS, and may deviate from the GHS information on the label and in section 2.

SARA 311/312 Hazards

Fire Hazard

Chronic Health Hazard

SARA 313

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 302

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III. Section 302.

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311,

Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311,

Table 117.3.

DEA List I

Not listed

DEA List II

Listed Ingredients

ethyl methyl ketone 78-93-3

US State Regulations

Massachusetts Right To Know

Ingredients

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 102439 Version 1.2

Product name Eosin Y-solution 0.5% alcoholic for microscopy

ethanol

Pennsylvania Right To Know

Ingredients ethanol water

New Jersey Right To Know

Ingredients ethanol water

California Prop 65 Components

WARNING: This product contains a chemical known in the State of California to cause birth defects or other reproductive harm.

Ingredients ethanol

Notification status

TSCA: All components of the product are listed in the TSCA-inventory.

DSL: All components of this product are on the Canadian DSL.

SECTION 16. Other information

Training advice

Provide adequate information, instruction and training for operators.

Full text of H-Statements referred to under sections 2 and 3.

H225 Highly flammable liquid and vapor.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Revision Date08/21/2013

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.