

n-Butyl Chloride

034-1L

Version 2.0 Revision Date 06/05/2018 Print Date 10/17/2019

SECTION 1. IDENTIFICATION

Product name : n-Butyl Chloride

Number : 000000011399

Product Use Description : Solvent

Manufacturer or supplier's

details

Honeywell International Inc. 1953 South Harvey Street

Muskegon, MI 49442

For more information call : 1-800-368-0050

+1-231-726-3171

(Monday-Friday, 9:00am-5:00pm)

In case of emergency call : Medical: 1-800-498-5701 or +1-303-389-1414

Transportation (CHEMTREC): 1-800-424-9300 or

+1-703-527-3887

.

(24 hours/day, 7 days/week)

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Form : liquid

Color : clear colourless

Odor : unpleasant

Classification of the substance or mixture

Classification of the substance : Flammable liquids, Category 2

or mixture

Aspiration hazard, Category 1

GHS Label elements, including precautionary statements

Page 1 / 13



n-Butyl Chloride

034-1L

Version 2.0 Revision Date 06/05/2018 Print Date 10/17/2019

Symbol(s)





Signal word : Danger

Hazard statements : Highly flammable liquid and vapour.

May be fatal if swallowed and enters airways.

Precautionary statements : Prevention:

Keep away from heat/sparks/open flames/hot surfaces. No

smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wear protective gloves/ protective clothing/ eye protection/ face

protection.

Response:

IF SWALLOWED: Immediately call a POISON CENTER/doctor.

IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

Do NOT induce vomiting.

In case of fire: Use dry sand, dry chemical or alcohol-resistant

foam for extinction.

Storage:

Store in a well-ventilated place. Keep cool.

Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal

plant.

Carcinogenicity

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP, IARC, or OSHA.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS



n-Butyl Chloride

034-1L

Version 2.0 Revision Date 06/05/2018 Print Date 10/17/2019

Chemical nature : Substance

Chemical name	CAS-No.	Concentration
n-Butyl Chloride	109-69-3	100.00 %

SECTION 4. FIRST AID MEASURES

Inhalation : Remove to fresh air. If not breathing, give artificial respiration. If

breathing is difficult, give oxygen. Use oxygen as required, provided a qualified operator is present. Call a physician.

Skin contact : Wash off immediately with plenty of water for at least 15

minutes. Take off contaminated clothing and shoes immediately. Wash contaminated clothing before re-use. Call a physician.

Eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes. Call a physician.

Ingestion : Do not induce vomiting without medical advice. Immediate

medical attention is required. Never give anything by mouth to

an unconscious person. Call a physician.

Notes to physician

Indication of immediate medical attention and special treatment needed, if

: Treat symptomatically.

necessary

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Dry chemical

Foam

Carbon dioxide (CO2)

Cool closed containers exposed to fire with water spray.

Unsuitable extinguishing

media

: Do not use a solid water stream as it may scatter and spread

fire.

Specific hazards during

firefighting

: Extremely flammable.

Vapours may form explosive mixtures with air.

Vapours are heavier than air and may spread along floors.

Page 3 / 13



n-Butyl Chloride

034-1L

Version 2.0 Revision Date 06/05/2018 Print Date 10/17/2019

Vapors may travel to areas away from work site before

igniting/flashing back to vapor source.

In case of fire hazardous decomposition products may be

produced such as: Carbon monoxide Carbon dioxide (CO2)

Phosgene

Gaseous hydrogen chloride (HCI).

Special protective equipment

for firefighters

: Wear self-contained breathing apparatus and protective suit.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Wear personal protective equipment. Unprotected persons

must be kept away.

Immediately evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Ensure adequate ventilation. Remove all sources of ignition.

Do not swallow.

Avoid breathing vapours, mist or gas.

Avoid contact with skin, eyes and clothing.

Environmental precautions

Prevent further leakage or spillage if safe to do so.

Prevent product from entering drains.

Discharge into the environment must be avoided.

Do not flush into surface water or sanitary sewer system. Do not allow run-off from fire fighting to enter drains or water

courses.

Methods and materials for containment and cleaning

: Ventilate the area.

No sparking tools should be used. Use explosion-proof equipment.

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations

(see section 13).

SECTION 7. HANDLING AND STORAGE

Handling

up

Precautions for safe : Wear personal protective equipment.

Page 4 / 13



n-Butyl Chloride

034-1L

Version 2.0 Revision Date 06/05/2018 Print Date 10/17/2019

handling Use only in well-ventilated areas.

Keep container tightly closed.

Do not smoke. Do not swallow.

Avoid breathing vapours, mist or gas.

Avoid contact with skin, eyes and clothing.

Advice on protection against :

fire and explosion

Keep away from fire, sparks and heated surfaces.

Take precautionary measures against static discharges.

Ensure all equipment is electrically grounded before beginning

transfer operations.

Use explosion-proof equipment.

Keep product and empty container away from heat and sources

of ignition.

No sparking tools should be used.

No smoking.

Storage

Conditions for safe storage,

including any incompatibilities

Store in area designed for storage of flammable liquids. Protect

from physical damage.

Keep containers tightly closed in a dry, cool and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Keep away from heat and sources of ignition.

Keep away from direct sunlight.

Store away from incompatible substances.

Container hazardous when empty.

Do not pressurize, cut, weld, braze, solder, drill, grind or expose

containers to heat or sources of ignition.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Protective measures : Ensure that eyewash stations and safety showers are close to

the workstation location.

Engineering measures : Use with local exhaust ventilation.

Prevent vapour buildup by providing adequate ventilation during

and after use.

Eye protection : Do not wear contact lenses.

Wear as appropriate:

Safety glasses with side-shields If splashes are likely to occur, wear:

Page 5 / 13



n-Butyl Chloride

034-1L

Version 2.0 Revision Date 06/05/2018 Print Date 10/17/2019

Goggles or face shield, giving complete protection to eyes

Hand protection : Solvent-resistant gloves

Gloves must be inspected prior to use.

Replace when worn.

Skin and body protection : Wear as appropriate:

Solvent-resistant apron

Flame retardant antistatic protective clothing.

If splashes are likely to occur, wear:

Protective suit

Respiratory protection : In case of insufficient ventilation wear suitable respiratory

equipment.

For rescue and maintenance work in storage tanks use

self-contained breathing apparatus.

Use NIOSH approved respiratory protection.

Hygiene measures : When using, do not eat, drink or smoke.

Wash hands and face before breaks and immediately after

handling the product.

Keep working clothes separately.

Remove and wash contaminated clothing before re-use.

Do not swallow.

Avoid breathing vapours, mist or gas. Avoid contact with skin, eyes and clothing.

Exposure Guidelines

Contains no substances with occupational exposure limit values.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Color : clear colourless

Odor : unpleasant

pH : Note: Not applicable

Melting point/range : -123 °C

Boiling point/boiling range : 78 °C

Flash point : 16 °F (-9 °C)

Page 6 / 13



n-Butyl Chloride

034-1L

Version 2.0 Revision Date 06/05/2018 Print Date 10/17/2019

Lower explosion limit : 1.8 %(V)

Upper explosion limit : 10.1 %(V)

Vapor pressure : 106.79 hPa

at 20 °C(68 °F)

Vapor density : 3.2 Note: (Air = 1.0)

Density : 0.8862 g/cm3 at 20 °C

Water solubility : 0.66 g/l at 12 °C

Ignition temperature : 240 °C

Molecular weight : 92.58 g/mol

SECTION 10. STABILITY AND REACTIVITY

Chemical stability : Stable under normal conditions.

Possibility of hazardous

Conditions to avoid

reactions

: Hazardous polymerisation does not occur.

: Heat, flames and sparks.

Keep away from direct sunlight.

Incompatible materials : Acids

Bases

Oxidizing agents Reducing agents

Page 7 / 13



n-Butyl Chloride

034-1L

Version 2.0 Revision Date 06/05/2018 Print Date 10/17/2019

Aluminium Oxygen

Alkaline earth metals

Alkali metals

May attack many plastics, rubbers and coatings.

Hazardous decomposition

products

: In case of fire hazardous decomposition products may be

produced such as: Carbon monoxide Carbon dioxide (CO2)

Phosgene

Gaseous hydrogen chloride (HCI).

SECTION 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : LD50: 2,670 mg/kg

Species: Rat

Acute inhalation toxicity : LC50: > 7.74 mg/l , Mist

Exposure time: 4 h Species: Rat Note: No deaths

Acute dermal toxicity : LD0: 20,000 mg/kg

Species: Rabbit

Skin irritation : Species: Rabbit

Result: Mild skin irritation Exposure time: 24 h

Eye irritation : Species: rabbit eye

Result: Mild eye irritation Exposure time: 24 h

Sensitisation : Buehler Test

Species: Guinea pig

Result: Did not cause sensitisation on laboratory animals.

Method: OECD Test Guideline 406

Page 8 / 13



n-Butyl Chloride

034-1L

Version 2.0 Revision Date 06/05/2018 Print Date 10/17/2019

Repeated dose toxicity : Species: Rat

Application Route: Oral Exposure time: 13 Weeks

NOEL: 120 mg/kg

Genotoxicity in vitro : Test Method: Mutagenicity (Salmonella typhimurium - reverse

mutation assay)

Metabolic activation: with and without metabolic activation

Result: negative

Test Method: Mutagenicity (Escherichia coli - reverse mutation

assay)

Metabolic activation: with and without metabolic activation

Result: negative

Carcinogenicity : Species: Rat

Application Route: Oral

Method: Animal testing did not show any carcinogenic effects.

Reproductive toxicity : Species: Rat

Application Route: Oral NOAEL,parent: 2.4 mg/kg NOAEL,F1: 60 mg/kg

Method: Animal experiments have shown effects on

reproduction at doses toxic to the parents.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity effects

Toxicity to fish : semi-static test

LC50: 120 mg/l Exposure time: 96 h

Species: Oryzias latipes (Orange-red killifish)

Method: OECD Test Guideline 203

Toxicity to daphnia and other

aquatic invertebrates

: static test

EC50: 380 mg/l Exposure time: 24 h

Species: Daphnia magna (Water flea)

Page 9 / 13



n-Butyl Chloride

034-1L

Version 2.0 Revision Date 06/05/2018 Print Date 10/17/2019

Method: OECD Test Guideline 202

Toxicity to algae : Biomass

EC50: > 1,000 mg/l Exposure time: 72 h

Species: Pseudokirchneriella subcapitata (green algae)

Method: OECD Test Guideline 201

Toxicity to bacteria : EC10: 332.3 mg/l

Exposure time: 18 h

Species: Pseudomonas putida

Method: DIN 38412

Elimination information (persistence and degradability)

Bioaccumulation : Species: Cyprinus carpio (Carp)

Exposure time: 6 Weeks Temperature: 25 °C

Bioconcentration factor (BCF): 90 - 450

Biodegradability : Biochemical Oxygen Demand (BOD)

Result: Not readily biodegradable.

Value: 0 %

Method: OECD 301 C

Further information on ecology

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods : Observe all Federal, State, and Local Environmental

regulations.

SECTION 14. TRANSPORT INFORMATION

DOT UN/ID No. : UN 1127

Proper shipping name : CHLOROBUTANES

Class 3
Packing group II
Hazard Labels 3

Page 10 / 13



n-Butyl Chloride

034-1L

Version 2.0 Revision Date 06/05/2018 Print Date 10/17/2019

IATA UN/ID No. : UN 1127

> Description of the goods : CHLOROBUTANES

Class : 3 Packaging group : 11 Hazard Labels : 3 Packing instruction (cargo : 364

aircraft)

Packing instruction : 353

(passenger aircraft)

Packing instruction : Y341

(passenger aircraft)

IMDG UN/ID No. : UN 1127

Description of the goods : CHLOROBUTANES

Class : 3 Packaging group : II Hazard Labels : 3 EmS Number : F-E, S-D

Marine pollutant : no

SECTION 15. REGULATORY INFORMATION

Inventories

US. Toxic Substances

Control Act

: On TSCA Inventory

Australia. Industrial

Chemical (Notification and

Assessment) Act

: On the inventory, or in compliance with the inventory

Canada. Canadian **Environmental Protection** Act (CEPA). Domestic Substances List (DSL)

: All components of this product are on the Canadian DSL

Japan. Kashin-Hou Law List : On the inventory, or in compliance with the inventory

Korea. Existing Chemicals

Inventory (KECI)

: On the inventory, or in compliance with the inventory

Philippines. The Toxic

Substances and Hazardous

and Nuclear Waste Control

Act

: On the inventory, or in compliance with the inventory



n-Butyl Chloride

034-1L

Version 2.0 Revision Date 06/05/2018 Print Date 10/17/2019

China. Inventory of Existing

Chemical Substances

: On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as

published by ERMA New

Zealand

: On the inventory, or in compliance with the inventory

National regulatory information

SARA 302 Components : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 Components : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards : Fire Hazard

Acute Health Hazard

California Prop. 65 : This product does not contain any chemicals known to State of

California to cause cancer, birth defects, or any other

reproductive harm.

Massachusetts RTK : n-Butyl Chloride 109-69-3

New Jersey RTK : n-Butyl Chloride 109-69-3

Pennsylvania RTK : n-Butyl Chloride 109-69-3

SECTION 16. OTHER INFORMATION

HMIS III **NFPA** Health hazard : 1 Flammability : 3 3 Physical Hazard : 0 Instability 0



n-Butyl Chloride

034-1L

Version 2.0 Revision Date 06/05/2018 Print Date 10/17/2019

Hazard rating and rating systems (e.g. HMIS® III, NFPA): This information is intended solely for the use of individuals trained in the particular system.

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user. This information should not constitute a guarantee for any specific product properties.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Previous Issue Date: 03/17/2014

Prepared by Honeywell Performance Materials and Technologies Product Stewardship Group