



# Puritan®

## CONTROLLED ENVIRONMENTS

Puritan's single-use products for controlled and critical environments are manufactured in our ISO:2008 certified and CE-compliant facility, providing reliable, consistent performance to ensure the quality of your end product.

Our swabs are designed for use in specific environments such as precision manufacturing, fiber optics, electronics, semiconductors, and biotechnology. For even tighter control, we offer critical environment swabs for the cleanroom.

Our line includes foam, cotton, knitted polyester, ESD (electrostatic discharge), anti-static, and chemical-resistant swabs.

# Polyester and microfiber tips, soft but strong

Each swab is made to help meet your QC goals in a specific, controlled environment.

Puritan's polyester and microfiber swabs are easy on delicate components yet strong enough to stand up to industrial use. Manufactured in Puritan's cleanroom, these swabs are protected from contamination. Personnel wear smocks, gloves, hair covers and masks.

**SMALL TIP**  
Ideal for fine assembly tasks.



**FLEXIBLE HANDLE**  
Makes it easy to reach areas that need to be swabbed. Polypropylene shaft is also resistant to breakdown from chemical content.



**THERMAL BONDING**

Eliminates the need for adhesives that could transfer to the surface being cleaned.

**LOW IN NVR**

Knitted polyester is ideal for removing residues and particulates.



#### FEATURED PRODUCTS:

Left: PurSwab® knitted polyester-tipped applicator (#3135)

Middle: PurSwab® knitted polyester-tipped applicator (#3655)









Right: PurSwab® microfiber-tipped applicator (#3677)

## Did you know?

Microfibers are half the diameter of fine silk fiber, one-quarter the diameter of fine wool, and **100 times finer than human hair**.



### PURSWAB® KNITTED POLYESTER-TIPPED APPLICATORS

Knitted polyester is non-abrasive and lint-free. In addition, the polyester can easily stand up to IPA, acetone and other solvents commonly used in cleanrooms and other critical environments.

|   | VWR Cat. No. | Puritan Item No. | Product Description                         | Tip length x diameter               | Full Length          | Packaging pack, weight |
|---|--------------|------------------|---|-------------------------------------|----------------------|------------------------|
|    | 89133-794    | 3135             | Small rigid tip, polypropylene handle       | 11.989 x 4.496 mm<br>0.472 x 0.177" | 68.504 mm<br>2.697"  | 10/100,<br>1 lb        |
|    | 89133-802    | 3140             | Thin flexible tip, polypropylene handle     | 18.999 x 7.29 mm<br>0.748 x 0.287"  | 162 mm<br>6.378"     | 10/100,<br>4 lbs       |
|    | 82030-704    | 3600             | Large paddle tip, polypropylene handle      | 28.575 x 9.906 mm<br>1.125 x 0.39"  | 157.099 mm<br>6.185" | 20/50,<br>3 lbs        |
|    | 82030-706    | 3605             | Symmetrical round tip, polypropylene handle | 19.837 x 5.156 mm<br>0.781 x 0.203" | 152.4 mm<br>6"       | 10/100,<br>3 lbs       |
|   | 82030-710    | 3615             | Half-round tip, acetal handle               | 14.605 x 3.175 mm<br>0.575 x 0.125" | 68.275 mm<br>2.688"  | 10/100,<br>2 lbs       |
|  | 82030-714    | 3625             | Symmetrical round tip, acetal handle        | 10.312 x 3.175 mm<br>0.406 x 0.125" | 71.755 mm<br>2.825"  | 10/100,<br>2 lbs       |
|  | 89133-800    | 3655             | Large flat paddle tip, polypropylene handle | 25.908 x 13.97 mm<br>1.02 x 0.55"   | 127.787 mm<br>5.031" | 10/100,<br>5 lbs       |
|  | 89133-806    | 3676             | Flexible paddle tip, polypropylene handle   | 16.789 x 6.807 mm<br>0.661 x 0.268" | 154.838 mm<br>6.096" | 20/50,<br>2 lbs        |

### PURSWAB® MICROFIBER-TIPPED APPLICATORS

Microfiber tips are soft and non-abrasive, with very low particulates. These swabs are resistant to normal cleaning solvents, which makes them ideal for removing contaminants and excess materials in fine assembly environments.

|   | VWR Cat. No. | Puritan Item No. | Product Description                             | Tip length x diameter               | Full Length          | Packaging pack, weight |
|---|--------------|------------------|---|-------------------------------------|----------------------|------------------------|
|  | 89133-808    | 3130             | Small flexible paddle tip, polypropylene handle | 10.008 x 3.429 mm<br>0.394 x 0.135" | 69.012 mm<br>2.717"  | 10/100,<br>1 lb        |
|  | 89087-856    | 3677             | Flexible paddle tip, polypropylene handle       | 16.789 x 6.807 mm<br>0.661 x 0.268" | 154.838 mm<br>6.096" | 10/100,<br>2 lbs       |

# PurSwab® foam swabs

They are soft, non-abrasive, and residue-free.

Choose from configurations that offer rigid or flexible handles – with foam tips designed for a range of standard and specialty purposes.



#1805-PF RECT

## REGULAR FOAM

For general cleaning, suitable for applying solutions and solvents.



#1621-PF ESD

## ESD FOAM

Small point for precision cleaning. ESD plastic handle.



#1806-PCFL

## FOAM OVER COTTON

Cotton core for increased absorbency, foam mitt for lint-sensitive applications.



#1806-PF AS

## ANTI-STATIC FOAM

Abrasive for cleaning surfaces.



#1806-WCF CR

## CHEMICAL RESISTANT















Tip will not swell or break apart with most solvents.

### FEATURED PRODUCTS:




*A selection of products from our PurSwab® line*

## PURSWAB® FOAM-TIPPED APPLICATORS

Thermal edge seals and thermal bonding to the handle help ensure the sponge-like foam will clean up unwanted particles without releasing any into your critical environment.






|   | VWR Cat. No. | Puritan Item No.  | Product Description  | Tip length x diameter                | Full Length          | Packaging pack, weight |
|---|--------------|-------------------|--|--------------------------------------|----------------------|------------------------|
|    | 89133-790    | 1130              | Pointed tip, polypropylene handle  | 11.506 x 3.505 mm<br>0.453 x 0.138"  | 69.494 mm<br>2.736"  | 10/100,<br>2 lbs       |
|    | 89133-792    | 1135              | Thin flexible paddle tip, polypropylene handle                           | 14.224 x 3.962 mm<br>0.56 x 0.156"   | 70.637 mm<br>2.781"  | 10/100,<br>2 lbs       |
|    | 89031-284    | 1203-PFB BL VWR   | VWR® Elongated tip, glass-filled pointed polypropylene handle            | 25.4 x 4.064 mm<br>1 x 0.16"         | 82.804 mm<br>3.26"   | 2/10/50,<br>2 lbs      |
|    | 89031-282    | 1223-PFB BL VWR   | VWR® Reticulated foam cone shaped tip, glass-filled polypropylene handle | 17.47 x 3.96 mm<br>0.688 x 0.156"    | 82.804 mm<br>3.26"   | 2/10/50,<br>2 lbs      |
|    | 89133-786    | 1273 BK           | Soft flexible paddle tip, polypropylene handle                           | 15.24 x 3.962 mm<br>0.6 x 0.156"     | 68.58 mm<br>2.7"     | 2/500,<br>1 lb         |
|   | 89176-450    | 1273 BK VWR       | VWR® Soft flexible paddle tip, black polypropylene handle                |                                      |                      | 5/500,<br>2 lbs        |
|    | 89133-788    | 1276 BK           | Soft flexible paddle tip, polypropylene handle                           | 18.542 x 6.35 mm<br>0.73 x 0.25"     | 153.518 mm<br>6.044" | 2/500,<br>4 lbs        |
|   | 89031-294    | 1276-PFB BL VWR   | VWR® Soft flexible paddle tip, black polypropylene handle                |                                      |                      | 5/500,<br>8 lbs        |
|   | 89031-286    | 1605-PSF RECT VWR | VWR® Rectangular tip, polypropylene handle                               | 25.4 x 13.487 mm<br>1 x 0.531"       | 130.175 mm<br>5.125" | 2/10/50,<br>5 lbs      |
|  | 89133-782    | 1616-PF           | Standard tip, polypropylene handle                                       | 22.225 x 6.35 mm<br>0.875 x 0.25"    | 150.8 mm<br>5.937"   | 20/50,<br>3 lbs        |
|  | 89133-780    | 1802-PF SOLID     | Standard tip, polypropylene handle                                       | 15.088 x 4.775 mm<br>0.594 x 0.188"  | 60.325 mm<br>2.375"  | 20/50,<br>2 lbs        |
|  | 10805-138    | 1803-PFB          | Mini tip, polypropylene handle   | 15.875 x 3.962 mm<br>0.625 x 0.156"  | 71.45 mm<br>2.813"   | 2/500,<br>1 lb (bulk)  |
|  | 89133-778    | 1803-WF           | Standard tip, wood handle  | 11.913 x 3.962 mm<br>0.469 x 0.156"  | 74.625 mm<br>2.938"  | 20/50,<br>1 lb         |
|  | 10806-020    | 1804-PF           | Standard tip, polypropylene handle                                       | 15.875 x 3.962 mm<br>0.625 x 0.156"  | 101.6 mm<br>4"       | 20/50,<br>1 lb         |
|  | 10806-032    | 1805-PF RECT      | Large rectangular tip, polypropylene handle                              | 22.606 X 17.45 mm<br>0.89 X 0.687"   | 131.369 mm<br>5.172" | 20/50,<br>6 lbs        |
|   | 10806-023    | 1805-PFB RECT     |  |                                      |                      | 4/250,<br>6 lbs (bulk) |
|  | 89133-776    | 1805-PF RND       | Large round tip, polypropylene handle                                    | 28.575 x 23.012 mm<br>1.125 x 0.906" | 130.175 mm<br>5.125" | 20/50,<br>6 lbs        |

## PURSWAB® FOAM-TIPPED APPLICATORS, CONTINUED

|   | VWR Cat. No. | Puritan Item No. | Product Description                            | Tip length x diameter               | Full Length          | Packaging pack, weight |
|---|--------------|------------------|--|-------------------------------------|----------------------|------------------------|
|  | 10806-024    | 1806-PF          | Rectangular tip, polypropylene handle          | 15.875 x 4.775 mm<br>0.625 x 0.188" | 152.4 mm<br>6"       | 20/50,<br>2 lbs        |
|   | 10806-025    | 1806-PFB         |  |                                     |                      | 4/250,<br>6 lbs        |
|  | 27500-100    | 1806-WF          | Elongated tip, wood handle                     | 17.45 x 4.775 mm<br>0.687 x 0.188"  | 149.225 mm<br>5.875" | 20/50,<br>2 lbs        |
|   | 89031-274    | 1806-WF VWR      | VWR® Elongated tip, wood handle                |                                     |                      | 2/10/50,<br>2 lbs      |
|  | 89031-276    | 1876-PF VWR      | VWR® Flexible paddle tip, polypropylene handle | 15.088 x 4.775 mm<br>0.594 x 0.188" | 153.975 mm<br>6.062" | 2/10/50,<br>3 lbs      |

## PURSWAB® FOAM OVER COTTON-TIPPED APPLICATORS

These foam over cotton tips are made from shred-resistant urethane foam over USP pharmaceutical-grade cotton for the best absorption and are great when cleaning with solvents. It's like using 2 swabs in 1!

|   | VWR Cat. No. | Puritan Item No. | Product Description                              | Tip length x diameter             | Full Length          | Packaging pack, weight |
|---|--------------|------------------|--|-----------------------------------|----------------------|------------------------|
|    | 10806-026    | 1806-PCF         | Foam-over-cotton tip, polypropylene handle       | 23.8 x 9.525 mm<br>0.937 x 0.375" | 155.575 mm<br>6.125" | 20/50,<br>2 lbs        |
|   | 10806-028    | 1806-PCFL        | Large foam-over-cotton tip, polypropylene handle | 25.4 x 9.525 mm<br>1 x 0.375"     | 155.575 mm<br>6.125" | 20/50,<br>2 lbs        |
|  | 10806-152    | 1806-PCSF        | Small foam-over-cotton tip, polypropylene handle | 20.625 x 6.35 mm<br>0.812 x 0.25" | 154.78 mm<br>6.094"  | 20/50,<br>2 lbs        |
|  | 82030-590    | 1806-WCF         | Standard foam-over-cotton tip, wood handle       | 23.8 x 9.525 mm<br>0.937 x 0.375" | 153.975 mm<br>6.062" | 20/50,<br>2 lbs        |
|   | 89031-280    | 1806-WCF VWR     | VWR® Standard foam-over-cotton tip, wood handle  |                                   |                      | 2/10/50,<br>2 lbs      |
|  | 89031-278    | 1806-WCSF VWR    | VWR® Small foam-over-cotton tip, wood handle     | 20.625 x 6.35 mm<br>0.812 x 0.25" | 152.4 mm<br>6"       | 2/10/50,<br>2 lbs      |

## PURSWAB® ANTI-STATIC APPLICATORS

Where minimizing electrostatic buildup is the goal, choose one of our anti-static-tipped applicators.

|   | VWR Cat. No. | Puritan Item No. | Product Description  | Tip length x diameter               | Full Length        | Packaging pack, weight |
|---|--------------|------------------|--|-------------------------------------|--------------------|------------------------|
|  | 10806-154    | 1806-PF AS       | Standard anti-static foam tip, conductive polypropylene handle | 15.875 x 3.962 mm<br>0.625 x 0.156" | 150.8 mm<br>5.937" | 20/50,<br>3 lbs        |






## Did you know?

It is possible for electronic devices to be **damaged by ESD that is imperceptible** to the human body.




### PURSWAB® ESD APPLICATORS

These applicators are designed for working in and around static-sensitive components and parts. A range of shapes, sizes, and materials let you find a swab made specifically for each of your applications.

|  | VWR Cat. No. | Puritan Item No. | Product Description  | Tip length x diameter               | Full Length         | Packaging pack, weight |
|--|--------------|------------------|--|-------------------------------------|---------------------|------------------------|
|   | 89087-858    | 1273-PF ESD      | Paddle anti-static foam tip, static-dissipative polypropylene handle | 14.224 x 3.962 mm<br>0.56 x 0.156"  | 67.462 mm<br>2.656" | 20/50,<br>2 lbs        |
|   | 89087-862    | 1621-PF ESD      | Precision pointed foam tip, static-dissipative polypropylene handle  | 10.922 x 3.556 mm<br>0.43 x 0.14"   | 82.804 mm<br>3.26"  | 20/50,<br>2 lbs        |
|  | 89087-860    | 1806-PF ESD      | Anti-static foam tip, static-dissipative polypropylene handle        | 15.875 x 4.775 mm<br>0.625 x 0.188" | 152.4 mm<br>6"      | 20/50,<br>3 lbs        |

### PURSWAB® SPECIALTY & CHEMICAL RESISTANT FOAM-TIPPED APPLICATORS

This line of specialty swabs includes super-absorbent and chemical-resistant foam-tipped applicators. Chemical-resistant foam is made of a different polymer and will stand up to most solvents.

|   | VWR Cat. No. | Puritan Item No. | Product Description   | Tip length x diameter               | Full Length          | Packaging pack, weight |
|---|--------------|------------------|---|-------------------------------------|----------------------|------------------------|
|  | 10806-144    | 1806-WCF CR      | Standard chemical resistant foam-over-cotton tip, wood handle     | 20.625 x 9.525 mm<br>0.812 x 0.375" | 153.975 mm<br>6.062" | 20/50,<br>2 lbs        |
|  | 10806-142    | 1806-WF CR       | Standard chemical resistant foam tip, wood handle                 | 17.45 x 4.775 mm<br>0.687 x 0.188"  | 149.225 mm<br>5.875" | 20/50,<br>2 lbs        |
|  | 10806-146    | 1876-PF CR       | Flexible chemical resistant paddle foam tip, polypropylene handle | 15.088 x 4.775 mm<br>0.594 x 0.188" | 153.975 mm<br>6.062" | 20/50,<br>3 lbs        |

## Did you know?


Puritan® provides a Popule® filled with acetic acid to a contractor that supports the **International Space Station**. The acetic acid cleans critical parts without introducing a volatile solution into this highly controlled environment.

### POPULE® SELF-SATURATING APPLICATORS

Super-convenient pre-filled popules with a self-saturating foam tip. Simply squeeze the handle to break the patented seal and allow liquid to flow to the foam tip.

















FEATURED PRODUCT: Large rectangular foam tip with pre-filled popule (#4545)



|   | VWR Cat. No. | Puritan Item No. | Product Description   | Tip length x diameter                | Full Length          | Packaging pack, weight |
|---|--------------|------------------|---|--------------------------------------|----------------------|------------------------|
|  | 10806-140    | 4545             | Large rectangular foam tip, pre-filled popule with 1.4 ml of 91% IPA and DI water | 26.975 x 14.275 mm<br>1.062 x 0.562" | 104.775 mm<br>4.125" | 20/50,<br>5 lbs        |



## PURITAN COTTON-TIPPED APPLICATORS

Ideal for general purposes when you are less concerned about static or particulate release.

|   | VWR Cat. No. | Puritan Item No. | Product Description                                    | Tip length x diameter               | Full Length          | Packaging pack, weight |
|---|--------------|------------------|--|-------------------------------------|----------------------|------------------------|
|    | 10805-140    | 803-PC           | Standard tip, polystyrene handle                       | 17.45 x 5.156 mm<br>0.687 x 0.203"  | 77.775 mm<br>3.062"  | 10/10/100,<br>9 lbs    |
|    | 10805-142    | 803-WC           | Standard tip, wood handle                              | 15.875 x 4.775 mm<br>0.625 x 0.188" | 77.013 mm<br>3.032"  | 10/10/100,<br>10 lbs   |
|    | 10805-158    | 803-WCL          | Large tip, wood handle                                 | 17.45 x 5.944 mm<br>0.687 x 0.234"  | 76.987 mm<br>3.031"  | 10/5/100,<br>7 lbs     |
|    | 10805-148    | 806-PC           | Standard tip, polystyrene handle                       | 17.45 x 5.156 mm<br>0.687 x 0.203"  | 152.4 mm<br>6"       | 10/10/100,<br>17 lbs   |
|    | 10806-000    | 806-WC           | Standard tip, wood handle                              | 15.875 x 4.775 mm<br>0.625 x 0.188" | 150.8 mm<br>5.937"   | 10/10/100,<br>16 lbs   |
|   | 10805-196    | 806-WCB          |  |                                     |                      | 100/100,<br>14 lbs     |
|   | 89140-808    | 806-WC HOSPITAL  | Hospital® brand, Standard tip, wood handle             |                                     |                      | 10/10/100,<br>14 lbs   |
|   | 89031-270    | 806-WC VWR       | VWR® Standard tip, wood handle                         |                                     |                      | 10/10/100,<br>14 lbs   |
|    | 10806-001    | 806-WCL          | Large tip, wood handle                                 | 17.45 x 5.944 mm<br>0.687 x 0.234"  | 150.8 mm<br>5.937"   | 10/5/100,<br>10 lbs    |
|   | 89031-272    | 806-WCL VWR      | VWR® Large tip, wood handle                            |                                     |                      | 10/5/100,<br>10 lbs    |
|  | 89133-810    | 821-WC DBL       | Double-tipped (one standard, one tapered), wood handle | 15.875 x 4.775 mm<br>0.625 x 0.188" | 152.4 mm<br>6"       | 10/5/100,<br>9 lbs     |
|  | 10805-130    | 826-WC           | Tapered mini tip, wood handle                          | 12.7 x 1.27 mm<br>0.5 x 0.12"       | 149.225 mm<br>5.875" | 10/10/100,<br>12 lbs   |
|  | 89176-684    | 836-WC NO BINDER | Standard tip (no binder), wood handle                  | 15.875 x 4.77 mm<br>0.625 x 0.188"  | 77.01 mm<br>3.032"   | 10/10/100,<br>10 lbs   |
|  | 10806-008    | 860-WC           | Standard tip, lint-sensitive, wood handle              | 15.875 x 4.775 mm<br>0.625 x 0.188" | 150.8 mm<br>5.937"   | 10/10/100,<br>16 lbs   |
|  | 10806-002    | 861-PC DBL       | Double standard tip, polypropylene handle              | 17.45 x 5.156 mm<br>0.687 x 0.203"  | 155.575 mm<br>6.125" | 10/5/100,<br>10 lbs    |
|  | 10806-004    | 861-WC DBL       | Double standard tip, wood handle                       | 15.875 x 4.775 mm<br>0.625 x 0.188" | 153.975 mm<br>6.062" | 10/5/100,<br>10 lbs    |
|  | 10806-005    | 867-WC NO GLUE   | Standard tip (glue-free), wood handle                  | 15.875 x 4.775 mm<br>0.625 x 0.188" | 150.8 mm<br>5.937"   | 10/10/100,<br>16 lbs   |
|  | 82030-716    | 868-PCS          | Small tip, polystyrene handle                          | 17.45 x 4.369 mm<br>0.687 x 0.172"  | 152.4 mm<br>6"       | 10/10/100,<br>16 lbs   |
|  | 89237-580    | 868-WCS          | Small tip, wood handle                                 | 11.1 x 3.581 mm<br>0.437 x 0.141"   | 149.225 mm<br>5.875" | 10/10/100,<br>12 lbs   |
|  | 10806-010    | 869-WCS          | Mini tip, wood handle                                  | 12.7 x 3.175 mm<br>0.5 x 0.125"     | 149.225 mm<br>5.875" | 10/10/100,<br>13 lbs   |

## PURSWAB® LINT-SENSITIVE COTTON-TIPPED APPLICATORS

An excellent choice when you are looking for a swab for cleaning sensitive components. These swabs are both low-lint and residue-free.

|   | VWR Cat. No. | Puritan Item No.  | Product Description                                  | Tip length x diameter               | Full Length         | Packaging pack, weight |
|---|--------------|-------------------|--|-------------------------------------|---------------------|------------------------|
|    | 82030-740    | 870-PC DBL        | Double sharp pointed tip, fine paper handle          | 8.509 x 2.21 mm<br>0.335 x 0.087"   | 75.997 mm<br>2.992" | 100/25,<br>2 lbs       |
|    | 82029-064    | 871-PC DBL        | Double pointed tip, fine paper handle                | 10.998 x 2.997 mm<br>0.433 x 0.118" | 78.994 mm<br>3.11"  | 100/25,<br>2 lbs       |
|    | 82030-744    | 872-PC DBL        | Double cone-shaped tip, fine paper handle            | 10.998 x 4.699 mm<br>0.433 x 0.185" | 81 mm<br>3.189"     | 50/25,<br>2 lbs        |
|    | 89031-288    | 872-PC DBL<br>VWR | VWR® Double cone-shaped tip, fine paper handle       |                                     |                     | 50/25,<br>2 lbs        |
|    | 89133-812    | 876-WC            | Standard tip, lint-sensitive, wood handle            | 15.875 x 4.775 mm<br>0.625 x 0.188" | 150.8 mm<br>5.937"  | 10/10/100,<br>15 lbs   |
|    | 82030-746    | 890-PC DBL        | Double small tip, fine paper handle                  | 8.001 x 2.007 mm<br>0.315 x 0.079"  | 75.489 mm<br>2.972" | 100/25,<br>2 lbs       |
|    | 82030-750    | 892-PC DBL        | Double small tip, fine paper handle                  | 13.995 x 3.2 mm<br>0.551 x 0.126"   | 75.489 mm<br>2.972" | 100/25,<br>2 lbs       |
|  | 89031-292    | 892-PC DBL<br>VWR | VWR® Double small tip, fine paper handle             | 13.995 x 3.2 mm<br>0.551 x 0.126"   | 75.489 mm<br>2.972" | 100/25,<br>2 lbs       |
|  | 89031-290    | 893-PC DBL<br>VWR | VWR® Double tip, paper handle, anti-static packaging | 13.995 x 3.2 mm<br>0.551 x 0.126"   | 75.489 mm<br>2.972" | 2/50/25,<br>4 lbs      |
|  | 82030-752    | 896-PC            | Small tip, paper handle, anti-static packaging       | 12 x 4.06 mm<br>0.47 x 0.16"        | 145.99 mm<br>5.748" | 20/50,<br>3 lbs        |
|  | 82030-754    | 896-WC            | Standard tip, wood handle                            | 15 x 4.699 mm<br>0.59 x 0.185"      | 145.99 mm<br>5.748" | 10/100,<br>2 lbs       |

## Did you know?

**Only 25% of the birch processed becomes finished goods.** That means only the “finest” part of the tree becomes tongue depressors, applicator sticks and other wood products. The rest becomes environmentally correct fuel for our operation and a marketable by-product that serves other industries as fuel and end users as stove pellets.

### INDUSTRIAL WOODEN STIRRERS


These are excellent lower-price alternatives to our medical-quality wood products. Ideal in manufacturing environments as they are consistently made to our tough standards.

|   | VWR Cat. No. | Puritan Item No.  | Product Description                          | Full Length    | Packaging pack, weight |
|---|--------------|-------------------|--|----------------|------------------------|
|  | 10805-001    | 704<br>BRIGHTWOOD | Flat blade, economy-grade, Brightwood® brand | 152.4 mm<br>6" | 10/500,<br>36 lbs      |

### WOODEN ORANGE STICKS

Made of Northern White Birch, these were and often still are called orange wood sticks, as they were originally made of orange wood. Very handy, multi-purpose orange sticks are available with different end shapes.



|   | VWR Cat. No. | Puritan Item No. | Product Description     | Full Length    | Packaging pack, weight |
|---|--------------|------------------|-------------------------|----------------|------------------------|
|  | 87004-104    | 2910             | Double bevel, both ends | 177.8 mm<br>7" | 10/100,<br>5 lbs       |

# Puritan® – a tradition of excellence

Order with confidence, knowing you will always get consistent quality, ready availability, and outstanding service. You can count on Puritan.

From our inception in 1919, our wood products operation has grown to become a state-of-the-art medical device manufacturer serving markets worldwide with Puritan's US-made products.

Our success is evident in the success of our customers. Our guarantee is to produce the highest-quality single-use products possible. Our mission is to provide our customers with unparalleled service. Our promise is to deliver – the right product, on time.



Puritan Medical Products Co.  
31 School Street  
PO Box 149  
Guilford, Maine 04443-0149 USA

800-321-2313 (US & Canada)  
207-876-3311



1.800.932.5000 | [VWR.COM](http://VWR.COM)

Prices and product details are current when published and subject to change without notice. | Certain products may be limited by federal, state, provincial, or local regulations. | VWR, part of Avantor, makes no claims or warranties concerning sustainable/green products. Any claims concerning sustainable/green products are the sole claims of the manufacturer and not those of VWR International, LLC and/or Avantor, Inc. or affiliates. All prices are in US dollars unless otherwise noted. Offers valid in US and Canada, void where prohibited by law or company policy, while supplies last. | Trademarks are owned by Avantor, Inc. or its affiliates, unless otherwise noted. | Visit [vwr.com](http://vwr.com) to view our privacy policy, trademark owners, and additional disclaimers. © 2019 Avantor, Inc. All rights reserved.