

according to the Global Harmonized System

Date of issue: 02/04/2013 Version 1.0

SECTION 1.Identification

Product identifier

Product number 806790

Product name 2-Nitrophenol for synthesis

Relevant identified uses of the substance or mixture and uses advised against

Identified uses Chemical for synthesis

Details of the supplier of the safety data sheet

Company EMD Millipore Corporation | 290 Concord Road, Billerica, MA 01821,

United States of America | SDS Phone Support: +1-978-715-1335 | General Inquiries: +1-978-751-4321 | Monday to Friday, 9:00 AM to

4:00 PM Eastern Time (GMT-5)

e-mail: mm_sds@merckgroup.com

Emergency telephone 613-996-6666 CANUTEC (Canada)

+1-703-527-3887 CHEMTREC (International)

24 Hours/day; 7 Days/week

SECTION 2. Hazards identification

GHS Classification

Chronic aquatic toxicity, Category 3, H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

GHS-Labeling

Hazard Statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements

P262 Do not get in eyes, on skin, or on clothing.

P273 Avoid release to the environment.

Other hazards

None known.

SECTION 3. Composition/information on ingredients

Formula $2-(NO_2)C_6H_4OH$ $C_6H_5NO_3$ (Hill)

CAS-No. 88-75-5

according to the Global Harmonized System

Product number 806790 Version 1.0

Product name 2-Nitrophenol for synthesis

Molar mass 139.11 g/mol

Remarks WHMIS hazardous composition: No ingredients are hazardous

according to the CPR criteria.

SECTION 4. First aid measures

Description of first-aid measures

Inhalation

After inhalation: fresh air.

Skin contact

After skin contact: wash off with plenty of water. Remove contaminated clothing.

Eye contact

After eye contact: rinse out with plenty of water.

Inaestion

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

irritant effects, Dizziness, Nausea, restlessness, Tiredness, collapse

The following applies to aromatic nitro compounds in general: systemic effect:

methemoglobinemia with headache, cardiac dysrhythmias, drop in blood pressure, dyspnoea,

and spasms; principal sign: cyanosis (blue discoloration of the blood).

Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Water, Carbon dioxide (CO2), Foam, Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Combustible material, Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapors possible in the event of fire.

Fire may cause evolution of:

nitrogen oxides

Advice for firefighters

Special protective equipment for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

according to the Global Harmonized System

Product number 806790 Version 1.0

Product name 2-Nitrophenol for synthesis

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

Environmental precautions

Do not empty into drains.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

SECTION 7. Handling and storage

Precautions for safe handling

Observe label precautions.

Conditions for safe storage, including any incompatibilities

Tightly closed. Dry.

Store at +15°C to +25°C (+59°F to +77°F).

SECTION 8. Exposure controls/personal protection

Exposure limit(s)

Contains no substances with occupational exposure limit values.

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

Hygiene measures

Change contaminated clothing. Application of skin- protective barrier cream recommended.

Wash hands after working with substance.

Eye/face protection

Safety glasses

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Other protective equipment:

protective clothing

Respiratory protection

required when dusts are generated.

according to the Global Harmonized System

Product number 806790 Version 1.0

Product name 2-Nitrophenol for synthesis

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

SECTION 9. Physical and chemical properties

Physical state cast-in-solidified mass

Color yellow

Odor phenol-like

Odor Threshold No information available.

pH No information available.

Melting point 43 - 45 °C

Boiling point/boiling range 419 - 421 °F (215 - 216 °C)

at 1,013 hPa

Flash point 226 °F (108 °C)

Method: c.c.

Evaporation rate No information available.

Flammability (solid, gas) No information available.

Lower explosion limit No information available.

Upper explosion limit No information available.

Vapor pressure 1 hPa

at 120 °F (49 °C)

0.15 hPa

at 77 °F (25 °C)

Relative vapor density No information available.

Relative density No information available.

Water solubility 2.1 g/l

at 68 °F (20 °C)

Partition coefficient: n-

octanol/water

log Pow: 1.79 (experimental)

Bioaccumulation is not expected (log Pow <1). (Lit.)

Autoignition temperature No information available.

according to the Global Harmonized System

Product number 806790 Version 1.0

Product name 2-Nitrophenol for synthesis

Decomposition temperature 536 °F (280 °C)

Viscosity, dynamic 2.755 mPa.s

at 104 °F (40 °C)

Explosive properties No information available.

Ignition temperature 1022 °F (550 °C)

SECTION 10. Stability and reactivity

Reactivity

Forms explosive mixtures with air on intense heating.

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

Chemical stability

heat-sensitive

Possibility of hazardous reactions

Violent reactions possible with:

Strong oxidizing agents, Strong acids, strong alkalis, alkali hydroxides, Bases, bases

A risk of explosion and/or of toxic gas formation exists with the following substances:

Reducing agents, conc. sulfuric acid, chlorosulfonic acid

Conditions to avoid

Strong heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

Incompatible materials

no information available

Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

Information on toxicological effects

Likely route of exposure

Eye contact, Skin contact, Ingestion

Acute oral toxicity

LD50 rat: 2,830 mg/kg (IUCLID)

Symptoms: Nausea

Acute inhalation toxicity

Symptoms: mucosal irritations, Cough, Shortness of breath

according to the Global Harmonized System

Product number 806790 Version 1.0

Product name 2-Nitrophenol for synthesis

Acute dermal toxicity

LD50 rabbit: > 7,940 mg/kg

(RTECS)

Skin irritation

rabbit

Result: slight irritation

(IUCLID)

Eve irritation

rabbit

Result: slight irritation

(IUCLID)

Genotoxicity in vitro

Ames test Result: negative

(Lit.)

Specific target organ systemic toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ systemic toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Regarding the available data the classification criteria are not fulfilled.

Carcinogenicity

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

ACGIH No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by ACGIH.

Further information

Systemic effects:

Dizziness, restlessness, Tiredness, collapse

Other information

The following applies to aromatic nitro compounds in general: systemic effect:

methemoglobinemia with headache, cardiac dysrhythmias, drop in blood pressure, dyspnoea,

and spasms; principal sign: cyanosis (blue discoloration of the blood).

Further data:

Other dangerous properties can not be excluded.

according to the Global Harmonized System

Product number 806790 Version 1.0

Product name 2-Nitrophenol for synthesis

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

Ecotoxicity

Toxicity to fish

LC50 Danio rerio (zebra fish): 72.5 mg/l; 96 h

OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates

EC50 Daphnia magna (Water flea): 17 mg/l; 48 h (IUCLID)

Toxicity to bacteria

EC50 Photobacterium phosphoreum: 21 mg/l; 5 min (IUCLID)

Persistence and degradability

Biodegradability

80 %; 14 d

OECD Test Guideline 302B

Easily eliminable.

0 %; 28 d

OECD Test Guideline 301C

Not readily biodegradable.

Bioaccumulative potential

Partition coefficient: n-octanol/water

log Pow: 1.79

(experimental)

Bioaccumulation is not expected (log Pow <1). (Lit.)

Mobility in soil

No information available.

Other adverse effects

Additional ecological information

Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

according to the Global Harmonized System

Product number 806790 Version 1.0

Product name 2-Nitrophenol for synthesis

SECTION 14. Transport information

Land transport (DOT)

UN number UN 1663

Proper shipping name NITROPHENOLS

Class 6.1
Packing group III
Environmentally hazardous --

Air transport (IATA)

UN number UN 1663

Proper shipping name NITROPHENOLS

Class 6.1
Packing group III
Environmentally hazardous -Special precautions for user no

Sea transport (IMDG)

UN number UN 1663

Proper shipping name NITROPHENOLS

Class 6.1
Packing group III
Environmentally hazardous -Special precautions for user
EmS yes
F-A S-A

SECTION 15. Regulatory information

United States of America

Canada

WHMIS Classification

D1B Toxic Material Causing Immediate and Serious Toxic Effects

Toxic

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

MATERIAL SAFETY DATA SHEET according to the Global Harmonized System

Product number 806790 Version 1.0

Product name 2-Nitrophenol for synthesis

Notification status

TSCA: On TSCA Inventory

DSL: All components of this product are on the Canadian DSL.

SECTION 16. Other information

Training advice

Provide adequate information, instruction and training for operators.

Full text of H-Statements referred to under sections 2 and 3.

H412 Harmful to aquatic life with long lasting effects.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Date of issue: 02/04/2013

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.