

Date Prepared: 06/19/2013

Reviewed On: 03/27/2013

**1 Identification**

- **Product Identifier**
- **Product Name:** TB Auramine M
- **Catalog Number:** 212514
- **Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the preparation** *In-vitro Diagnostics*
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
BD Diagnostic Systems  
7 Loveton Circle  
Sparks, MD 21152  
Telephone: (410) 771 - 0100 or (800) 638 - 8663  
Email Address: [Technical\\_Services@bd.com](mailto:Technical_Services@bd.com)
- **Information Department:** Technical Service
- **Emergency telephone number:**  
*In case of a chemical emergency, spill, fire, exposure, or accident, contact BD Diagnostic Systems (410) 771-0100 or (800)-638-8663, or ChemTrec at (800) 424-9300.*

**2 Hazard(s) identification**

- **Classification of the substance or mixture**



GHS02 Flame

*Flam. Liq. 3 H226 Flammable liquid and vapour.*

GHS07

*Eye Irrit. 2A H319 Causes serious eye irritation.**STOT SE 3 H336 May cause drowsiness or dizziness.*

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



Xi; Irritant

*R36: Irritating to eyes.**R10: Flammable.*

- **Classification system:**

*The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.*

- **Label elements**

- **GHS label elements**

*The product is classified and labeled according to the Globally Harmonized System (GHS).*

(Contd. on page 2)

**Safety Data Sheet**  
 acc. to OSHA HCS

Date Prepared: 06/19/2013

Reviewed On: 03/27/2013

**Product Name: TB Auramine M**

(Contd. of page 1)

**· Hazard pictograms**


GHS02 GHS07

**· Signal word** Warning

**· Hazard statements**

H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

**· Precautionary statements**

- P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
- P241 Use explosion-proof electrical/ventilating/lighting/equipment.
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P240 Ground/bond container and receiving equipment.
- P233 Keep container tightly closed.
- P242 Use only non-sparking tools.
- P243 Take precautionary measures against static discharge.
- P264 Wash thoroughly after handling.
- P271 Use only outdoors or in a well-ventilated area.
- P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- P312 Call a POISON CENTER or doctor/physician if you feel unwell.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P370+P378 In case of fire: Use for extinction: CO<sub>2</sub>, powder or water spray.
- P405 Store locked up.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P403+P235 Store in a well-ventilated place. Keep cool.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**· NFPA ratings (scale 0-4)**

 Health = 1  
 Flammability = 3  
 Reactivity = 0

**· HMIS ratings (scale 0-4)**

 HEALTH 1 Health = 1  
 FIRE 3 Flammability = 3  
 REACTIVITY 0 Reactivity = 0

(Contd. on page 3)

**Safety Data Sheet**  
acc. to OSHA HCS

Date Prepared: 06/19/2013

Reviewed On: 03/27/2013

**Product Name: TB Auramine M**

(Contd. of page 2)

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

**3 Composition/information on ingredients**

- **Chemical characterization: Mixture**
- **Description:** Mixture consisting of the following components.

**Dangerous Components:**

CAS: 67-63-0	isopropanol	Xi R36; F R11	25.0%
EINECS: 200-661-7		R67	

- **Additional information** Risk phrases refer to section 15.

**4 First-aid measures**

- **Description of first aid measures**
- **General information**  
Symptoms of poisoning may even occur after several hours; therefore provide medical observation for at least 48 hours after the accident.
- **After inhalation** Supply fresh air; consult doctor in case of complaints.
- **After skin contact** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact**  
Rinse opened eye for 15 minutes under running water. Then consult a doctor.
- **After swallowing** Call a doctor immediately.
- **Information for doctor** Show this product label or this MSDS.
- **Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

**5 Fire-fighting measures**

- **Extinguishing media**
- **Suitable extinguishing agents**  
CO<sub>2</sub>, ABC multipurpose dry chemical or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture**  
No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

US

(Contd. on page 4)

Date Prepared: 06/19/2013

Reviewed On: 03/27/2013

**Product Name: TB Auramine M**

(Contd. of page 3)

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Wipe up with damp sponge or mop.
- **Methods and material for containment and cleaning up:** No special measures required.
- **Reference to other sections**  
 See Section 7 for information on safe handling.  
 See Section 8 for information on personal protection equipment.  
 See Section 13 for disposal information.

## 7 Handling and storage

- **Handling**
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
- **Information about protection against explosions and fires:**  
 Keep ignition sources away - Do not smoke.  
 Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** 15 - 30 °C
- **Information about storage in one common storage facility:**  
 Do not store together with oxidizing and acidic materials.  
 Do not store with halogens.
- **Further information about storage conditions:**  
 Store in cool, dry conditions in well sealed containers.
- **Storage class** C
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:**  
 No further data; see Section 7.
- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

### 67-63-0 isopropanol

PEL	980 mg/m <sup>3</sup> , 400 ppm
REL	Short-term value: 1225 mg/m <sup>3</sup> , 500 ppm Long-term value: 980 mg/m <sup>3</sup> , 400 ppm
TLV	Short-term value: 984 mg/m <sup>3</sup> , 400 ppm Long-term value: 492 mg/m <sup>3</sup> , 200 ppm

- **Additional information:** The lists that were valid during the creation were used as basis.

(Contd. on page 5)

**Safety Data Sheet**  
 acc. to OSHA HCS

Date Prepared: 06/19/2013

Reviewed On: 03/27/2013

**Product Name: TB Auramine M**

(Contd. of page 4)

- **Exposure controls**
- **Personal Protective Equipment**
- **General protective and hygienic measures**  
 Keep away from foodstuffs, beverages and feed.  
 Immediately remove all soiled and contaminated clothing.  
 Wash hands before breaks and at the end of work.  
 Avoid contact with the eyes and skin.
- **Breathing equipment:**  
 In case of brief exposure, use a chemical fume hood or a NIOSH/MSHA-approved respirator.
- **Protection of hands:**



Chemical resistant gloves (i.e. nitrile, or equivalent).

- **Eye protection:** Safety glasses
- **Body protection:** Protective work clothing (lab coat).

## 9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

<b>Form:</b>	Liquid
<b>Color:</b>	Yellow
<b>Odor:</b>	Characteristic
- **Change in condition**

<b>Melting point/Melting range:</b>	Not determined
<b>Boiling point/Boiling range:</b>	82 °C (180 °F)
- **Flash point:** 25.5 °C (78 °F)
- **Ignition temperature:** 425.0 °C (797 °F)
- **Auto igniting:** Product is not self igniting.
- **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
- **Explosion limits:**

<b>Lower:</b>	4.0 Vol %
<b>Upper:</b>	11.0 Vol %
- **Vapor pressure at 25 °C (77 °F):** 43.0 hPa (32 mm Hg)
- **Density:** Not determined
- **Solubility in / Miscibility with Water:** Soluble

(Contd. on page 6)

**Safety Data Sheet**  
 acc. to OSHA HCS

Date Prepared: 06/19/2013

Reviewed On: 03/27/2013

**Product Name: TB Auramine M**

(Contd. of page 5)

- **Solvent content:**
- Organic solvents:** 25.0 %
- **Other information** No further relevant information available.

## 10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** Incompatible materials: strong acids and oxidizers.
- **Hazardous decomposition products:**  
Carbon monoxide (CO) and carbon dioxide (CO<sub>2</sub>)  
Nitrogen oxides (NO<sub>x</sub>)  
Hydrogen chloride (HCl)

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritating effect.
- **on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant
- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

67-63-0	isopropanol	3
---------	-------------	---

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.

(Contd. on page 7)

**Safety Data Sheet**  
 acc. to OSHA HCS

Date Prepared: 06/19/2013

Reviewed On: 03/27/2013

**Product Name: TB Auramine M**

(Contd. of page 6)

- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Other information:**  
 The ecological effects have not been thoroughly investigated, but currently none have been identified.
- **Additional ecological information:**
- **General notes:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

**13 Disposal considerations**

- **Waste treatment methods**
- **Recommendation**  
 Dispose of material in accordance with federal (40 CFR 261.3), state and local requirements. RCRA hazardous waste - RCRA # D001 (ignitable).  
 Must not be disposed of with solid waste.
- **Uncleaned packagings:**
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

**14 Transport information**

- **UN-Number**
- **DOT** UN3316
- **ADR, IMDG, IATA** 3316
- **UN proper shipping name**
- **DOT, IMDG, IATA** CHEMICAL KITS
- **ADR** 3316 CHEMICAL KITS
- **Transport hazard class(es)**
- **DOT, IMDG, IATA**



- **Class** 9 Miscellaneous dangerous substances and articles.

(Contd. on page 8)




**Safety Data Sheet**  
 acc. to OSHA HCS

Date Prepared: 06/19/2013

Reviewed On: 03/27/2013

**Product Name: TB Auramine M**

(Contd. of page 7)

· <b>Label</b>	9
· <b>ADR</b>	
	
· <b>Class</b>	9 (M11) Miscellaneous dangerous substances and articles
· <b>Label</b>	9
· <b>Packing group</b>	
· <b>DOT, ADR, IMDG, IATA</b>	III
· <b>Environmental hazards:</b>	
· <b>Marine pollutant:</b>	No
· <b>Special precautions for user</b>	Warning: Miscellaneous dangerous substances and articles
· <b>EMS Number:</b>	F-A,S-P
· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
· <b>UN "Model Regulation":</b>	UN3316, CHEMICAL KITS, 9, III

**15 Regulatory information**

 · **Safety, health and environmental regulations/legislation specific for the substance or mixture**

 · **SARA Section 355 (extremely hazardous substances)**

None of the ingredients is listed.

 · **SARA Section 313 (specific toxic chemical listings)**

67-63-0 isopropanol

 · **TSCA (Toxic Substances Control Act)**

All ingredients are listed.

 · **California Proposition 65 - Chemicals known to cause cancer**

None of the ingredients is listed.

 · **California Proposition 65 - Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

 · **California Proposition 65 - Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

(Contd. on page 9)



## Safety Data Sheet

acc. to OSHA HCS

Date Prepared: 06/19/2013

Reviewed On: 03/27/2013

**Product Name: TB Auramine M**

(Contd. of page 8)

**· California Proposition 65 - Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

**· Carcinogenic categories**
**· TLV (Threshold Limit Value established by ACGIH)**

67-63-0 isopropanol

A4

**· GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

**· Hazard pictograms**


GHS02 GHS07

**· Signal word Warning**
**· Hazard statements**

H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

**· Precautionary statements**

- P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
- P241 Use explosion-proof electrical/ventilating/lighting/equipment.
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P240 Ground/bond container and receiving equipment.
- P233 Keep container tightly closed.
- P242 Use only non-sparking tools.
- P243 Take precautionary measures against static discharge.
- P264 Wash thoroughly after handling.
- P271 Use only outdoors or in a well-ventilated area.
- P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- P312 Call a POISON CENTER or doctor/physician if you feel unwell.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P370+P378 In case of fire: Use for extinction: CO<sub>2</sub>, powder or water spray.
- P405 Store locked up.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P403+P235 Store in a well-ventilated place. Keep cool.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 10)

**Safety Data Sheet**  
acc. to OSHA HCS

Date Prepared: 06/19/2013

Reviewed On: 03/27/2013

**Product Name: TB Auramine M**

(Contd. of page 9)

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**16 Other information**

To the best of our knowledge, the information contained herein is accurate. However, neither Becton, Dickinson and Company or any of its subsidiaries assumes any liabilities whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we can not guarantee that these are the only hazards that exist.

· **Department issuing MSDS:**

Environmental, Health & Safety  
Created by Michael J. Spinazzola

· **Contact:** Technical Service Representative· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

US