



# Safety Data Sheet

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Revision date: 09.11.2016

Version: 6.1

Print date: 09.11.2016

## SECTION 1: Identification

### Product identifier

|                                |                            |
|--------------------------------|----------------------------|
| Trade name/designation:        | Silver sulfate, powder ACS |
| Product No.:                   | BDH4560                    |
| Synonymes:                     | no data available          |
| CAS No.:                       | 10294-26-5                 |
| Other means of identification: |                            |

### Relevant identified uses of the substance or mixture and uses advised against

|                       |                                    |
|-----------------------|------------------------------------|
| Recommended Use:      | For Further Manufacturing Use Only |
| Uses advised against: | Not for Human or Animal Drug Use   |

### Details of the supplier of the safety data sheet

#### Supplier

##### **VWR International LLC**

|                  |  |
|------------------|--|
| Street           | 100 Matsonford Road Radnor Corporate Center,<br>Building One, Suite 200 P. O. Box 6660 |
| Postal code/city | Radnor, PA 19087   |
| Telephone        | +1-800-932-5000 toll-free within US/CA<br>+1-610-386-1700                              |
| Telefax          | +1-610-728-2103  |





## Manufacturer

### **VWR International Co.**

Street 255 Norman  
Postal code/city Lachine, Quebec, H8R 1A3

### **Emergency telephone**

Telephone +1-800-424-9300 (Chemtrec, 24 hrs/day, 7 days/week, USA)

### **Preparation Information**

VWR International - Data Compliance

E-mail sds@vwr.com

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910.1200 (OSHA HCS)

| Hazard classes and hazard categories | Hazard statements |
|--------------------------------------|-------------------|
| Serious eye damage, category 1       | H318              |

### 2.2 Label elements

#### Labelling in accordance with 29 CFR 1910.1200 (OSHA HCS)

#### Hazard pictograms



**Signal word:** Danger

| Hazard statements |                            |
|-------------------|----------------------------|
| H318              | Causes serious eye damage. |

| Precautionary statements |  |
|--------------------------|--|
| P280                     | Wear protective gloves/protective clothing/eye protection/face protection.   |
| P305+P351+P338           | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P308+P310                | IF exposed or concerned: Immediately call a POISON CENTER/doctor.  |

#### Hazards not otherwise classified (HNOC)

none/none





## SECTION 3: Composition / information on ingredients

### 3.1 Substances

|                   |                                 |
|-------------------|---------------------------------|
| Substance name    | Silver sulphate                 |
| Molecular formula | Ag <sub>2</sub> SO <sub>4</sub> |
| Molecular weight  | 311.8 g/mol                     |
| CAS No.           | 10294-26-5                      |

## SECTION 4: First aid measures

### 4.1 General information

IF exposed: Immediately call a POISON CENTER/doctor. If unconscious place in recovery position and seek medical advice. Never give anything by mouth to an unconscious person or a person with cramps. Change contaminated, saturated clothing. Do not leave affected person unattended.

#### After inhalation

Immediately call a POISON CENTER/doctor. Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

#### In case of skin contact

After contact with skin, wash immediately with plenty of water and soap. Remove contaminated, saturated clothing immediately. In case of skin reactions, consult a physician.

#### After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye. Remove contact lenses, if present and easy to do. Continue rinsing.

#### In case of ingestion

Immediately call a POISON CENTER/doctor. Do NOT induce vomiting. Rinse mouth thoroughly with water. Give nothing to eat or drink.

### 4.2 Most important symptoms/effects, acute and delayed

no data available

### 4.3 Indication of any immediate medical attention and special treatment needed

no data available

### 4.4 Self-protection of the first aider

First aider: Pay attention to self-protection!

### 4.5 Information to physician

no data available

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

The product itself does not burn.

Co-ordinate fire-fighting measures to the fire surroundings.





**Extinguishing media which must not be used for safety reasons**

no restriction

**5.2 Specific hazards arising from the chemical**

In case of fire may be liberated:

Sulphur oxides

**5.3 Advice for firefighters**

DO NOT fight fire when fire reaches explosives. In case of fire: Wear self-contained breathing apparatus.

**5.4 Additional information**

Do not allow run-off from fire-fighting to enter drains or water courses. Do not inhale explosion and combustion gases. Use caution when applying carbon dioxide in confined spaces. Carbon dioxide can displace oxygen. Use water spray/stream to protect personnel and to cool endangered containers.

## SECTION 6: Accidental release measures

**6.1 Personal precautions, protective equipment and emergency procedures**

Avoid generation of dust.

**6.2 Environmental precautions**

Do not allow to enter into surface water or drains.

**6.3 Methods and material for containment and cleaning up**

Spilled product must never be returned to the original container for recycling. Clean contaminated objects and areas thoroughly observing environmental regulations. Collect in closed and suitable containers for disposal.

**6.4 Additional information**

Clear spills immediately.

## SECTION 7: Handling and storage

**7.1 Precautions for safe handling**

All work processes must always be designed so that the following is as low as possible: Inhalation skin contact Eye contact If handled uncovered, arrangements with local exhaust ventilation have to be used. If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means. Usual measures for fire prevention. Handle under (Gas): Protective gas, dry

**7.2 Conditions for safe storage, including any incompatibilities**

storage temperature: Ambient temperature

Keep container tightly closed and in a well-ventilated place.

**7.3 Specific end use(s)**

no data available

## SECTION 8: Exposure controls/personal protection

**8.1 Control parameters**

Does not contain substances above concentration limits fixing an occupational exposure limit.





## 8.2 Engineering controls

### **Appropriate engineering controls**

Technical measures and the application of suitable work processes have priority over personal protection equipment. If handled uncovered, arrangements with local exhaust ventilation have to be used.

### **Personal protection equipment (PPE)**

Wear suitable protective clothing. When handling with chemical substances, protective clothing must be worn.

#### *Eye/face protection*

Eye glasses with side protection

#### *Skin protection*

Wear suitable gloves. When handling with chemical substances, protective gloves must be worn. In the case of wanting to use the gloves again, clean them before taking off and air them well. Check leak tightness/impermeability prior to use.

#### By short-term hand contact

|   |                      |
|---|----------------------|
| Suitable material:                        | NBR (Nitrile rubber) |
| Thickness of the glove material:          | 0,12 mm              |
| Breakthrough time (maximum wearing time): | > 480 min            |

#### By long-term hand contact

|   |                      |
|---|----------------------|
| Suitable material:                        | NBR (Nitrile rubber) |
| Thickness of the glove material:          | 0,38 mm              |
| Breakthrough time (maximum wearing time): | > 480 min            |

#### *Respiratory protection*

Respiratory protection necessary at: aerosol or mist formation If exposure limits are exceeded or irritation is experienced, NIOSH approved respiratory protection should be worn.

#### *Additional information*

Wash hands before breaks and after work. Avoid contact with skin and eyes. When using do not eat, drink or smoke. Provide eye shower and label its location conspicuously.

#### *Environmental exposure controls*

no data available





## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

|                      |                   |
|----------------------|-------------------|
| (a) Appearance       |                   |
| Physical state:      | solid             |
| Color:               | white             |
| (b) Odour:           | no data available |
| (c) Odour threshold: | no data available |

#### Safety relevant basic data

|  |                                      |
|--|--------------------------------------|
| (d) pH:                                      | 5-6 (5 g/l; H <sub>2</sub> O; 25 °C) |
| (e) Melting point/freezing point:            | 655 °C                               |
| (f) Initial boiling point and boiling range: | 1085 °C (1013 hPa)                   |
| (g) Flash point:                             | no data available                    |
| (h) Evaporation rate:                        | no data available                    |
| (i) Flammability (solid, gas):               | not applicable                       |
| (j) Flammability or explosive limits         |                                      |
| Lower explosion limit:                       | no data available                    |
| Upper explosion limit:                       | no data available                    |
| (k) Vapour pressure:                         | no data available                    |
| (l) Vapour density:                          | no data available                    |
| (m) Relative density:                        | 5.45 g/cm <sup>3</sup> (20 °C)       |
| (n) Solubility(ies)                          |                                      |
| Water solubility (g/L):                      | 8 g/l (25 °C)                        |
| Soluble (g/L) in Ethanol:                    | no data available                    |
| (o) Partition coefficient: n-octanol/water:  | no data available                    |
| (p) Auto-ignition temperature:               | no data available                    |
| (q) Decomposition temperature:               | no data available                    |
| (r) Viscosity                                |                                      |
| Kinematic viscosity:                         | no data available                    |
| Dynamic viscosity:                           | no data available                    |
| (s) Explosive properties:                    | not applicable                       |
| (t) Oxidising properties:                    | not applicable                       |

### 9.2 Other information

|                        |                                |
|------------------------|--------------------------------|
| Bulk density:          | 5.45 g/cm <sup>3</sup> (20 °C) |
| Refraction index:      | no data available              |
| Dissociation constant: | no data available              |
| Surface tension:       | no data available              |
| Henry constant:        | no data available              |

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

no data available





## 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

## 10.3 Possibility of hazardous reactions

no data available

## 10.4 Conditions to avoid

no data available

## 10.5 Incompatible materials

no data available

## 10.6 Hazardous decomposition products

no data available

## 10.7 Additional information

no data available

# SECTION 11: Toxicological information

## 11.1 Information on toxicological effects

### Acute effects

*Acute oral toxicity:*

LD50: > 5000 mg/kg - Rat - (OECD 401)

*Acute dermal toxicity:*

no data available

*Acute inhalation toxicity:*

no data available

### Irritant and corrosive effects

*Primary irritation to the skin:*

not applicable

*Irritation to eyes:*

Causes serious eye damage.

*Irritation to respiratory tract:*

not applicable

### Respiratory or skin sensitization

In case of skin contact: not sensitising

After inhalation: not sensitising

### STOT-single exposure

not applicable

### STOT-repeated exposure

not applicable





**CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

**Carcinogenicity**

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| no data available | ACGIH | IARC | NTP | OSHA |
|-------------------|-------|------|-----|------|
|                   |       |      |     |      |

**Germ cell mutagenicity**

No indications of human germ cell mutagenicity exist.

**Reproductive toxicity**

No indications of human reproductive toxicity exist.

**Aspiration hazard**

not applicable

**Other adverse effects**

no data available

**Additional information**

no data available

**SECTION 12: Ecological information**

**12.1 Ecotoxicity**

**Fish toxicity:**

no data available

**Daphnia toxicity:**

EC50: 0.0045 mg/l (48 h) - Bitton, G., K. Rhodes, and B. Koopman 1996. CerioFAST: An Acute Toxicity Test Based on Ceriodaphnia dubia Feeding Behavior. Environ.Toxicol.Chem. 15(2):123-125

**Algae toxicity:**

no data available

**Bacteria toxicity:**

no data available

**12.2 Persistence and degradability**

no data available

**12.3 Bioaccumulative potential**

Partition coefficient: n-octanol/water: no data available

**12.4 Mobility in soil:**

no data available







## 12.5 Results of PBT/vPvB assessment

no data available

## 12.6 Other adverse effects

no data available

# SECTION 13: Disposal considerations

## 13.1 Waste treatment methods

### Appropriate disposal / Product

Dispose according to legislation. Consult the appropriate local waste disposal expert about waste disposal. Send to a hazardous waste incinerator facility under observation of official regulations.

Waste code product: no data available

### Appropriate disposal / Package

Dispose according to legislation. Handle contaminated packages in the same way as the substance itself.

### Additional information

no data available

# SECTION 14: Transport information

## Land transport (DOT)

|                               |  |
|-------------------------------|--|
| UN-No.:                       | 3077   |
| Proper Shipping Name:         | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. |
| Class(es):                    | 9  |
| Classification code:          | M7   |
| Hazard label(s):              | 9  |
| Packing group:                | III  |
| Environmental hazards:        | Dangerous for the environment                      |
| Marine pollutant:             | Yes (P)  |
| Special precautions for user: |  |

## Sea transport (IMDG)

|  |  |
|--|--|
| UN-No.:  | 3077   |
| Proper Shipping Name:  | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. |
| Class(es):   | 9  |
| Classification code:   |  |
| Hazard label(s):   | 9  |
| Packing group:   | III  |
| Environmental hazards:   | Dangerous for the environment                      |
| MARINE POLLUTANT:  | no data available                                  |
| Special precautions for user:  |  |
| Segregation group:   | -  |
| EmS-No.  | F-A S-F  |
| Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code | not relevant                                       |





## Air transport (ICAO-TI / IATA-DGR)

|                               |  |
|-------------------------------|--|
| UN-No.:                       | 3077   |
| Proper Shipping Name:         | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. |
| Class(es):                    | 9  |
| Classification code:          |  |
| Hazard label(s):              | 9  |
| Packing group:                | III  |
| Special precautions for user: |  |

## SECTION 15: Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### SARA 313 Components

Not listed.

#### Massachusetts Right To Know Components

Not listed.

#### Pennsylvania Right To Know Components

Not listed.

#### New Jersey Right To Know Components

Not listed.

#### California Prop. 65 Components

Not listed.





## SECTION 16: Other information

### Abbreviations and acronyms

ACGIH - American Conference of Governmental Industrial Hygienists  
DOT - Department of Transportation  
IARC - International Agency for Research on Cancer  
IATA-DGR - International Air Transport Association-Dangerous Goods Regulations  
ICAO-TI - International Civil Aviation Organization-Technical Instructions  
IMDG - International Maritime Code for Dangerous Goods  
LTV - Long Term Value  
NIOSH - National Institute for Occupational Safety and Health  
NTP - National Toxicology Program  
OSHA - Occupational Safety & Health Administration  
PBT - Persistent, Bioaccumulative and Toxic  
PEL - Permissible Exposure Limit  
STV - Short Term Value  
SVHC - Substances of Very High Concern  
TDG - Transport of Dangerous Goods  
TLV - Threshold Limit Value  
vPvB - very Persistent, very Bioaccumulative

### Additional information

Indication of changes:                      Section 14

*The above information is believed to be correct but does not purport to be all-inclusive and shall be used only as a guidance. The information in this document is based on the present state knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. VWR International and his Affiliates shall not be held liable for any damage resulting from handling.*

