




thermoscientific

# Thermo Scientific Samco Transfer Pipettes

Precisely what you need

**VWR**   
We Enable Science



# Yesterday, today and tomorrow

Thermo Scientific™ Samco™ transfer pipettes have been the industry leaders for over 35 years...

## Design


- Grips easily with latex gloves – no slipping
- Clear graduated markings
- Fine tip accuracy
- Packaging materials greatly reduce airborne mold spores from entering testing areas

## Repeatable Results

- Inert, nontoxic Polyethylene
- Manufactured without mold release agents that could interfere with test results

## Confidence


- State of the art tool room produces largest variety of Transfer pipettes in the industry
- Precision-cut tips deliver a uniform drop size
- Controlled processes produce a uniform bulb with uncompromised integrity
- Certified ISO 13485:2003




For product information and samples, please contact your VWR Sales Representative or call Customer Service at


**1-800-932-5000**


# Pipette Selection Chart



# Pipette Selection Chart







# Product Specifications

## General Purpose and Thermo Scientific™ B/B Pet™ Pipettes

Key#	Cat.No.	Product Description	Length (cm)	Stem Diameter (mm)	Overall Capacity (mL)	Bulb Draw (mL)	Drops per mL	Quantity per Pack	Quantity per Case	Sterile Pipettes	
										Individually -wrapped	20 per pack
<b>2</b>	14670-149	General Purpose Large Bulb	15.1	6.1	8.6	6.0	21	400	4,000	204-1S	204-20S
<b>2a</b>	75838-682	General Purpose, Small Bulb	12.7	2.5	13.7	1.05	24	500	5,000	X	X
<b>2b</b>	75838-684	General Extra Small Bulb	7.2	3.3	0.6	0.2	X	500	4,000	X	X
<b>3</b>	14670-417	General Purpose 3"	8.7	4.8	1.8	0.9	26	500	4,000	273-1S	273-20S
<b>3a</b>	75838-700	General Purpose, 4" B/B Pet (Blood Bank)	10.3	2.5	3.1	2.2	22	400	4,000	X	X
<b>4</b>	14670-468	5" B/B-Pet (Blood Bank)	12.9	6.6	7.5	1.9	24	400	4,000	335-1S	335-20S
<b>5</b>	14670-001	6" B/B Pet (Blood Bank)	15.4	6.6	4.9	1.8	24	500	5,000	336-1S	336-20S
<b>6</b>	14670-454	62 µL Large Aperture Pipette	13.7	6.1	9.5	6.0	20	250	2,500	691-1S	691-20S
<b>6a</b>	75838-702	General Purpose, Beral	14.5	2.8	5.5	2.4	22	500	5,000	X	X

## Graduated Pipettes

Key#	Cat.No.	Product Description	Length (cm)	Stem Diameter (mm)	Overall Capacity (mL)	Bulb Draw (mL)	Drops per mL	Quantity per Pack	Quantity per Case	Sterile Pipettes	
										Individually -wrapped	20 per pack
<b>8</b>	14670-205	Graduated 1 mL Large Bulb	15.5	4.6	5.8	3.5	25	500	5,000	222-1S	222-20S
<b>9</b>	14670-200	Graduated 3 mL Large Bulb	15.5	7.9	7.7	3.2	21	500	5,000	225-1S	225-20S
<b>9a</b>	75838-704	Graduated 1mL, Large Bulb	15.2	2.8	5.8	3.4	20	500	5,000	X	X
<b>10</b>	14670-420	Graduated 2 mL (Blood Bank)	15.2	7.1	4.6	1.8	25	500	5,000	274-1S	274-20S
<b>10a</b>	75838-706	Graduated 5mL Large Bulb	21.7	3.0	13.7	6.2	19	250	2,500	728NL-1S	728NL-20S
<b>11</b>	14670-363	Graduated 0.3 mL (Pediatric)	11.6	3.0	1.5	0.8	22	500	4,000	282-1S	282-20S

## Fine Tip Pipettes

Key#	Cat.No.	Product Description	Length (cm)	Stem Diameter (mm)	Overall Capacity (mL)	Bulb Draw (mL)	Drops per mL	Quantity per Pack	Quantity per Case	Sterile Pipettes	
										Individually -wrapped	20 per pack
<b>12</b>	14670-330	Fine Tip Standard	14.7	4.6	5.8	3.5	53	500	5,000	232-1S	232-20S
<b>13</b>	14670-336	Fine Tip Large Bulb	14.7	6.1	8.9	4.8	45	400	4,000	234-1S	234-20S
<b>14</b>	14670-325	Extended Fine Tip Small Bulb	10.4	3.0	1.7	1.0	21	400	3,200	231-1S	231-20S
<b>15</b>	14670-333	Extended Fine Tip Large Bulb	15.3	3.0	5.4	3.0	50	250	2,000	233-1S	233-20S
<b>16</b>	14670-339	Extended Fine Tip Standard	15.7	4.6	5.8	3.5	50	500	5,000	235-1S	235-20S

\* Not standard; sterile product available upon request



## Special Purpose Thermo Scientific™ Padl-Pet™ Pipettes

Key#	Cat.No.	Product Description	Length (cm)	Stem Diameter (mm)	Overall Capacity (mL)	Bulb Draw (mL)	Drops per mL	Quantity per Pack	Quantity per Case	Sterile Pipettes	
										Individually -wrapped	20 per pack
<b>19</b>	14670-433	Padl-Pet 30 µl Drop Size	13.0	3.8	1.0	0.2	—	500	4,000	*	*
<b>20</b>	14670-439	Padl-Pet 50 µl Drop Size	12.4	3.6	0.8	0.2	—	500	4,000	*	*
<b>20a</b>	75838-708	Samco Slurry Transfer Pipette	13.2	5.1	7.5	3.3	13	450	4,500	*	*

## Narrow Stem Thermo Scientific™ SEDI-PET™ and Q-Pet™ Pipettes

Key#	Cat.No.	Product Description	Length (cm)	Stem Diameter (mm)	Overall Capacity (mL)	Bulb Draw (mL)	Drops per mL	Quantity per Pack	Quantity per Case	Sterile Pipettes	
										Individually -wrapped	20 per pack
<b>21</b>	14670-345	SEDI-PET Short Stem	6.4	2.5	1.3	1.0	26	500	4,000	241-1S	241-20S
<b>22</b>	14670-170	SEDI-PET Short Stem Large Bulb	8.5	2.5	4.3	3.0	24	500	5,000	242-1S	242-20S
<b>23</b>	14670-169	SEDI-PET Standard	15.5	2.5	4.5	3.5	26	500	5,000	251-1S	251-20S
<b>24</b>	14670-196	SEDI-PET Large Bulb	15.5	3.0	15.3	7.0	19	250	2,500	252-1S	252-20S
<b>25</b>	14670-455	Q-Pet Transfer Pipette	15.5	8.0	6.9	0.3	31	500	5,000	694-1S	X

## Extra Long Pipettes

Key#	Cat.No.	Product Description	Length (cm)	Stem Diameter (mm)	Overall Capacity (mL)	Bulb Draw (mL)	Drops per mL	Quantity per Pack	Quantity per Case	Sterile Pipettes	
										Individually -wrapped	20 per pack
<b>26</b>	14670-395	Extra Long 9"	22.5	5.0	5.6	2.3	25	400	4,000	262-1S	262-20S
<b>27</b>	14670-399	Extra Long 12"	30.0	8.6	24.1	10.7	20	100	1,000	263-1S	263-20S

## Exact Volume\* Pipettes

Key#	Cat.No.	Product Description	Length (cm)	Stem Diameter (mm)	Dispense Volume (µL)	Quantity per Pack	Quantity per Case
<b>28</b>	191NL	Exact Volume*	10.2	3.0	250	500	5,000
<b>28a</b>	75838-696	Exact Volume*	8.89	3.0	200	500	5,000
<b>28b</b>	75838-712	Exact Volume*	9.5	3.6	300	500	5,000
<b>29</b>	788NL	Exact Volume*	8.0	3.0	150	500	5,000
<b>30</b>	787NL	Exact Volume*	8.3	2.5	100	500	5,000
<b>31</b>	786NL	Exact Volume*	7.5	2.5	80	500	5,000
<b>32</b>	785NL	Exact Volume*	6.5	2.5	60	500	5,000
<b>32a</b>	75838-714	Exact Volume*	5.9	2.5	50	500	5,000
<b>33</b>	784NL	Exact Volume*	5.9	2.3	40	500	5,000
<b>34</b>	783NL	Exact Volume*	5.3	2.0	20	500	5,000

## Exact Volume\* Pipette

- Polyethylene
- Useful for small samples or dispensing reagents
- Ideal for home and POC testing
- Useful in clinical laboratories
- OEM applications

Custom design options available to meet your exact specifications

\* Note: Exact Volume is the name of this group of transfer pipettes. These conveniently dispense a precise volume within a tolerance.



# Application Guide

## Life Science Applications

**Top 9 Pipettes:**  
6, 13, 15, 20, 23, 24, 25, 26, 27

### Cells in Flasks and Tubes – large volume, long pipettes

subculturing, harvesting, sampling tubes and flasks	26, 27
remove supernatant and media from cell cultures	26, 27
wash cells	26, 27
post-centrifugation to remove all cell layers	26, 27

### Isolating cells – large aperture pipette

prevent cells from getting stripped when removed or transferred	6, 6a, 20, 20a
triturate cells	6, 6a, 20, 20a
isolate platelets from blood and wash	6, 6a, 20, 20a

### Technique Control – narrow stem, exact volume and fine tips

loading gels	13, 15, 23, 24, 27a thru 34
PCR work	13, 15, 23, 24
DNA sample removal	13, 15, 23, 24
feed hybridomas	13, 15, 23, 24, 27a thru 34
protein assays	13, 15, 23, 24, 27a thru 34
lipid extractions	13, 15, 23, 24, 27a thru 34
atomic absorption spectroscopy-reagent prep	13, 15, 23, 24, 27a thru 34
dropwise additions to culture plates	13, 15, 23, 24

### Eliminate Steps – large bulb, narrow stem Sedi-Pet

reaction chamber	10a, 23, 24, 25
storage ampule	10a, 23, 24, 25
portable aliquoting	10a, 23, 24, 25
pre-mix, collect, heat-seal, freeze, store, or incubate and dispense:	10a, 23, 24, 25
- reagents buffer solutions	
- protozoa, nematode larvae, marine eggs, seeds	
- anti-serum urine	

## Industrial, Research and Testing

**Top 13 Pipettes:**  
3, 7, 9, 10, 10a, 11, 13, 14, 15, 20a, 25, 26, 27

### Chromatography sample preparation for: LC, GC, HPLC, TLC

using 1 mL auto-sampler vials	7, 8, 13, 14, 15, 16, 24
using 2mL auto-sampler vials	9, 15
layering in columns / transfers in columns	26, 27
loading gels	13, 16

### Viscous liquid samples and transfers

creams	6, 6a, 20, 20a
oils	6, 6a, 20, 20a
perfumes	6, 20, 20a
beverages	6, 6a, 20, 20a
industrial slurries	6, 6a, 20, 20a
paints	6, 6a, 20, 20a
food	6, 6a, 20, 20a

### Field Testing

water sampling	24, 27
pre-filled with KCL and buffers	24, 27

### pH Meter Maintenance

adding acids or bases	7
remove and replace electrode fill solutions	11

### Spectrophotometry Cuvettes

reaches bottom of semi-microcuvettes; will not scratch expensive glass or quartz cells	25
--	----

### Reagent Handling

portable ampule	24, 25
spreading and mixing	18, 19, 20
slide tests	9, 9a, 10, 10a, 11, 19

## Clinical Applications

**Top 13 Pipettes:**  
5, 6, 10, 10a, 11, 14, 18, 19, 20, 24, 25, 26, 27

### Blood Banking

rapid transfers (3.5 cc's in one squeeze)	2a, 2b, 3a, 4, 5, 6a, 9a, 10, 10a
narrow barrel fits tubes and donor bag tubing	2a, 2b, 3a, 4, 5, 6a, 9a, 10, 10a
controlled drop size	4, 5, 10
calibrated transfers	4, 5, 10

### Remove, Dispense Small Volumes

remove and separate serum and blood	11, 14 and other fine tips
dispense small drops - pediatric samples - load hemocytometers	11, 14 and other fine tips
transfer in and out of multi-well plates	11, 14 and other fine tips

### Sedimentation and Storage

sedimentation	22, 24
access to Wintrobe tubes	24
fill, heat-seal and store or aliquot reagents, anti-serum, urine, etc.	2, 3a, 9, 10a, 20a, 24, 25

### Bottle Sampling

culture bottles	26, 27
-----------------	--------

### Slides

smear samples	18, 19, 20
mix and spread reagents	18, 19, 20

### Funnels / Filters / Scoops

cut bulb in half and insert filter	6, 20a
cut bulb at angle for scoop	6, 20a

For pipette selection chart, see inside spread



thermo scientific

# Yesterday, today and tomorrow

VWR Customer Service:

Tel: 1-800-932-5000

© 2018 Thermo Fisher Scientific Inc. All rights reserved. All trademarks are the property of Thermo Fisher Scientific and its subsidiaries unless otherwise specified. BRVWRTRANSPIPET 0118



1.800.932.5000  
vwr.com

Prices and product details are current when published; subject to change without notice. | Certain products may be limited by federal, state, provincial, or local regulations. | VWR makes no claims or warranties concerning sustainable/green products. Any claims concerning sustainable/green products are the sole claims of the manufacturer and not those of VWR International, LLC. All prices are in US dollars unless otherwise noted. Offers valid in US and Canada, void where prohibited by law or company policy, while supplies last. | VWR, the VWR logo and variations on the foregoing are registered (®) or unregistered trademarks and service marks, of VWR International, LLC and its related companies. All other marks referenced are registered by their respective owner(s). | Visit [vwr.com](http://vwr.com) to view our privacy policy, trademark owners and additional disclaimers. ©2018 VWR International, LLC. All rights reserved.

0118 Lit. No. 200029W