

Safety Data Sheet

According to Hazardous Products Regulation (SOR/2015-17)

 Revision date: 09.11.2023
 Version: 6.5
 Print date: 09.11.2023

 SECTION 1: Identification
 Version: 6.5
 Version: 6.5

Product identifier

Trade name/designation:Isopropyl alcohol 70% Laboratory Reagent Lab GradeProduct No.:BDH1131-204L, BDH1131-4LPSynonyms:noneCAS No.:67-63-0Other means of identification:

Relevant identified uses of the substance or mixture and uses advised against

Recommended use:	For Further Manufacturing Use Only
Uses advised against:	Not for Human or Animal Drug Use

Details of the supplier of the safety data sheet

Supplier

VWR International

Street Postal code/City

Telephone Telefax 2360 Argentia Road Mississauga, Ontario Canada L5N 5Z7 +1-800-932-5000 toll-free within US/Canada +1-610-728-2103





Emergency phone number

Telephone

+1-613-996-6666 (Canutec, 24 hrs/day, 7 days/week, Canada)

Preparation Information

VWR International - Product Information Compliance

E-mail

SDS@avantorsciences.com

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

Classification according to Hazardous Products Regulation (SOR/2015-17)

Hazard classes and hazard categories	Hazard statements
Flammable liquid, category 2	H225
Eye irritation, category 2	H319
Specific target organ toxicity (single exposure), category 3, narcotic effect	H336

2.2 Label elements

Labelling in accordance with (SOR/2015-17)

Hazard pictograms



Signal word: Danger

Hazard statements	
H225	Highly flammable liquid and vapor.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.





Precautionary statements	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P243	Take precautionary measures against static discharge.
P240	Ground/bond container and receiving equipment.
P240 P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash hands thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P242	Use only non-sparking tools.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
	Continue rinsing.
P312	Call a POISON CENTER/doctor//if you feel unwell.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use to extinguish.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with
	applicable laws and regulations, and product characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC)

none

SECTION 3: Composition/information on ingredients

3.1 Substances

not applicable

3.2 Mixtures

Hazardous ingredients GHS Classification in accordance with (SOR/2015-17)

Substance name	Concentration	Identifier	Hazard classes and hazard categories
2-Propanol	60 - 70%	CAS No.: 67-63-0	Flam. Liq. 2 - H225 Eye Irrit. 2 - H319 STOT SE 3 - H336

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Do not leave affected person unattended. Take off immediately all contaminated clothing. When in doubt or if symptoms are observed, get medical advice.





In case of inhalation

Remove casualty to fresh air and keep warm and at rest. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. In case of respiratory tract irritation, consult a physician.

In case of skin contact

Remove contaminated, saturated clothing immediately. Wash with plenty of soap and water. If skin irritation occurs: Get medical help.

After eye contact:

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

In case of ingestion

Never give anything by mouth to an unconscious person or a person with cramps. Rinse mouth thoroughly with water. Spit out all liquid. Induce vomiting when the affected person is not unconscious. Seek medical advice immediately.

Self-protection of the first aider

First aider: Pay attention to self-protection! Wear personal protection equipment (refer to section 8).

4.2 Most important symptoms/effects, acute and delayed

Irritation Cough. Dyspnoea. Anaesthetic state Dizziness.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Symptoms can occur only after several hours.

SECTION 5: Fire fighting measures

5.1 Extinguishing media

Suitable extinguishing media ABC-powder Carbon dioxide (CO2). Dry sand Nitrogen

Extinguishing media which must not be used for safety reasons Full water jet.

5.2 Specific hazards arising from the chemical

Flammable liquids. Risk of ignition. Vapor may form explosive mixtures with air. Vapors can travel considerable distances to a source of ignition where they can ignite, flash back, or explode. Closed containers may burst when pressure and temperature rise. In case of fire may be liberated: Pyrolysis products, toxic

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Protective equipment and precautions for firefighters: Wear a self-contained breathing apparatus and chemical protective clothing. Co-ordinate fire-fighting measures to the fire surroundings.





In case of fire: Evacuate area.

Use water spray/stream to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Wear personal protection equipment (refer to section 8). Avoid contact with eyes and skin. Do not breathe gas/fume/vapor/spray. Keep away from sources of ignition - No smoking. Provide adequate ventilation. Remove victim out of the danger area. First Aid, decontamination, treatment of symptoms.

6.2 Environmental precautions

Do not allow to enter into surface water or drains. Fire hazard.

6.3 Methods and material for containment and cleaning up

Take up mechanically, placing in appropriate containers for disposal. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Dispose according to legislation. Ventilate affected area.

6.4 Reference to other sections

Personal protection equipment (PPE): see section 8 Disposal information: see section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling Wear personal protection equipment (refer to section 8). Avoid contact with eyes and skin. Avoid inhalation of the product. Use extractor hood (laboratory). Provide adequate ventilation. Measures to prevent fire, aerosol and dust generation Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Measures required to protect the environment Due to danger of explosion, prevent leakage of vapors into cellars, flues and ditches.

Wash hands before breaks and after work. Avoid contact with eyes and skin. When using do not eat, drink or smoke. Provide eye shower and label its location conspicuously.

7.2 Conditions for safe storage, including any incompatibilities

Recommended storage temperature: 15-25 °C

Storage: Keep container tightly closed and in a well-ventilated place. Keep/Store away from combustible materials. Protect from sunlight. Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Suitable container/equipment material: Glass Steel Stainless steel Unsuitable container/equipment material: Aluminium Polyethylene PVC (polyvinyl chloride)

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.





SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredient (Designation)	Source	Country	parameter	Limit value
2-Propanol	CNESST	CA	VECD	1230 mg/m ³ - 500 ppm
2-Propanol	CNESST	CA	VEMP	983 mg/m ³ - 400 ppm

8.2 Engineering controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment. If handled uncovered, arrangements with local exhaust ventilation have to be used.

Personal protection equipment (PPE)

Wear suitable protective clothing. When handling with chemical substances, protective clothing must be worn.

Eye/face protection Eye glasses with side protection

Skin protection

Wear suitable gloves. When handling with chemical substances, protective gloves must be worn. In the case of wanting to use the gloves again, clean them before taking off and air them well. Check leak tightness/impermeability prior to use.

<u>By short-term hand contact</u>	
Suitable material:	NBR (Nitrile rubber)
Thickness of the glove material:	0,12 mm
Breakthrough time	51 min
By long-term hand contact	
Suitable material:	NBR (Nitrile rubber)
Thickness of the glove material:	0,38 mm
Breakthrough time	> 480 min

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation If exposure limits are exceeded or irritation is experienced, NIOSH approved respiratory protection should be worn.

Additional information

Wash hands before breaks and after work. Avoid contact with eyes and skin. When using do not eat, drink or smoke. Provide eye shower and label its location conspicuously.

Environmental exposure controls no data available





SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance Physical state: Color: Odor:

liquid colorless characteristic

Safety relevant basic data

pH:	no data available
Melting point/freezing point:	no data available
Initial boiling point and boiling range:	no data available
Flash point:	20.5 °C
Flammability:	Highly flammable liquid and vapor.
Lower and upper explosion limit	
Lower explosion limit:	no data available
Upper explosion limit:	no data available
Vapor pressure:	no data available
Relative vapour density:	2.1
Density and/or relative density	
Density:	0.85 g/cm ³ (20 °C)
Solubility(ies)	
Water solubility:	miscable
Partition coefficient: n-octanol/water:	no data available
Auto-ignition temperature:	no data available
Decomposition temperature:	not applicable
Viscosity	
Kinematic viscosity:	no data available
Dynamic viscosity:	no data available
Particle characteristics:	does not apply to liquids

9.2 Other information

Evaporation rate: Explosive properties: Oxidising properties: Bulk density: Refraction index: Dissociation constant: Surface tension: Henry's Law Constant: no data available no data available not applicable no data available no data available no data available no data available no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Reactive substance. Vapors may form explosive mixtures with air.





Risk of ignition.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

Violent reaction with: Alkali metals Acetic anhydride Peroxides Nitric acid Phosphorus oxides Perchlorates Halogenated compounds

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials:

Oxidising agent. Peroxides Strong acid Hydrogen arsenic antimony

10.6 Hazardous decomposition products

Decomposition products in case of fire: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute effects

Acute oral toxicity: 2-Propanol - LD50: > 5045 mg/kg - Rat - (RTECS)

2-Propanol - LDLo: > 3570 mg/kg - Human - (RTECS)

Acute dermal toxicity: 2-Propanol - LD50: > 12800 mg/kg - Rabbit - (RTECS)

Acute inhalation toxicity: 2-Propanol - LC50: 72600 mg/m³ - Rat - (Japan GHS Basis for Classification Data)





Irritant and corrosive effects:

Primary irritation to the skin: not applicable

Irritation to eyes: Causes serious eye irritation.

Irritation to respiratory tract: not applicable

Respiratory or skin sensitization In case of skin contact: not sensitizing

In case of inhalation: not sensitizing

STOT-single exposure

May cause drowsiness or dizziness.

STOT-repeated exposure not applicable

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Carcinogenicity No indication of human carcinogenicity.

Germ cell mutagenicity No indications of human germ cell mutagenicity exist.

Reproductive toxicity No indications of human reproductive toxicity exist.

Aspiration hazard not applicable

Other adverse effects no data available

Additional information no data available

SECTION 12: Ecological information

12.1 Toxicity

Fish toxicity:

2-Propanol - LC50: 4200 - 11100 mg/l (96 h) - Brooke, L.T., D.J. Call, D.L. Geiger, and C.E. Northcott 1984. Acute Toxicities of Organic Chemicals to Fathead Minnows (Pimephales promelas), Vol. 1. Center for Lake Superior Environmental Stud., Univ.of Wisconsin-Superior, Superior, WI :414

Daphnia toxicity:

2-Propanol - LC50: 1400 mg/l (48 h) - Blackman, R.A.A. 1974. Toxicity of Oil-Sinking Agents. Mar.Pollut.Bull. 5:116-118





Algae toxicity:

no data available

Bacteria toxicity:

no data available

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water: no data available

12.4 Mobility in soil:

no data available

12.5 Results of PBT/vPvB assessment

not applicable

12.6 Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to the environment.

12.7 Other adverse effects

no data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Appropriate disposal / Product

Dispose according to legislation. Consult the appropriate local waste disposal expert about waste disposal.

Waste code product: no data available

Appropriate disposal / Package

Dispose according to legislation. Handle contaminated packages in the same way as the substance itself. This material and its container must be disposed of as hazardous waste. Do not open container by force. Warning: Do not refill! Do not pierce or burn, even after use.

Additional information

none

No further relevant information available.





SECTION 14: Transport information

Land transport (TDG)

UN-No.:	1219
Proper Shipping Name:	ISOPROPANOL
Class(es):	3
Packing group:	II
Environmental hazards:	No
Marine pollutant:	No
Special precautions for user:	

Sea transport (IMDG)

UN-No.:	1219
Proper Shipping Name:	ISOPROPANOL
Class(es):	3
Classification code:	
Hazard label(s):	3
Packing group:	II
Environmental hazards:	No
Marine pollutant:	No
Special precautions for user:	
Segregation group:	-
EmS-No.	F-E S-D
Transport in bulk according to Annex II of MAR not relevant	RPOL 73/78 and the IBC Code

Air transport (ICAO-TI / IATA-DGR)

UN-No.:	1219
Proper Shipping Name:	ISOPROPANOL
Class(es):	3
Classification code:	
Hazard label(s):	3
Packing group:	II
Special precautions for user:	

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Domestic Substance List:





SECTION 16: Other information

Abbreviations and acronyms

ACGIH - American Conference of Governmental Industrial Hygiensts DOT - Department of Transportation IARC - International Agency for Research on Cancer IATA-DGR - International Air Transport Association-Dangerous Goods Regulations ICAO-TI - International Civil Aviation Organization-Technical Instructions IMDG - International Maritime Code for Dangerous Goods LTV - Long Term Value NIOSH - National Institute for Occupational Safety and Health NTP - National Toxicology Program OSHA - Occupational Safety & Health Administration PBT - Persistent, Bioaccumulative and Toxic PEL - Permissible Exposure Limit STV - Short Term Value SVHC - Substances of Very High Concern TDG - Transport of Dangerous Goods TLV - Threshold Limit Value vPvB - very Persistent, very Bioaccumulative

Key literature references and sources for data

This Safety Data Sheet has been prepared based on information available for public as TOXNET information, European Chemicals Agency (ECHA) substance dossier, papers from international cancer research institutes (IARC Monographs), U.S. National Toxicology Program data, U.S. Agency for Toxic Substances and Disease Control (ATSDR), PubChem websites and SDS from our raw material manufacturers.

Revision date	Version	Print date
09.11.2023	6.5	09.11.2023

Additional information

Indication of changes none/none

The above information is believed to be correct but does not purport to be all-inclusive and shall be used only as a guidance. The information in this document is based on the present state knowledge and is applicable to the product with regard to appropriate safty precautions. It does not represent any guarantee of the properties of the product. VWR International and his Affiliates shall not be held liable for any damage resulting from handling.

