


VWR Basic Protection CPE Shoe Covers

- Ideal for Short-Wear Applications
- All Film with Heat-Sealed Seams
- Excellent Fluid Resistance

VWR Basic Protection CPE Shoe Covers are manufactured from 8mil thick, low-density chlorinated polyethylene (CPE) fabric, which protects against dirt, grime, and liquid splash. These nonconductive shoe covers have a seamless bottom to repel water. Heat-sealed seams provide excellent fluid resistance. Shoe covers are rigorously tested and manufactured in an ISO Certified facility under stringent process controls to ensure that each product meets exacting quality standards and performs to specification. Our products are validated through independent lab testing.



Shoe Cover Dimensions

Size	XL
Length (A)	16"
Height (B)	5¾"
Top, Relaxed (C)	3¼"
Top, Stretched (C)	16"

VWR Basic Protection CPE Shoe Covers

Size	Cat. No.	Case of
White		
X-Large	414004-513	1000
Blue		
X-Large	414004-512	1000

To order, visit vwr.com or call your VWR Sales Representative today.

Material Properties for VWR® Basic Protection CPE Shoe Covers

	Test Item	Result	Test Standard	Test Description
PHYSICAL PROPERTIES	Weight (g/m ²)	48.82	ASTM D3776	Measurement of fabric mass per unit area (weight).
	Mullen Bursting Strength (Avg. PSI)	6.2	ASTM D3786	Measurement of the resistance of the fabric to bursting using a hydraulic or pneumatic diaphragm bursting tester.
	Trapezoid Tearing Strength (Avg. lbs./in.)			
	Lengthwise Yarns	2.4	ASTM D4533	Measurement of the force required to continue or propagate a tear in the fabric.
	Widthwise Yarns	3.1		

All test results provided by independent third-party testing laboratories located in USA.

WARNING: These garments and associated materials are not suitable for use in some environments containing chemicals and/or hazardous agents. It is the responsibility of the user to determine the level of risk in a particular environment and the proper personal protection equipment needed. Garments manufactured from synthetic non-woven material may generate static electricity. Garments that contain an anti-static treatment are not intended to be used as a safety feature. These garments are not recommended to be used in a flammable and or explosive environment. Contact VWR International for garment/fabric safety data. The application of these products is out of VWR International's control. Therefore, VWR International, LLC makes no warranties, expressed or implied, and assumes no liability as to the performance of these products for a particular use. Caution: Avoid heat and/or open flame.



Prices, product appearance and specifications are current at the time of printing, subject to change without notice. Availability for certain products may be limited by federal, state, provincial or local licensing requirements. VWR makes no claims or warranties concerning sustainable/green products. Any claims concerning sustainable/green products are the sole claims of the manufacturer and not those of VWR International, LLC. All prices are in U.S. dollars unless otherwise noted. Offers valid in USA and Canada, void where prohibited by law or company policy, while supplies last. Visit vwr.com to view our privacy policy and additional disclaimers.

VWR, forms of VWR, and the VWR logo and/or design are either registered trademarks ®, trademarks ™, or service marks ℠ of VWR International, LLC in the United States and/or other countries. All other marks referenced herein are registered trademarks, trademarks or service marks of their respective owner(s). For a complete list of trademark owners please visit vwr.com.

©2010 VWR International, LLC. All rights reserved.