

PureAffin® R56

Section 1 - Product and Company Identification

Product Identifiers

Name PureAffin®

Number EEPAR56, PAR56J, PARA1, PARA2, PBX1

Category Paraffin

Recommended Use Ultra-Purified Paraffin wax with additives to enhance infiltration, impart elasticity, and provide cutting

ease.

Supplier Details Cancer Diagnostics, Inc

4300 Emperor Blvd., Durham, NC 27703 - 877-846-5393 - www.cancerdiagnostics.com

Emergency Telephone 800-424-9300 (CHEMTREK) 703-527-3887 Poison Control: 1-800-222-1222

Date Prepared/Revised September 10, 2015

Section 2 – Hazards Identification

Classification of the substance or mixture: Not a hazardous substance or mixture.

GHS label elements and precautionary statements: Not a hazardous substance or mixture.

Hazards not otherwise classified or not covered by GHS.

Molten product can cause skin burns, irritate eyes and cause mild respiratory irritation. HMIS Rating: Health hazard: 0 Chronic Health Hazard: Flammability: 0 Physical Hazard 0

NFPA Rating: Health hazard: 0 Fire Hazard: 0 Reactivity Hazard: 0

Section 3 - Composition/Information on Ingredients

Substances CAS No. 8002-74-2
Benzene, ethenyl, homopolymer, hydrogenated 68441-35-0): Polymer Wax 68527-08-2

Product as supplied is not a hazardous material under the definitions of the OSHA Hazard Communication Standard (29 CFR 1910.1200). However some hazardous elements contained in these products can be during melting. This composition consists of a combination of materials of which the ones contributing to classified hazards are reported above. This Safety Data Sheet contains information useful for dealing with these hazardous elements.

Section 4 - First Aid Measures

Description of first aid measures

General advice: Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

<u>In case of eye contact</u>: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

<u>In case of skin contact:</u> Wash off with soap and plenty of water. Consult a physician.

<u>If inhaled:</u> If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician. <u>If swallowed</u>: Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Most important symptoms and effects, both acute and delayed: See Sections 2 and 11.

Indication of any immediate medical attention and special treatment needed: No data available.

Section 5 – Firefighting Measures

Extinguishing Media

<u>Suitable Extinguishing Media</u>: Product will not burn. Use media appropriate of surrounding fire. Use dry chemical, CO2, water spray (FOG) or foam.

Unsuitable Extinguishing Media: Avoid solid water stream as it may scatter and spread fire.

Special hazards arising from the substance or mixture: Use water spray to cool fire exposed container surfaces and to protect personnel. Thermal decomposition can produce carbon monoxide (highly toxic) and carbon dioxide (an asphyxiant at sufficient concentrations).

Advice for firefighters: As in any fire, fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. (MSHA/NIOSH approved or equivalent).

Further information: If employees are expected to fight fires, they must be trained and equipped as stated in the OSHA Fire Brigades Standard (29 CFR 1910.156).

Section 6 - Accidental Release Measures

Personal precautions, protective equipment and emergency procedures: Use appropriate safety equipment. Keep unnecessary and unprotected personnel from entering the area. Keep upwind of spill. Ventilate area of leak or spill. No smoking in area. For large spills, warn public of downwind explosion hazard.

Environmental precautions: Prevent from entering into soil, ditches, sewers, waterways and/or groundwater.

Methods and materials for containment and cleaning up: Contain spilled material if possible. Collect in suitable and properly labeled containers.

Reference to other sections-resources

For additional information, refer to Section 8, Exposure Controls and Personal Protection, Section 7, Handling, Section 12, Ecological Information and Section 13, Disposal Considerations. If employees are required to clean-up spills, they must be properly trained and equipped. The OSHA Hazardous Waste Operations and Emergency Response Standard (29 CFR 1910.120) may apply.

Section 7 - Handling and Storage

Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the buildup of electrostatic charge. For precautions see section 2.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Specific end use

See Section 1.

Section 8 – Exposure Control and Personal Protection

Control parameters

Exposure limits are for air levels only. Skin contact can cause over exposure even with the following limits are met.

Components with workplace control parameters

Paraffin waxes (8002-74-2): TWA 2 mg/m3 ACGIH (TLV) TWA 2 mg/m3 NIOSH TWA 2 mg/m3 ACGIH

No occupational exposure limits have been established for Benzene, ethenyl, homopolymer, hydrogenated (68441-35-0) and Polymer Wax (68527-08-2). This does not mean that this substance is not harmful. Safe work practices should always be followed.

Exposure controls

<u>Appropriate engineering controls</u>: Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

Personal protective equipment

<u>Eye/face protection</u>: Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

<u>Skin protection</u>: Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good practices. Wash and dry hands.

<u>Respiratory protection</u>: Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

<u>General:</u> Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Control of environmental exposure

Do not let product enter drains. Discharge into the environment must be avoided.

Section 9 – Physical and Chemical Properties

Information on basic physical and chemical properties

Physical State Form: Solid

Color: White (Clear in Molten State)

Odor: Mild Hydrocarbon

Odor Threshold: Not Determined

Health, Safety and Environment Information

pH: Not Determined

Freezing Point/Melting Point: 130-135°F Initial Boiling Point/Range: Not Determined

Flash Point: 415°F

Evaporation Rate (Water=1): Not Determined

Flammability: Not Determined

Lower Flammability or Explosive Limit: Not Determined Upper Flammability or Explosive Limit: Not Determined

Vapor Pressure: Not Determined Vapor Density: Not Determined Specific Gravity (Water=1): Nil Solubility (Water): Not Determined Partition Coefficient: Not Determined Auto Ignition Temp: Not Determined Decomposition Temp: Not Determined

Viscosity: Not Applicable

Other Safety Info: Volatility (% wt.): Not Determined

Physical Data is typical values based on material tested, but may vary based on composition. Values should not be accepted as guaranteed for every lot or as specifications for this product.

Section 10 - Stability and Reactivity

Reactivity: Not reactive under normal conditions.

Chemical stability: Stable under recommended storage conditions.

Possibility of hazardous reactions: When in contact with incompatible materials. **Conditions to avoid:** Contact with incompatible materials and temperature extremes.

Incompatible materials: Strong oxidizers.

Hazardous decomposition products: Does not decompose under normal conditions.

Other decomposition products: During fire, thermal decomposition can produce carbon monoxide (highly toxic) and

carbon dioxide (an asphyxiant at sufficient concentrations).

Section 11 - Toxicological Information

Information on Toxicological Effects Component toxicity

<u>Paraffin waxes</u> (8002-74-2): Acute toxicity LD50 Oral - Rat - male and female - > 5,000 mg/kg (OECD Test Guideline 401) LD50 Dermal - Rabbit - > 3,600 mg/kg Skin corrosion/irritation Skin - Rabbit Result: No skin irritation - 4 h (OECD Test Guideline 404) Serious eye damage/eye irritation Eyes - Rabbit Result: No eye irritation - 1 s (OECD Test Guideline 405) Respiratory or skin sensitization Maximization Test (GPMT) - Guinea pig Result: Does not cause skin sensitization. (OECD Test Guideline 406) Germ cell mutagenicity Ames test S. typhimurium Result: negative. Ingestion of large quantities will produce a laxative effect and may be irritating to the digestive tract. There is also a risk of esophageal, gastric, small intestinal, and rectal obstruction due to osmotic disturbance., prolonged or repeated exposure can cause:, Lung irritation No data is available for Benzene, ethenyl, homopolymer, hydrogenated (68441-35-0) and Polymer Wax (68527-08-2).

Mixture toxicity

<u>Skin corrosion/irritation</u> - <u>Inhalation</u> - <u>Serious eye damage/eye irritation</u> - <u>Respiratory or skin sensitization</u> - <u>Germ cell mutagenicity</u> - <u>Reproductive toxicity</u> - <u>Specific target organ toxicity</u> - <u>Specific target organ toxicity</u> - <u>Specific target organ toxicity</u> - <u>repeated exposure</u> - <u>Aspiration hazard</u>: All no data available.

<u>Carcinogenicity</u>: Product not classified as a carcinogen by the National Toxicology Program (NTP), the International Agency for Research on Cancer (IARC), or the Occupational Safety and Health Administration (OSHA).

Additional Information: None known.

Section 12 – Ecological Information

Ecotoxicity

Component ecotoxicity

No data is available for Paraffin waxes (8002-74-2), Benzene, ethenyl, homopolymer, hydrogenated (68441-35-0) and Polymer Wax (68527-08-2).

Mixture ecotoxicity

Toxicity to Fish: Not Determined

<u>Persistence and Biodegradability</u>: Not Determined Bioaccumulative Potential: Not Determined

Mobility in Soil: Not Determined

Other adverse effects: None known.

Section 13 - Disposal Consideration

Waste treatment methods

Product: Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging: Dispose of as unused product.

Section 14 - Transport Information

DOT: Not Regulated – **IATA:** Not Regulated – **IMDG:** Not Regulated

Section 15 – Regulatory Information

Federal

TSCA: Components of this product are listed on the TSCA Inventory.

DSL: This product, or its components, are listed on or are exempt from the Canadian Domestic Substances List (DSL).

CERCLA: Product is not found in "List of Hazardous Substances and Reportable Quantities" (40 CFR 302.4

SARA TITLE III: (Superfund Amendments and Reauthorization Act)

302 Components: None are subject to the reporting requirements of Section 302.

313 Components: None that exceed the threshold (De Minimis) reporting levels established by Section 313.

311/312 Hazards: Acute, Health

States

<u>State Right to Know Components</u>: PA and NJ: Paraffin waxes (8002-74-2), Benzene, ethenyl, homopolymer, hydrogenated (68441-35-0) and Polymer Wax (68527-08-2).

<u>California Prop. 65 Components</u>: This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Canada

<u>WHMIS</u>: This product is not a controlled product under WHMIS.

Section 16 – Other Information

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.