

Part of Thermo Fisher Scientific

Material Safety Data Sheet

Product and company identification

: ImmunoPure Lane Marker Reducing Sample Buffer (5X) **Product name**

Synonym : Sample Loading Dye

: Thermo Fisher Scientific Supplier Manufacturer

Pierce Biotechnology P.O. Box 117 Rockford, IL 61105 United States 815.968.0747 or 800.874.3723

Rockford, IL 61105 United States 815.968.0747 800.874.3723

Product No. : 0039000 1861763

MSDS# : 1035 Validation date : 3/29/2010. **Print date** : 3/29/2010.

Responsible name : MSDS (Regulatory Affairs)

: CHEMTREC: Use of In case of emergency

800.424.9300 Substance/Preparation

OUTSIDE US: 202.483.7616

: Refer to the instruction booklet for proper and intended use. Otherwise, contact supplier for

specific applications.

: Thermo Fisher Scientific

Pierce Biotechnology

P.O. Box 117

Hazards identification

Physical state : Liquid. [Slightly viscous.]

Odor : Garlic.

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard

(29 CFR 1910.1200).

: WARNING! **Emergency overview**

> HARMFUL IF INHALED, ABSORBED THROUGH SKIN OR SWALLOWED. CAUSES RESPIRATORY TRACT, EYE AND SKIN IRRITATION. MAY CAUSE ALLERGIC SKIN REACTION. CONTAINS MATERIAL THAT CAN CAUSE TARGET ORGAN DAMAGE.

> Toxic by inhalation, in contact with skin and if swallowed. Irritating to eyes, respiratory system and skin. May cause sensitization by skin contact. Avoid exposure - obtain special instructions before use. Do not breathe vapor or mist. Do not ingest. Do not get in eyes or on skin or clothing. Contains material that can cause target organ damage. Use only with adequate ventilation. Keep container tightly closed and sealed until ready

for use. Wash thoroughly after handling.

: Dermal contact. Eye contact. Inhalation. Ingestion. Routes of entry

Potential acute health effects

Inhalation : Toxic by inhalation. Irritating to respiratory system. Exposure to decomposition products

may cause a health hazard. Serious effects may be delayed following exposure.

: Toxic if swallowed. Ingestion

Skin : Toxic in contact with skin. Irritating to skin. May cause sensitization by skin contact.

Eyes : Irritating to eyes.

Potential chronic health effects

3/29/2010. 1/11



ImmunoPure Lane Marker Reducing Sample Buffer (5X)

Hazards identification

Chronic effects : Contains material that can cause target organ damage.

Carcinogenicity : No known significant effects or critical hazards. Mutagenicity : No known significant effects or critical hazards. Teratogenicity : No known significant effects or critical hazards. **Developmental effects** : No known significant effects or critical hazards. Fertility effects : No known significant effects or critical hazards.

Target organs : Contains material which causes damage to the following organs: kidneys, lungs, mucous

membranes, upper respiratory tract, skin, eyes, central nervous system (CNS). Contains material which may cause damage to the following organs: liver,

gastrointestinal tract.

Over-exposure signs/symptoms

Inhalation : Adverse symptoms may include the following:

respiratory tract irritation

coughing

Ingestion : No specific data.

: Adverse symptoms may include the following:

irritation redness

: Adverse symptoms may include the following: Eyes

pain or irritation watering redness

Medical conditions

: Pre-existing respiratory, skin and digestive disorders and disorders involving any other target organs mentioned in this MSDS as being at risk may be aggravated by overaggravated by over-

exposure to this product. exposure

The preparation is not classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification : Not classified. See toxicological information (section 11)

3. Composition/information on ingredients

United States

Name **CAS** number Glycerol 56-81-5 45 - 65 Sodium Dodecvl Sulfate 151-21-3 3 - 5 TRIS (HYDROXYMETHYL) AMINOM/HCL 1185-53-1 3 - 5 Dithiothreitol (DTT) 3483-12-3

Europe

Substance/preparation : Preparation

Ingredient name CAS EC number Classification

number

3/29/2010. 2/11

> 3747 N. Meridian Rd. PO Box 117 Rockford, IL 61105



ImmunoPure Lane Marker Reducing Sample Buffer (5X)										
3 . Composition/information on ingredients										
Glycerol	56-81-5	45 - 65	200-289-5	Not classified.	[2]					
Sodium Dodecyl Sulfate	151-21-3	3 - 5	205-788-1	R10 Xn; R21/22 Xi; R36/37/38	[1]					
TRIS (HYDROXYMETHYL) AMINOM/HCL	1185-53-1	3 - 5	214-684-5	Xi; R36/37/38	[1]					
Dithiothreitol (DTT)	3483-12-3	1 - 3	222-468-7	Xn; R22	[1]					

There are no ingredients or additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in section 8.

First aid measures

Inhalation

; Get medical attention immediately. Move exposed person to fresh air. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or selfcontained breathing apparatus. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-tomouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48

Xi: R36/37/38

Ingestion

; Get medical attention immediately. Wash out mouth with water. Remove dentures if any. Move exposed person to fresh air. Keep person warm and at rest. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Skin contact

: Get medical attention immediately. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing or wear gloves. Continue to rinse for at least 10 minutes. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.

; Get medical attention immediately. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses.

Eye contact

Thermo

ImmunoPure Lane Marker Reducing Sample Buffer (5X)

First aid measures

Protection of first-aiders

: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing or wear gloves.

See section 11 for more detailed information on health effects and symptoms.

Fire-fighting measures

Flammability of the product : In a fire or if heated, a pressure increase will occur and the container may burst.

Extinguishing media

Suitable

: Use an extinguishing agent suitable for the surrounding fire.

Not suitable

None known

Special exposure hazards

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable

Hazardous combustion products

: Decomposition products may include the following materials:

carbon oxides nitrogen oxides sulfur oxides

halogenated compounds metal oxide/oxides

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Accidental release measures

Personal precautions

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see section 8).

Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Large spill

: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information and section 13 for waste disposal.

Small spill

3/29/2010.

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

3/29/2010. 3/11

3747 N. Meridian Rd. PO Box 117

Rockford, IL 61105

4/11



Handling and storage

Handling

Put on appropriate personal protective equipment (see section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse

Storage

Store between the following temperatures: -70 to -20°C (-94 to -4°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Exposure controls/personal protection

Product name United States glycerin

Exposure limits

ACGIH (United States). TWA: 10 mg/m³

ACGIH TLV (United States).

TWA: 10 mg/m3 8 hour(s). Form: Total particulates

TWA: 10 mg/m3 8 hour(s). Form: Mist OSHA PEL (United States, 11/2006).

TWA: 5 mg/m³ 8 hour(s). Form: Respirable fraction

TWA: 15 mg/m3 8 hour(s). Form: Total dust OSHA PEL 1989 (United States, 3/1989).

TWA: 5 mg/m³ 8 hour(s). Form: Respirable fraction

TWA: 10 mg/m³ 8 hour(s). Form: Total dust

ACGIH TLV (United States).

TWA: 10 mg/m³ 8 hour(s). Form: Total particulates

OSHA PEL (United States).

TWA: 15 mg/m3 8 hour(s). Form: Total dust OSHA PEL (United States). Notes: Respirable

TWA: 15 mg/m³ 8 hour(s).

Europe glycerin

ACGIH (United States).

TWA: 10 mg/m³

ACGIH TLV (United States).

TWA: 10 mg/m³ 8 hour(s). Form: Total particulates

TWA: 10 mg/m3 8 hour(s). Form: Mist

TWA: 10 mg/m3 8 hour(s). Form: Total particulates

Consult local authorities for acceptable exposure limits.

Recommended monitoring procedures

: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

5/11 3/29/2010.

Thermo

ImmunoPure Lane Marker Reducing Sample Buffer (5X)

Exposure controls/personal protection

Engineering measures

: Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the layatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location

Personal protection

Respiratory

: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Hands

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is

Eves

: Safety evewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists,

Skin

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling

Environmental exposure

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases. fume scrubbers, filters or engineering modifications to the process equipment will be

necessary to reduce emissions to acceptable levels.

Physical and chemical properties

Physical state : Liquid. [Slightly viscous.]

: Clear Red. Color : Garlic.

Dispersibility properties : Dispersible in the following materials: cold water and hot water. Solubility : Partially soluble in the following materials; cold water and hot water.

10 . Stability and reactivity

Chemical stability

: The product is stable. Under normal conditions of storage and use, hazardous polymerization will not occur.

Conditions to avoid : No specific data. Incompatible materials

Hazardous decomposition

: No specific data.

products

: Under normal conditions of storage and use, hazardous decomposition products should

not be produced.

Possibility of hazardous

reactions

: Will not occur.

6/11 3/29/2010.

Rockford, IL 61105



11 . Toxicological information

Un	Itea	ગ	ate	S

Acute toxicity

Species Product/ingredient name Result **Exposure** glycerin LD50 Dermal Rat >21900 mg/kg LD50 Rat 4420 mg/kg Intraperitoneal LD50 Intravenous Rat 5566 mg/kg LD50 Oral Rat 12600 mg/kg LD50 Oral Rat 12600 mg/kg LD50 Rat 100 mg/kg Subcutaneous LDLo Rat 10 mL/ka Intramuscular LDLo Rat 10 mg/kg Intramuscular TDLo Rat 4 mL/kg Intramuscular >5000 mg/kg TDLo Rat Intramuscular 4000 mg/kg TDLo Rat Intramuscular 8 mL/kg TDLo Rat Intramuscular LC50 Inhalation Rat >570 mg/m³ 1 hours Vapor sodium dodecyl sulphate LD50 Dermal Rabbit 580 mg/kg LD50 Rat 210 mg/kg Intraperitoneal LD50 Intravenous Rat 118 mg/kg LD50 Oral 1288 mg/kg LC50 Inhalation >3900 mg/m³ Rat 1 hours **Dusts and mists** 2,3-butanediol, 1,4-dimercapto-, (r*,r*)-LD50 Oral Rat 400 mg/kg

Conclusion/Summary : Not available.

Chronic toxicity

Product/ingredient name Result Species Exposure 28 days Dose 16800 mg/kg glycerin Sub-chronic Rat TD50 Oral Continuous Sub-chronic Rat 96 g/kg 30 days

Intermittent

TD50 Oral Conclusion/Summary : Not available.

3747 N. Meridian Rd. PO Box 117

Carcinogenicity

Product/ingredient name Result **Species** Dose 87.5 g/kg **Exposure** glycerin Equivocal - Oral - Mouse 25 weeks TDLo Intermittent

Conclusion/Summary : Not available.

Classification

Product/ingredient name **ACGIH** IARC **EPA** NIOSH NTP **OSHA**

3/29/2010. 7/11 Thermo

11. Toxicological inf	orm	ation					
glycerin sodium dodecyl sulphate 2-amino-2-(hydroxymethyl)propan diol hydrochloride	e-1,3-	- A2 -	- - -	- - -	None.	-	None. None. None.
2,3-butanediol, 1,4-dimercapto-, (Mutagenicity	r^, r ^)-	-	-	-	None.	-	None.
Product/ingredient name glycerin	Test DNA Inhibition Cytogenetic Analysis		Mar	Experiment Mammalian-Human Mammalian-Animal			
Conclusion/Summary : N	ot ava	ilable.					
<u>Teratogenicity</u>							
Conclusion/Summary : N	ot ava	ilable.					
Reproductive toxicity							
Product/ingredient name		Maternal toxicity	Fertility	Develop toxin	ment Species	Dose	Exposure
glycerin		-	-	-	Rat - Ma	ale ^{Unreporte} 862 mg/kg	^{ed:} 1 days
		-	Positive	-	Rat - Ma	ale Oral: 100 mg/kg	1 days
		-	-	-	Mamma species unspeci - Male	II - Unreporte	ed: 1 days
		-	Positive	-	Rat - Ma	ale Unreporte 1600 mg/kg	^{ed:} 1 days
		-	-	-	Rat - Ma		ed: 2 days
sodium dodecyl sulphate		-	-	-	Mouse	Derma 480 mg/kg	l: -
Conclusion/Summary : N	ot ava	ilable.					
Europe							
	No kn	own sianific	cant effects o	r critical ha	zards.		
	No known significant effects or critical hazards.No known significant effects or critical hazards.						
• •	: No known significant effects or critical hazards.						
	: No known significant effects or critical hazards.						
		•	cant effects o				
•		Ü	cant effects of				

3/29/2010. 8/11 Rockford, IL 61105

3747 N. Meridian Rd. PO Box 117



12. Ecological information

Environmental effects

: No known significant effects or critical hazards.

United States

Aquatic ecotoxicity

Conclusion/Summary

: Not available.

Other adverse effects

: No known significant effects or critical hazards

13. Disposal considerations

Waste disposal

: The generation of waste should be avoided or minimized wherever possible. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Hazardous waste

: Within the present knowledge of the supplier, this product is not regarded as

hazardous waste, as defined by EU Directive 91/689/EEC.

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

14. Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*
DOT Classification	Not regulated.	-	-	-
IATA-DGR Class	Not regulated.	-	-	-

PG* : Packing group

15. Regulatory information

United States

HCS Classification : Toxic material

Irritating material Sensitizing material Target organ effects

U.S. Federal regulations

TSCA 8(a) IUR: glycerin

United States inventory (TSCA 8b): All components are listed or exempted.

SARA 302/304/311/312 extremely hazardous substances: No products were found. SARA 302/304 emergency planning and notification: No products were found. SARA 302/304/311/312 hazardous chemicals: 2-amino-2-(hydroxymethyl)propane-1,3diol hydrochloride; sodium dodecyl sulphate; glycerin

SARA 311/312 MSDS distribution - chemical inventory - hazard identification: 2amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride: Immediate (acute) health hazard; sodium dodecyl sulphate: Immediate (acute) health hazard, Delayed (chronic) health hazard; glycerin: Immediate (acute) health hazard, Delayed (chronic) health

Clean Water Act (CWA) 307: No products were found.

3/29/2010. 9/11

(815) 968-0747 (815) 968-7316 Fax



ImmunoPure Lane Marker Reducing Sample Buffer (5X)

15 . Regulatory information

Clean Water Act (CWA) 311: No products were found.

Clean Air Act (CAA) 112 accidental release prevention: No products were found. Clean Air Act (CAA) 112 regulated flammable substances: No products were found.

Clean Air Act (CAA) 112 regulated toxic substances: No products were found.

Canada

WHMIS (Canada) : Class D-1B: Material causing immediate and serious toxic effects (Toxic).

Class D-2B: Material causing other toxic effects (Toxic).

Canadian lists : CEPA Toxic substances: None of the components are listed.

Canadian ARET: None of the components are listed. Canadian NPRI: None of the components are listed.

: Canada inventory: All components are listed or exempted.

Alberta Designated Substances: None of the components are listed. Ontario Designated Substances: None of the components are listed. Quebec Designated Substances: None of the components are listed.

Canada inventory

EU regulations

Risk phrases : This product is not classified according to EU legislation.

International regulations

International lists

: Australia inventory (AICS): All components are listed or exempted.


China inventory (IECSC): Not determined. Korea inventory (KECI): Not determined. Philippines inventory (PICCS): Not determined. Japan inventory (ENCS): Not determined.

16 . Other information

Label requirements

HARMFUL IF INHALED, ABSORBED THROUGH SKIN OR SWALLOWED. CAUSES RESPIRATORY TRACT. EYE AND SKIN IRRITATION. MAY CAUSE ALLERGIC SKIN REACTION. CONTAINS MATERIAL THAT CAN CAUSE TARGET ORGAN DAMAGE.

Hazardous Material Information System (U.S.A.)



The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)



Date of printing : 3/29/2010. Date of issue : 3/29/2010.

3/29/2010. 10/11

3747 N. Meridian Rd. PO Box 117

Rockford, IL 61105



16 . Other information

Date of previous issue : 2/9/2009.

Version

✓ Indicates information that has changed from previously issued version.

Full text of R-phrases : referred to in sections 2 and

: R10- Flammable. R22- Harmful if swallowed.

3 - Europe

R21/22- Harmful in contact with skin and if swallowed.

R36/37/38- Irritating to eyes, respiratory system and skin.

Full text of classifications : Xn - Harmful referred to in sections 2 and

Xi - Irritant

3 - Europe

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all the information required by the CPR.

3/29/2010. 11/11