



FEEL THE SW
DIFFERENCE®

CHEMICAL PROTECTION FOR TECHNICAL ENVIRONMENTS.



PC-95GR

NEOPRENE POWDER-FREE
EXAMINATION GLOVES

**HIGH-PERFORMANCE NEOPRENE GLOVES
PROVIDE SUPERIOR RESISTANCE TO
CHEMICALS, PUNCTURES AND ABRASION**

- Pure neoprene prevents latex allergic reactions
- Textured surface delivers excellent grip
- Ergonomic design for comfort
- Optimal thickness for durability and tactile sensitivity
- Powder-free to prevent contamination
- Tear-resistant beaded cuff eases donning
- Tested for use with chemotherapy drugs
- SHA Dermatologically Approved
- 1.5 AQL for wet and dry environments

PC **PC-95GR**

WEIGHT	LENGTH	THICKNESS	COLOR
7.9g (large size)	9.5"	4.7 mil	GREEN



Latex-free
pure neoprene

Optimal thickness
for durability and
tactile sensitivity

Tear-resistant
beaded cuff for
easy donning



TECHNICAL DATA



PC-95GR NEOPRENE POWDER-FREE EXAMINATION GLOVES


PRODUCT DESCRIPTION

SPECIFICATIONS

PRODUCT	PowerChem®
GRADE	Powder-Free Exam
MATERIAL	Neoprene
THICKNESS FINGER	6.2mil 0.16mm
PALM	4.7mil 0.12mm
CUFF	3.8mil 0.10mm
COLOR	Green
SURFACE	Textured
LENGTH	9.5" 242mm
WEIGHT	7.9g
FIT TYPE	Ambidextrous
CUFF TYPE	Beaded
WATERTIGHT AQL	1.5
ORIGIN COUNTRY	Indonesia

PHYSICAL PROPERTIES

	PRE-AGING	POST-AGING
TENSILE STRENGTH:	18 MPA	18 MPA
ELONGATION:	750%	700%



* Specifications based on size Large glove

STANDARDS & CERTIFICATIONS

EN ISO 21420:2020
EN 455-2000-2015
ASTM D6977-19
ASTM F1671-13
ASTM F739-12
Reach EU 1907/2006
EU 2016/425

CAT III Complex Design
FDA 21 CFR 177.2600



Please visit swsafety.com/symbols for information on standards used on this document.

ORDERING

ITEM NO.	SIZE	PALM WIDTH	PACKAGING
K001401	XS 5½ – 6	3.0" 75mm	100 gloves per box 10 boxes per case
K001402	S 6½ – 7	3.4" 86mm	100 gloves per box 10 boxes per case
K001403	M 7½ – 8	3.8" 97mm	100 gloves per box 10 boxes per case
K001404	L 8½ – 9	4.2" 107mm	100 gloves per box 10 boxes per case
K001405	XL 9½ – 10	4.5" 114mm	100 gloves per box 10 boxes per case

APPLICATIONS

- INDUSTRIAL**
- Janitorial Maintenance
 - Painting
- MEDICAL**
- Chemical Handling
 - Light Chemical Mixing

Keep out of sunlight. Store in a cool, dry place.
Keep away from sources of ozone or ignition.



R_K00140X1121