| = med mira | Rev/Issue | 1/1 | Document ID | LUB01SDS |
|--------------------------|-------------|------|-------------|----------|
| Universal Buffer | Dologood by | (*) | Page | 1 of 4 |
| SDS | Released by | CU | Date | 12/11/15 |

SDS Issue Date: December 11, 2015

Section 1 - Identification

| Product Name | Universal Buffer |
|-------------------------------------|--|
| Recommended Use | Component of MedMira Rapid Tests |
| Restrictions on Use | It is intended for use only by persons having the necessary technical skill and at their own discretion and risk. |
| Manufacturer Contact Information | MedMira Laboratories Inc. 155 Chain Lake Drive, Halifax, NS, Canada, B3S 1B3 Tel: 1 902 450 1588 Fax: 1 902 450 1580 |

Section 2 - Hazard(s) Identification

| Overview | |
|----------------------------------|------|
| Signal Word | None |
| Hazard Statement(s) | None |
| Pictogram(s) | None |
| Precautionary Statement(s) | None |
| Hazards not otherwise classified | None |

| Regulation | Hazard Classification |
|------------|---|
| WHMIS | Controlled chemical ingredients are present at concentrations lower than specified on |
| VVIIVIIO | the Ingredients Disclosure List. |
| GHS | Not classified as a dangerous mixture according to the Globally Harmonized |
| Gno | Standard |
| OSHA | Not classified as hazardous by definition of Hazard Communication Standard (29 |
| USHA | CFR 1910.1200) |

Section 3 - Composition/Information on Ingredients

| Component | CAS No. | Composition |
|---|------------|-------------|
| Ethylenediaminetetraacetic acid (EDTA) | 10378-23-1 | 2.15% |
| Proclin 950 (9.5% 2-Methyl- 2H-isothiazol-3-one solution | 2682-20-4 | 0.05% |
| Igepal CA-630 (Octylphenoxypolyxyethanol) | 9036-19-5 | 0.5% |
| Sodium dodecyl sulfate | 151-21-3 | 0.6% |
| Tris-Hydrochloride | 1185-53-1 | 0.218% |
| Sodium Chloride | 7647-14-5 | 0.342% |
| Tween - 20 | 9005-64-5 | 0.15% |
| Triton X-100 | 9002-93-1 | 0.29% |

| = med mira | Rev/Issue | 1/1 | Document ID | LUB01SDS |
|--------------------------|-------------|--------|-------------|----------|
| Universal Buffer | Dologood by | (*) | Page | 2 of 4 |
| SDS | Released by | sed by | Date | 12/11/15 |

Section 4 - First Aid Measures

| Chemical Contact | Instructions |
|------------------|--|
| Eye Contact | Remove contact lenses, if applicable. Immediately flush contaminated eye(s) for at least 15 minutes with running lukewarm water. Always seek medical |
| | attention for incidents involving eyes. |
| Skin Contact | Immediately flush the skin with lukewarm water for at least 15 minutes. Remove contaminated clothing and wash before reuse. Seek medical attention if irritation persists. |
| Inhalation | Move to fresh air or well-ventilated area. If not breathing, give artificial respiration. If breathing is difficult, give oxygen and seek medical attention. |
| Ingestion | Wash material from mouth with water provided person is conscious. Seek medical attention. |

Section 5 - Fire Fighting Measures

| Suitable Extinguishing Media | Water spray, carbon dioxide, dry chemical powder or appropriate form. |
|---|---|
| Unsuitable Extinguishing Media | No information available |
| Hazards from Combustion | Wear self-contained breathing apparatus and appropriate clothing to |
| Products | prevent contact with skin and eyes. |
| Products of Combustion | Emits toxic fumes under fire conditions. |
| Protective Equipment and Precautions for Firefighters | As in any fire, wear self-contained breathing apparatus pressure- demand, MSHA/NIOSH (approved or equivalent) and full protective gear. |

Section 6 - Accidental Release Measures

| Personal Precautions | Use appropriate personal protective equipment |
|-------------------------------------|---|
| Methods for Containment and Cleanup | Soak up with inert absorbent material and dispose as chemical waste. Observe all federal, state and local environmental regulations. |

Section 7 - Handling and Storage

| Handling | Wear gloves, safety glasses, and laboratory coat when handling Universal Buffer. |
|----------------------------|--|
| Storage | Store at 2 - 30°C. |
| Chemical Incompatibilities | Avoid strong oxidizing agents, strong acids, mercaptans. |

Section 8 - Exposure Controls/Personal Protection

| Engineering Controls | Access to safety shower and eye wash station. General ventilation not required for safe handling. | | | | | |
|---|---|--|----------------------------------|--|--|--|
| Skin Protection | Wear gloves ar | nd laboratory coat. | | | | |
| Eye protection | Wear eye prote | ection. | | | | |
| Exposure Limits | No Data availa | ble | | | | |
| Component | Composition | omposition LD ₅₀ LC ₅₀ | | | | |
| Ethylenediaminetetraacetic acid (EDTA) | 2.15% | 1260 mg/kg (oral, rat) | N/A | | | |
| Proclin 950 (9.5% 2-Methyl-2H-isothiazol-3-one solution | 0.05% | 2834 mg/kg (oral, rat, male) 1091 mg/kg (oral, rat, female) >5000 mg/kg (dermal, rat) | N/A | | | |
| Igepal CA-630 (Octylphenoxypolyxyethanol) | 0.5% | 1800 mg/kg (oral, rat) 8000 mg/kg (dermal, rabbit) | N/A | | | |
| Sodium dodecyl sulfate | 0.6% | 1200 mg/kg (oral, rat) | >3900 mg/m3 (inhalation, rat) | | | |

| 3 med mira | Rev/Issue | 1/1 | Document ID | LUB01SDS |
|--------------------------|-------------|------|-------------|----------|
| Universal Buffer | Released by | (3:0 | Page | 3 of 4 |
| SDS | Released by | (CA) | Date | 12/11/15 |

| Tris-Hydrochloride | 0.218% | >3000 mg/kg (oral, rat) >5000 mg/kg (dermal, rat) | N/A |
|--------------------|--------|---|----------------------------|
| Sodium Chloride | 0.342% | 3000 mg/kg (oral, rat) | 42 mg/m3 (inhalation, rat) |
| Tween - 20 | 0.15% | 40 554 mg/kg | N/A |
| Triton X-100 | 0.29% | 1800 mg/kg (oral, rat) 8000 mg/kg (dermal, rabbit) | N/A |

Section 9 - Physical and Chemical Properties

| Section 3 - Filysical and Chemical | riopeities |
|---|---|
| Appearance | Clear liquid with slight yellowish tint |
| Odor | Slight odour |
| Odor Threshold | Not Applicable |
| pH | 9.70-9.95 |
| Melting Point | Not Applicable |
| Freezing Point | ~ 0°C |
| Boiling Point | ~ 100°C |
| Flash Point | Not Applicable |
| Evaporation Rate | Data not available |
| Flammability | Not Flammable |
| Upper/Lower Flammable Limits | Data not available |
| Vapour Pressure | Data not available |
| Vapour Density | Data not available |
| Relative Density (H ₂ O = 1) | ~ 1.0 |
| Solubility | Soluble in water |
| Coefficient of water: oil distribution | Data not available |
| Auto-Ignition Temperature | Not Applicable |
| Decomposition Temperature | Data not available |
| Viscosity | Data not available |

Section 10 - Stability and Reactivity

| Stability | Stable |
|----------------------------------|---|
| Conditions to avoid | None |
| Hazardous decomposition products | Toxic fumes of: carbon monoxide, carbon dioxide, nitrogen oxides. |
| Hazardous polymerization | Will not occur. |

Section 11 - Toxicological Information

| Section 11 - Toxicologica | illioillatioil |
|--------------------------------------|--|
| Potential Routes of Entry | Ingestion, inhalation, contact with skin and eyes |
| Acute/Chronic Exposure | Causes eye and skin irritation. Material may be irritating to mucous |
| Effects | membranes and upper respiratory tract. |
| Exposure Limits | Data not available |
| Irritancy | Data not available |
| LD ₅₀ /LC ₅₀ | Data not available |
| Carcinogenicity | Data not available |
| Teratogenicity | Data not available |
| Reproductive Effects | Data not available |
| Neurotoxicity | Data not available |
| Mutagenicity | Data not available |
| Toxicologically synergistic products | Data not available |

| = med mira | Rev/Issue | 1/1 | Document ID | LUB01SDS |
|--------------------------|-------------|------------|-------------|----------|
| Universal Buffer | Dologood by | (): () | Page | 4 of 4 |
| SDS | Released by | eleased by | Date | 12/11/15 |

Section 12 - Ecological Information

| Toxicity | Data not available |
|-------------------------------|--------------------|
| Persistence and degradability | Data not available |
| Bioaccumulative potential | Data not available |

Section 13 - Disposal Considerations

| Waste Disposal Methods | Rinse down the drain with copious amounts of water. Observe all |
|------------------------|---|
| Waste Disposal Methods | federal, state and local environmental regulations. |

Section 14 - Transport Information

| Transport Information | Universal Buffer is not hazardous for transport. |
|-----------------------|--|

Section 15 - Regulatory Information

| Regulatory Information | This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the information required by the CPR. |
|------------------------|---|
|------------------------|---|

Section 16 - Other Information

| Preparation Date | December 11, 2015 |
|------------------|---|
| Last Revision | December 3, 2015 |
| Prepared by | Quality Unit, MedMira Laboratories Inc. |
| Contact Person | support@medmira.com or 1 877 MEDMIRA |

The statements contained herein are offered for informational purposes only and are based upon technical data that MedMira Laboratories Inc. believes to be accurate. Since conditions and manner of use are outside our control, we make no WARRANTY, EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS OR OTHERWISE.

| 3 med mira | Rev/Issue | 1/1 | Document ID | CG02SDS |
|--------------------------|-------------|------|-------------|---------|
| InstantGold Cap | Pologged by | HA | Page | 1 of 3 |
| SDS | Released by | Date | 12/11/15 | |

SDS Issue Date: December 11, 2015

Section 1 - Identification

| Product Name | InstantGold Cap | |
|-------------------------------------|--|--|
| Recommended Use | Component of MedMira Rapid Tests | |
| Restrictions on Use | It is intended for use only by persons having the necessary technical skill and at their own discretion and risk. | |
| Manufacturer Contact Information | MedMira Laboratories Inc. 155 Chain Lake Drive, Halifax, NS, Canada, B3S 1B3 Tel: 1 902 450 1588 Fax: 1 902 450 1580 | |

Section 2 - Hazards Identification

| Overview | | |
|----------------------------------|------|--|
| Signal Word | None | |
| Hazard Statement(s) | None | |
| Pictogram(s) | None | |
| Precautionary Statement(s) | None | |
| Hazards not otherwise classified | None | |

| Regulation | Hazard Classification |
|------------|--|
| WHMIS | Controlled chemical ingredients are present at concentrations lower than specified on |
| VVIIVIIO | the Ingredients Disclosure List. |
| GHS | Not classified as a dangerous mixture according to Globally Harmonized Standard. |
| OSHA | Not classified as hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200). |

Section 3 - Composition/Information on Ingredients

| Component | CAS No. | Composition |
|------------------------------------|-----------|-------------|
| Polypropylene | 9003-07-0 | ~ 95% |
| Glass Fiber Filter Paper | N/A | ~ 5% |
| Colloid Gold conjugated to protein | N/A | < 1% |

Section 4 - First Aid Measures

| Chemical Contact | Instructions |
|--|--|
| Eye Contact Eye C | |
| Skin Contact | Immediately flush the skin with lukewarm water for at least 15 minutes. Remove contaminated clothing and wash before use. Seek medical attention if irritation persists. |
| Inhalation | Move to fresh air or well-ventilated area. Seek medical attention if irritation or laboured breathing is observed. |
| Ingestion | Wash out mouth with water provided person is conscious. Seek medical attention. |

| ≅ med mira | Rev/Issue | 1/1 | Document ID | CG02SDS |
|--------------------------|-------------|-------------|-------------|----------|
| InstantGold Cap | Pologood by | HA | Page | 2 of 3 |
| SDS | Released by | Released by | Date | 12/11/15 |

Section 5 - Fire Fighting Measures

| Suitable Extinguishing Media | Use dry chemical, sand, earth, regular foam or water to extinguish fire. |
|--|--|
| Unsuitable Extinguishing Media | No information available |
| Hazards from Combustion Products | Avoid inhalation of the material or combustion by-products. |
| Products of Combustion | Not Available |
| Fire/Explosion Hazards in Presence of Various Substances | Not Applicable |
| Special Remarks on Fire/Explosion Hazards | Not available |

Section 6 - Accidental Release Measures

| Personal Precautions | Use appropriate personal protective equipment |
|--------------------------------------|---|
| Methods for Containment and Clean Up | If unused, collect InstantGold Caps using appropriate personal protective equipment. If used, collect according to biohazardous waste procedures. |

Section 7 - Handling and Storage

| Handling | Wear gloves, eye protection and laboratory coat when handling InstantGold Caps. | |
|-------------------|---|--|
| Storage | Store at 2 - 30°C. Keep dry and out of direct sunlight. | |
| Chemical | Ammonia and ammonia salts. Chlorine and strong oxidants attack polypropylene | |
| Incompatibilities | made products. | |

Section 8 - Exposure Controls/Personal Protection

| Engineering Controls | Access to safety shower and eye wash station. Ventilation not required for safe handling. | |
|-------------------------------------|---|--|
| Skin Protection | Wear protective gloves and laboratory coat. | |
| Eye protection | Wear appropriate eye protection. | |
| Exposure Limits | No Data available | |
| LD ₅₀ , LC ₅₀ | Not available | |

Section 9 - Physical and Chemical Properties

| Appearance | Solid plastic cap housing rose pink coloured filter. |
|--|--|
| Odor | Odorless |
| Odour Threshold | Not Applicable |
| pН | Not Applicable |
| Melting Point | Data not available |
| Freezing Point | Not Applicable |
| Boiling Point | Not Applicable |
| Flash Point | Not Applicable |
| Evaporation Rate | Not Available |
| Flammability | May be flammable |
| Upper/Lower Flammable Limits | Not Available |
| Vapour Pressure | Not Applicable |
| Vapour Density | Not Applicable |
| Relative Density | Not Applicable |
| Solubility | Filter paper contains dried solutes that are soluble in water. |
| Solubility | Plastic casing is soluble in hot chlorinated organic solvents. |
| Coefficient of water: oil distribution | Not Applicable |
| Auto-Ignition Temperature | Not Applicable |
| Decomposition Temperature | Data not available |
| Viscosity | Data not available |

| ≅ med mira | Rev/Issue | 1/1 | Document ID | CG02SDS |
|--------------------------|-------------|------|-------------|---------|
| InstantGold Cap | Pologged by | HA | Page | 3 of 3 |
| SDS | Released by | Date | 12/11/15 | |

Section 10 - Stability and Reactivity

| Stability | Stable |
|----------------------------------|---------------------------------|
| Conditions to avoid | High heat. High humidity. |
| Hazardous decomposition products | Chlorine and Hydrochloric acid. |
| Hazardous polymerization | Not applicable. |

Section 11 - Toxicological Information

| Potential Routes of Entry | Ingestion, inhalation, contact with skin and eyes. | |
|--------------------------------------|--|--|
| Acute/Chronic Exposure Effects | Data not available. | |
| Exposure Limits | Data not available | |
| Irritancy | Data not available | |
| LD ₅₀ /LC ₅₀ | Data not available | |
| Carcinogenicity | Data not available | |
| Teratogenicity | Data not available | |
| Reproductive Effects | Data not available | |
| Neurotoxicity | Data not available | |
| Mutagenicity | Data not available | |
| Toxicologically synergistic products | Data not available | |

Section 12 - Ecological Information

|--|

Section 13 - Disposal Considerations

Section 14 - Transport Information

| | Transport Information | InstantGold Caps are not hazardous for transport. | ì |
|--|-----------------------|---|---|
|--|-----------------------|---|---|

Section 15 - Regulatory Information

| | This product has been classified according to the hazard criteria of the CPR |
|--|--|
| | and the SDS contains all of the information required by the CPR. |

Section 16 - Other Information

| Preparation Date | December 11, 2015 |
|---|--------------------------------------|
| Last Revision | December 3, 2015 |
| Prepared by Quality Unit, MedMira Laboratories Inc. | |
| Contact Person | support@medmira.com or 1 877 MEDMIRA |

The statements contained herein are offered for informational purposes only and are based upon technical data that MedMira Laboratories Inc. believes to be accurate. Since conditions and manner of use are outside our control, we make no WARRANTY, EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS OR OTHERWISE.

| = med mira | Rev/Issue | 1/1 | Document ID | TT01SDS |
|--------------------------|-------------|------|-------------|----------|
| Test Cartridge | Released by | 13:0 | Page | 1 of 3 |
| SDS | Released by | CC | Date | 12/11/15 |

SDS Issue Date: December 11, 2015

Section 1 - Identification

| Product Name | Test Cartridge | |
|--|--|--|
| Recommended Use Component of MedMira Rapid Tests | | |
| Restrictions on Use | Intended for use only by persons having the necessary technical skill and at their own discretion and risk. | |
| Manufacturer Contact Information | MedMira Laboratories Inc. 155 Chain Lake Drive, Halifax, NS, Canada, B3S 1B3 Tel: 1 902 450 1588 Fax: 1 902 450 1580 | |

Section 2 - Hazard Identification

| Overview | |
|----------------------------------|------|
| Signal Word | None |
| Hazard Statement(s) | None |
| Pictogram(s) | None |
| Precautionary Statement(s) | None |
| Hazards not otherwise classified | None |

| Regulation | Hazard Classification |
|------------|---|
| WHMIS | Controlled chemical ingredients are present at concentrations lower than specified on |
| | the Ingredients Disclosure List. |
| GHS | Not classified as a dangerous mixture according to the Globally Harmonized Standard |
| OSHA | Not classified as hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200) |

Section 3 - Composition/Information on Ingredients

| Component | CAS No. | Composition |
|----------------|-----------|-------------|
| Polystyrene | 9003-53-6 | <70% |
| Nitrocellulose | 9004-70-0 | <30% |

Section 4 - First Aid Measures

| Chemical Contact | Instructions | |
|------------------|--|--|
| Eye Contact | Remove contact lenses, if applicable. Flush contaminated eye(s) for at least 15 minutes with running lukewarm water. Always seek medical attention for incidents involving eyes. | |
| Skin Contact | Immediately flush the skin with lukewarm water for at least 15 minutes. Remove contaminated clothing and wash before reuse. Seek medical attention if irritation persists. | |
| Inhalation | N/A | |
| Ingestion | Wash material from mouth with water provided person is conscious. Seek medical attention. | |

| 3 med mira | Rev/Issue | 1/1 | Document ID | TT01SDS |
|--------------------------|-------------|-----|-------------|----------|
| Test Cartridge SDS | Pologod by | SE | Page | 2 of 3 |
| | Released by | | Date | 12/11/15 |

Section 5 - Fire Fighting Measures

| Suitable Extinguishing Media | Use dry chemical, sand, earth, regular foam extinguisher, or water to extinguish fire. |
|---|---|
| Unsuitable Extinguishing Media | No information available |
| Hazards from Combustion Products | Avoid inhalation of the material or combustion by-products. |
| Products of Combustion | Not Available |
| Protective Equipment and Precautions for Firefighters | As in any fire, wear self-contained breathing apparatus pressure- demand, MSHA/NIOSH (approved or equivalent) and full protective gear. |
| Special Remarks on Fire/Explosion Hazards | Not available |

Section 6 - Accidental Release Measures

| Personal Precautions | Use appropriate personal protective equipment |
|---|--|
| Methods for Containment and Clean Up | If unused, collect test cartridges using appropriate personal protective equipment. If used, collect according to biohazardous waste procedures. |

Section 7 - Handling and Storage

| Handling | Wear gloves, eye protection and laboratory coat when handling test cartridges. |
|----------------------------|--|
| Storage | Store at 2 - 30°C. Keep dry and out of direct sunlight. |
| Chemical Incompatibilities | Not Applicable |

Section 8 - Exposure Controls/Personal Protection

| Engineering Controls | Access to safety shower and eye wash station. MedMira recommends that the test cartridge be used in a biological safety cabinet due to the use of blood products. Ventilation not required for safe handling |
|-------------------------------------|--|
| Skin Protection | Wear protective gloves and laboratory coat. |
| Eye protection | Wear appropriate eye protection. |
| Exposure Limits | No Data available |
| LD ₅₀ , LC ₅₀ | Not available |

Section 9 - Physical and Chemical Properties

| = med mira | Rev/Issue | 1/1 | Document ID | TT01SDS |
|----------------------------|-------------|--------|-------------|---------|
| Test Cartridge Released by | Delegged by | (): () | Page | 3 of 3 |
| | 6 00 | Date | 12/11/15 | |

Section 10 - Stability and Reactivity

| Stability | Stable under proper storage conditions |
|----------------------------------|--|
| Conditions to avoid | High heat. High humidity. Sources of ignition. |
| Hazardous decomposition products | Data not available |
| Hazardous polymerization | Data not available |

Section 11 - Toxicological Information

| Potential Routes of Entry | Contact of membrane with skin and eyes. |
|--------------------------------------|---|
| Acute/Chronic Exposure Effects | Data not available |
| Exposure Limits | Data not available |
| Irritancy | Data not available |
| LD ₅₀ /LC ₅₀ | Data not available |
| Carcinogenicity | Data not available |
| Teratogenicity | Data not available |
| Reproductive Effects | Data not available |
| Neurotoxicity | Data not available |
| Mutagenicity | Data not available |
| Toxicologically synergistic products | Data not available |

Section 12 - Ecological Information

|--|

Section 13 - Disposal Considerations

| Waste Disposal Methods | Follow all federal, state and local regulations for disposal. MedMira recommends that the test cartridge be autoclaved and/or incinerated after |
|---------------------------|---|
| | contact with blood products. |

Section 14 - Transport Information

| Transport Information | Test cartridges are not hazardous for transport. | ì |
|-----------------------|--|---|
|-----------------------|--|---|

Section 15 - Regulatory Information

| Regulatory Information | This product has been classified according to the hazard criteria of the CPR |
|------------------------|--|
| | and the SDS contains all of the information required by the CPR. |

Section 16 - Other Information

| Preparation Date | December 11, 2015 |
|------------------|---|
| Last Revision | December 3, 2015 |
| Prepared by | Quality Unit, MedMira Laboratories Inc. |
| Contact Person | support@medmira.com or 1 877 MEDMIRA |

The statements contained herein are offered for informational purposes only and are based upon technical data that MedMira Laboratories Inc. believes to be accurate. Since conditions and manner of use are outside our control, we make no WARRANTY, EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS OR OTHERWISE.