



SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Date of issue: 04/29/2014

Version 1.0

SECTION 1. Identification

Product identifier

Product number	BI0349
Product name	Capping Reagent B 2,6-Lutidine/Acetonitrile 60/40 (v/v) For DNA Synthesis Novabiochem®

Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Reagent for analysis
-----------------	----------------------

Details of the supplier of the safety data sheet

Company	EMD Millipore Corporation 290 Concord Road, Billerica, MA 01821, United States of America General Inquiries: +1-978-715-4321 Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5)
---------	--

Emergency telephone	800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week
---------------------	--

SECTION 2. Hazards identification

GHS Classification

Flammable liquid, Category 2, H225
Acute toxicity, Category 4, Oral, H302
Skin irritation, Category 2, H315
Eye irritation, Category 2, H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

GHS-Labeling

Hazard pictograms



Signal Word
Danger

Hazard Statements

H225 Highly flammable liquid and vapor.
H302 Harmful if swallowed.

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	BI0349	Version 1.0
Product name	Capping Reagent B 2,6-Lutidine/Acetonitrile 60/40 (v/v) For DNA Synthesis Novabiochem®	

H315 Causes skin irritation.
H319 Causes serious eye irritation.

Precautionary Statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P403 + P235 Store in a well-ventilated place. Keep cool.

OSHA Hazards

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). This information is based on 29 CFR 1910.1200 criteria prior to adoption of the GHS and may deviate from the GHS information.

Other hazards

None known.

SECTION 3. Composition/information on ingredients

Chemical nature Mixture of organic compounds

Hazardous ingredients

Chemical Name (Concentration)

CAS-No.

2,6-Dimethylpyridine ($\geq 50\%$ - $< 70\%$)

108-48-5

Exact percentages are being withheld as a trade secret.

acetonitrile ($\geq 30\%$ - $< 50\%$)

75-05-8

Exact percentages are being withheld as a trade secret.

SECTION 4. First aid measures

Description of first-aid measures

Inhalation

After inhalation: fresh air. If breathing stops: mouth-to-mouth breathing or artificial respiration. Oxygen if necessary. Immediately call in physician.

Skin contact

After skin contact: wash off with plenty of water. Remove contaminated clothing. Consult a physician.

Eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist.

Ingestion

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	BI0349	Version 1.0
Product name	Capping Reagent B 2,6-Lutidine/Acetonitrile 60/40 (v/v) For DNA Synthesis Novabiochem®	

irritant effects, Shortness of breath, respiratory arrest, gastric pain, Drowsiness, Dizziness, Unconsciousness, Diarrhea, Nausea, Vomiting, Headache, Convulsions, drowsiness, cardiac arrest

The following applies to cyanogen compounds/ nitriles in general: utmost caution! Release of hydrocyanic acid is possible - blockade of cellular respiration. Cardiovascular disorders, dyspnoea, unconsciousness.

Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Foam, Carbon dioxide (CO₂), Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air at ambient temperatures.

Pay attention to flashback.

Development of hazardous combustion gases or vapors possible in the event of fire.

Fire may cause evolution of:

nitrogen oxides

Advice for firefighters

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact.

Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

Environmental precautions

Do not let product enter drains. Risk of explosion.

Methods and materials for containment and cleaning up

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number BI0349 Version 1. 0
Product name Capping Reagent B 2,6-Lutidine/Acetonitrile
60/40 (v/v) For DNA Synthesis
Novabiochem®

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area. Do not inhale vapors.

SECTION 7. Handling and storage

Precautions for safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapors/aerosols.

Observe label precautions.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Store at room temperature.

SECTION 8. Exposure controls/personal protection

Exposure limit(s)

Ingredients

Basis	Value	Threshold limits	Remarks
<i>acetonitrile 75-05-8</i>			
ACGIH	Time Weighted Average (TWA): Skin designation:	20 ppm	Can be absorbed through the skin.
NIOSH/GUIDE	Recommended exposure limit (REL):	20 ppm 34 mg/m ³	
OSHA_TRANS	PEL:	40 ppm 70 mg/m ³	
Z1A	Time Weighted Average (TWA): Short Term Exposure Limit (STEL):	40 ppm 70 mg/m ³ 60 ppm 105 mg/m ³	

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	BI0349	Version 1.0
Product name	Capping Reagent B 2,6-Lutidine/Acetonitrile 60/40 (v/v) For DNA Synthesis Novabiochem®	

Hygiene measures

Immediately change contaminated clothing. Apply skin- protective barrier cream. Wash hands and face after working with substance.

Eye/face protection

Safety glasses

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Other protective equipment:

Flame retardant antistatic protective clothing

Respiratory protection

required when vapors/aerosols are generated.

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

SECTION 9. Physical and chemical properties

Physical state	liquid
Color	clear
Odor	unpleasant
Odor Threshold	No information available.
pH	No information available.
Melting point	No information available.
Boiling point	No information available.
Flash point	50.0 °F (10.0 °C) Method: c.c.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Vapor pressure	No information available.
Relative vapor density	No information available.

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	BI0349	Version 1.0
Product name	Capping Reagent B 2,6-Lutidine/Acetonitrile 60/40 (v/v) For DNA Synthesis Novabiochem®	

Density	0.87 g/cm ³ at 68 °F (20 °C)
Relative density	No information available.
Water solubility	No information available.
Partition coefficient: n-octanol/water	No information available.
Autoignition temperature	No information available.
Decomposition temperature	No information available.
Viscosity, dynamic	No information available.
Explosive properties	Not classified as explosive.
Oxidizing properties	none

SECTION 10. Stability and reactivity

Reactivity

Vapors may form explosive mixture with air.

Chemical stability

sensitive to moisture

Possibility of hazardous reactions

Caution! In contact with nitrites, nitrates, nitrous acid possible liberation of nitosamines!

Violent reactions possible with:

Oxidizing agents, perchlorates, perchloric acid, Nitric acid, fuming sulfuric acid, conc. sulfuric acid, Acids, Acid anhydrides, Acid chlorides

Conditions to avoid

Warming.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

Incompatible materials

various plastics, rubber

Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

Information on toxicological effects

Likely route of exposure

Eye contact, Skin contact

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number BI0349 Version 1. 0
Product name Capping Reagent B 2,6-Lutidine/Acetonitrile
60/40 (v/v) For DNA Synthesis
Novabiochem®

Target Organs

Respiratory system
cardiovascular system
Central nervous system
Liver
Kidneys

Acute oral toxicity

Acute toxicity estimate: 431.03 mg/kg
Calculation method

absorption

Symptoms: Nausea, Vomiting, Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

Acute inhalation toxicity

Acute toxicity estimate: 30.56 mg/l
Calculation method

absorption

Symptoms: Possible damages:, mucosal irritations

Acute dermal toxicity

Acute toxicity estimate : 3,056 mg/kg
Calculation method

absorption

Skin irritation

Mixture causes skin irritation.

Eye irritation

Mixture causes serious eye irritation.

Specific target organ systemic toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ systemic toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Regarding the available data the classification criteria are not fulfilled.

Carcinogenicity

IARC	No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
NTP	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	BI0349	Version 1. 0
Product name	Capping Reagent B 2,6-Lutidine/Acetonitrile 60/40 (v/v) For DNA Synthesis Novabiochem®	

ACGIH by NTP.
No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

Further information

After absorption:

Shortness of breath, Dizziness, Headache, Diarrhea, gastric pain, Convulsions, Drowsiness, drowsiness, Unconsciousness, respiratory arrest, cardiac arrest, Lung edema, Symptoms may be delayed.

The following applies to cyanogen compounds/ nitriles in general: utmost caution! Release of hydrocyanic acid is possible - blockade of cellular respiration. Cardiovascular disorders, dyspnoea, unconsciousness.

Under given conditions, contact with nitrites or nitric acid can lead to the formation of nitrosamines, which have shown themselves to be carcinogenic in animal experiments.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Ingredients

2,6-Dimethylpyridine

Acute oral toxicity

LD50 rat: 400 mg/kg (RTECS)

Acute inhalation toxicity

LCLO rat: 33.42 mg/l; 1 h (RTECS)

Acute dermal toxicity

LD50 rabbit: > 1,000 mg/kg (External MSDS)

acetonitrile

Acute oral toxicity

LD50 mouse: 617 mg/kg

OECD Test Guideline 401

Acute inhalation toxicity

LC50 mouse: 6.022 mg/l; 4 h ; vapor

OECD Test Guideline 403

Acute dermal toxicity

LD50 rabbit: > 2,000 mg/kg

OECD Test Guideline 402 (Regulation (EC) No 1272/2008, Annex VI)

Skin irritation

rabbit

Result: No skin irritation

OECD Test Guideline 404

Eye irritation

rabbit

Result: Eye irritation

OECD Test Guideline 405

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number

BI0349

Version 1.0

Product name

Capping Reagent B 2,6-Lutidine/Acetonitrile
60/40 (v/v) For DNA Synthesis
Novabiochem®

Sensitization

Buehler Test guinea pig

Result: negative

Method: OECD Test Guideline 406

Repeated dose toxicity

rat

male and female

Inhalation

vapor

91 d

NOAEL: 0.681 mg/l

(External MSDS)

Germ cell mutagenicity

Genotoxicity in vivo

In vivo micronucleus test

mouse

Result: negative

Method: OECD Test Guideline 474

Genotoxicity in vitro

Ames test

Salmonella typhimurium

Result: negative

(External MSDS)

Mutagenicity (mammal cell test):

MOUSE LYMPHOMA TEST

Result: negative

Method: OECD Test Guideline 476

SECTION 12. Ecological information

Ecotoxicity

No information available.

Persistence and degradability

No information available.

Bioaccumulative potential

No information available.

Mobility in soil

No information available.

Ingredients

2,6-Dimethylpyridine

Toxicity to daphnia and other aquatic invertebrates

EC50 Tetrahymen pyriformis: 694 mg/l; 72 h (ECOTOX Database)

Toxicity to bacteria

microtox test EC50 Photobacterium phosphoreum: 117 mg/l; 30 min (Lit.)

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number

BI0349

Version 1.0

Product name

Capping Reagent B 2,6-Lutidine/Acetonitrile
60/40 (v/v) For DNA Synthesis
Novabiochem®

acetonitrile

Toxicity to fish

semi-static test LC50 *Oryzias latipes* (Orange-red killifish): > 100 mg/l; 96 h
OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates

semi-static test EC50 *Daphnia magna* (Water flea): > 1,000 mg/l; 48 h
OECD Test Guideline 202

semi-static test NOEC *Daphnia magna* (Water flea): 960 mg/l; 21 d
OECD Test Guideline 202

Toxicity to algae

static test EC50 *Pseudokirchneriella subcapitata* (green algae): > 1,000 mg/l; 72 h
OECD Test Guideline 201

static test NOEC *Pseudokirchneriella subcapitata* (green algae): > 1,000 mg/l; 72 h
OECD Test Guideline 201

IC5 *Scenedesmus quadricauda* (Green algae): 7,300 mg/l; 8 d (IUCLID) (maximum permissible toxic concentration)

Toxicity to bacteria

EC5 *Pseudomonas putida*: 680 mg/l; 16 h (IUCLID) (maximum permissible toxic concentration)

Biodegradability

70 %; 21 d
OECD Test Guideline 302B
Readily biodegradable.

Bioaccumulation

Bioconcentration factor (BCF): 0.3
Lepomis macrochirus (Bluegill sunfish) (Does not significantly accumulate in organisms.)

Distribution among environmental compartments

Adsorption/Soil
log K_{oc}: 1.21
Mobile in soils (Lit.)

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

Stability in water

DT50
> 9,999 d
at pH: 7
(calculated) Hydrolyzes slowly.

SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	BI0349	Version 1.0
Product name	Capping Reagent B 2,6-Lutidine/Acetonitrile 60/40 (v/v) For DNA Synthesis Novabiochem®	

SECTION 14. Transport information

Land transport (DOT)

UN number	UN 1993
Proper shipping name	FLAMMABLE LIQUID, N.O.S.
Class	3
Packing group	II
Environmentally hazardous	--

Air transport (IATA)

UN number	UN 1993
Proper shipping name	FLAMMABLE LIQUID, N.O.S. (CONT. ACETONITRILE, DIMETHYLPYRIDINE)
Class	3
Packing group	II
Environmentally hazardous	--
Special precautions for user	no

Sea transport (IMDG)

UN number	UN 1993
Proper shipping name	FLAMMABLE LIQUID, N.O.S. (CONT. ACETONITRILE, DIMETHYLPYRIDINE)
Class	3
Packing group	II
Environmentally hazardous	--
Special precautions for user	yes
EmS	F-E S-E

SECTION 15. Regulatory information

United States of America

OSHA Hazards

Flammable Liquid
Target organ effects
Toxic by ingestion
Harmful by skin absorption.
Skin irritant
Eye irritant

This information is based on 29 CFR 1910.1200 criteria prior to adoption of the GHS, and may deviate from the GHS information on the label and in section 2.

SARA 311/312 Hazards

Fire Hazard
Acute Health Hazard
Chronic Health Hazard

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number BI0349 Version 1.0
Product name Capping Reagent B 2,6-Lutidine/Acetonitrile
60/40 (v/v) For DNA Synthesis
Novabiochem®

SARA 313

The following components are subject to reporting levels established by SARA Title III, Section 313:

Ingredients

acetonitrile	75-05-8	36 %
--------------	---------	------

SARA 302

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

DEA List I

Not listed

DEA List II

Not listed

US State Regulations

Massachusetts Right To Know

Ingredients

acetonitrile

Pennsylvania Right To Know

Ingredients

2,6-Dimethylpyridine
acetonitrile

New Jersey Right To Know

Ingredients

2,6-Dimethylpyridine
acetonitrile

California Prop 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

Notification status

TSCA: All components of the product are listed in the TSCA-inventory.

DSL: All components of this product are on the Canadian DSL.

SECTION 16. Other information

Training advice

Provide adequate information, instruction and training for operators.

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	BI0349	Version 1.0
Product name	Capping Reagent B 2,6-Lutidine/Acetonitrile 60/40 (v/v) For DNA Synthesis Novabiochem®	

Full text of H-Statements referred to under sections 2 and 3.

H225	Highly flammable liquid and vapor.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Date of issue: 04/29/2014

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.