Rabbit Polyclonal Antibody to Human Factor VIII Related Antigen

Catalog No.: **PDR 014**

Intended Use: This product is intended for qualitative immunohistochemistry

> with normal and neoplastic formalin-fixed, paraffin-embedded tissue sections, to be viewed by light microscopy. Clinical interpretation of staining results should be accompanied by histological studies with proper controls. Patients' clinical histories and other relevant diagnostic tests should be utilized by a qualified person(s) when evaluating and interpreting results.

Factor VIII related antigen isolated from human plasma. Immunogen:

Host: Rabbit

Format: This antibody has been pretitered and quality controlled to work

on formalin-fixed paraffin-embedded and acetone fixed cryostat

tissue sections. No further titration is required.

Staining Protocol: We suggest an incubation period of 30 minutes at room

> temperature and the use of our PolyVue Polymer dectection system. Optimal incubation conditions should be determined by the user based upon the fixation conditions and staining system employed. Suitable for formalin fixed, paraffin embedded tissue sections. Although not required, proteolytic treatment may

enhance the immunostaining in overfixed tissues.

Specificity: This antibody reacts with human factor VIII related antigen. It

> stains endothelial cells and megakaryocytes in various human tissues. This antibody does not cross-react with any other cell

types.

Positive Control: Tonsil

Cellular Localization: Cytoplasmic

Storage: Store at 2-8°C. Do not use beyond the expiration date stated on

the label.

References: i) Bukh et al. Thromb Res 43: 579, 1986.

ii) Cejka et al. Clin Chem 28: 1356, 1982.

iii) Sehested et al. Virchows Arch (Pathol Anat) 391: 217, 1981.

IVD: For In Vitro Diagnostic Use

DBS will not be held responsible for patent infringement or other violation that may occur with the use of our product



Website: www.dbiosys.com e-mail: customersupport@dbiosys.com