



# Dynamic Duo

Dual hoppers. Singular solution.

**EpreDia SlideMate™ Pro Dual-Hopper Slide Printer**



# SlideMate Pro On-Demand Slide Printer

Introducing the **SlideMate Pro thermal transfer microscope slide printer from EpreDia**, a smart solution with flexible configuration options to match your laboratory's needs. The latest addition to the EpreDia slide printer family, SlideMate Pro features the same quality and reliability that users have experienced with the SlideMate AS On-Demand Slide Printer over the years.

Avoid the annoyance and wasted time caused by constantly loading and unloading your laboratory's slide printer to switch between multiple slide types. The SlideMate Pro printer features a dual-hopper loading system with intelligent slide selection. Load adhesion slides in one hopper, non-adhesion slides in the other – the printer can be programmed to automatically read the requested slide type from the incoming print image and pull from the appropriate hopper.

Have a need for one-off or specialty slides? SlideMate Pro has a manual load option for a 3rd slide type, in addition to the two automated hoppers. Simply load them through the manual feed as required – no need to remove the hoppers.

Want to maximize throughput? Load matching slides in both hoppers and enjoy the benefits of quick printing times.

Setup is simple. The new SlideMate Pro software uses a Windows® based driver that easily connects to other computers and laboratory information systems. SlideMate Pro enables optional sample-tracking solutions including user log-in or scan-in information; time, date stamp or user initials printed on each slide; and timeout settings.



## How Does It Work?

Barcoded cassettes directly from the embedding center are scanned to automatically import the patient data to the slide label, or entered manually on the touchscreen. The intelligent software will choose a slide from the appropriate hopper and print identifying information onto the slide tab. Finally, printed slides are dispensed via the slide chute and are ready to pick up on the way to the waterbath.



## Lean Workflow

With its small footprint, the SlideMate Pro dual-hopper slide printer fits directly next to your microtome, allowing you to scan labeled patient blocks and mount tissue sections directly onto the slide after printing.

## Intuitive Identification

Slide printing at the microtome enables increased accuracy as patient identification is maintained through the workflow. The Intelligent Slide Selection System can automatically select the appropriate slide type based on the incoming image or text file.

## Efficiency

Batch printing of patient slides can not only lead to increased patient identification error, but can use up more labor and resources. The SlideMate Pro is designed to print on-demand to eliminate these issues in your lab.

## Connectivity

SlideMate Pro has the option of being connected to other computers as well as LIS or LIMS in conjunction with the internal Windows® driver for a formatted label image. Printer may also be used as a Zebra® label printer replacement. SlideMate Pro may be used for barcoding slides within the workflow which allows for additional applications of EpreDia branded automated archiving and digital pathology instruments. Please contact an EpreDia representative about how SlideMate Pro can best meet your workflow needs.

Dual slide hoppers allow for quicker and easier on-demand printing of slides. Slides can automatically feed from both hoppers. Visit [www.epredia.com](http://www.epredia.com) to learn more about our SlideMate AS on-demand slide printer that features one hopper.



Ordering Information	Epredia Ref	VWR Catalog
SlideMate Pro Printer	A83900015	<b>76397-806</b>
Spare Hopper for SlideMate Pro	A83910011	<b>76397-808</b>
Thermal transfer ribbon	A83910001	<b>10754-532</b>

Product Specifications	
Dimensions (DxWXH)	332 x 160 x 408 mm 13.1 x 6.3 x 16.1 in
Weight (without power supply)	7.1 kg, 15.7 lb
Power requirements	Universal 100-240 VAC 50-60 Hz, 1.2A Max.
Slide type	25 x 75 x 1 mm, 1 x 3 in
Print speed	4-5 seconds per slide
Media type	Thermal transfer ribbon
Media capacity	1 roll, approximately 12,000 slides per roll
Media color	Black
Print resolution	300 dpi
Connectivity	Ethernet, USB-A (2), USB-B (1)



## SlideMate slides and SlideMate Plus adhesion slides from Epredia

Experience crisp, clean printing with SlideMate™ microscope slides from Epredia, designed for the SlideMate Pro and SlideMate AS slide printers\*. SlideMate slides can help reduce identification issues common to handwritten labels when paired with the SlideMate Pro and SlideMate AS slide printers.

SlideMate Microscope Slide	Epredia Ref	VWR Catalog
----------------------------	-------------	-------------

- White tab, 25 x 75 x 1 mm, ground edges, 90° corners
- 72 slides/pack, 20 packs/case

TT-4041I-8217-001

**76406-500**

SlideMate Plus Adhesion Microscope Slide	Epredia Ref	VWR Catalog
--	-------------	-------------

- White tab, 25 x 75 x 1 mm, ground edges, 90° corners
- 72 slides/pack, 20 packs/case

TT-4041I-PS-8218-1

**76406-502**

\*The heat setting for SlideMate printers when used in conjunction with SlideMate slides may need to be lowered. Each SlideMate printer should be optimized individually.

© 2020 Epredia Group. All rights reserved. All trademarks are the property of Epredia and its subsidiaries unless otherwise specified. Windows® is a registered trademark of Microsoft®. Zebra® is a registered trademark of Zebra Technologies®. These products are not available in all regions. Please reach out to your local sales representative for more information. **M41059 R112020**



Prices, product, and/or services details are current when published and subject to change without notice. | Certain products or services may be limited by federal, state, provincial, or local regulations. | VWR, part of Avantor, makes no claims or warranties concerning sustainable/green products. Any claims concerning sustainable/green products are the sole claims of the manufacturer and not those of VWR International, LLC and/or Avantor, Inc. or affiliates. All prices are in US dollars unless otherwise noted. Offers valid in US, void where prohibited by law or company policy, while supplies last. | Trademarks are owned by Avantor, Inc. or its affiliates, unless otherwise noted. | Visit [vwr.com](http://vwr.com) to view our privacy policy, trademark owners, and additional disclaimers. © 2022 Avantor, Inc. All rights reserved.