

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Revision Date 08/23/2013 Version 1.1

### **SECTION 1.Identification**

#### Product identifier

Product number 807529

Product name 1-Propanethiol for synthesis

# Relevant identified uses of the substance or mixture and uses advised against

Identified uses Chemical for synthesis

## Details of the supplier of the safety data sheet

Company EMD Millipore Corporation | 290 Concord Road, Billerica, MA 01821,

United States of America | SDS Phone Support: +1-978-715-1335 | General Inquiries: +1-978-715-4321 | Monday to Friday, 9:00 AM to

4:00 PM Eastern Time (GMT-5)

Emergency telephone 800-424-9300 CHEMTREC (USA)

+1-703-527-3887 CHEMTREC (International)

24 Hours/day; 7 Days/week

### SECTION 2. Hazards identification

## **GHS Classification**

Flammable liquid, Category 2, H225 Acute toxicity, Category 4, Oral, H302

Eye irritation, Category 2, H319

Acute aquatic toxicity, Category 1, H400

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **GHS-Labeling**

## Hazard pictograms







Signal Word
Danger

Hazard Statements

H225 Highly flammable liquid and vapor.

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 807529 Version 1.1

Product name 1-Propanethiol for synthesis

#### Precautionary Statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P260 Do not breathe vapors.

P273 Avoid release to the environment.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P403 + P235 Store in a well-ventilated place. Keep cool.

#### **OSHA Hazards**

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

### Other hazards

None known.

## SECTION 3. Composition/information on ingredients

Formula  $CH_3CH_2CH_2SH$   $C_3H_8S$  (Hill)

CAS-No. 107-03-9 Molar mass 76.16 g/mol

## Hazardous ingredients

Chemical Name (Concentration)

CAS-No.

propane-1-thiol (>= 90 % - <= 100 % )

107-03-9

### **SECTION 4. First aid measures**

# Description of first-aid measures

Inhalation

After inhalation: fresh air. Consult doctor if feeling unwell.

Skin contact

After skin contact: wash off with plenty of water. Remove contaminated clothing.

Eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist.

Ingestion

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

Never give anything by mouth to an unconscious person.

### Most important symptoms and effects, both acute and delayed

respiratory paralysis, Drowsiness, Convulsions, muscular weakness, drowziness, Coma

### Indication of any immediate medical attention and special treatment needed

No information available.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 807529 Version 1.1

Product name 1-Propanethiol for synthesis

### SECTION 5. Fire-fighting measures

## Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2), Foam, Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

## Special hazards arising from the substance or mixture

Combustible material, Vapors are heavier than air and may spread along floors.

Pay attention to flashback.

Forms explosive mixtures with air at ambient temperatures.

Development of hazardous combustion gases or vapors possible in the event of fire.

Fire may cause evolution of:

Sulfur oxides

### Advice for firefighters

Special protective equipment for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Further information

Cool closed containers exposed to fire with water spray. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

### SECTION 6. Accidental release measures

# Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid substance contact. Do not breathe vapors, aerosols. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

# **Environmental precautions**

Do not empty into drains. Risk of explosion.

# Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

Take up with liquid-absorbent material (e.g. Chemizorb® ). Dispose of properly. Clean up affected area.

### SECTION 7. Handling and storage

### Precautions for safe handling

Work under hood. Do not inhale substance/mixture.

Observe label precautions.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 807529 Version 1.1

Product name 1-Propanethiol for synthesis

## Conditions for safe storage, including any incompatibilities

Keep away from heat and sources of ignition. Keep container tightly closed in a dry and well-ventilated place.

Store at +15°C to +25°C (+59°F to +77°F).

## SECTION 8. Exposure controls/personal protection

### Exposure limit(s)

Ingredients

Basis Value Threshold Remarks

limits

propane-1-thiol 107-03-9

NIOSH/GUIDE Ceiling Limit Value and 0.5 ppm Ceiling Limit Value 15-min

Time Period (if 1.6 mg/m³

specified):

### **Engineering measures**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

### Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

## Hygiene measures

Change contaminated clothing. Wash hands after working with substance.

### Eye/face protection

Safety glasses

#### Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

### Other protective equipment:

Flame retardant antistatic protective clothing

## Respiratory protection

required when vapors/aerosols are generated.

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

# SECTION 9. Physical and chemical properties

Physical state liquid

Color colorless

Odor malodorous

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 807529 Version 1.1

Product name 1-Propanethiol for synthesis

Odor Threshold No information available.

pH No information available.

Melting point -113 °C

Boiling point/boiling range 153 - 154 °F (67 - 68 °C)

at 1,013 hPa

Flash point -29 °F (-34 °C)

Evaporation rate No information available.

Flammability (solid, gas) No information available.

Lower explosion limit No information available.

Upper explosion limit No information available.

Vapor pressure 560 hPa

at 122 °F (50 °C)

165 hPa

at 68 °F (20 °C)

Relative vapor density 2.62

Relative density 0.84 g/cm<sup>3</sup>

at 68 °F (20 °C)

Water solubility 1.9 g/l

at 77 °F (25 °C)

Partition coefficient: n-

octanol/water

log Pow: 1.81 (experimental)

(Lit.) Bioaccumulation is not expected (log Pow <1).

Autoignition temperature No information available.

Decomposition temperature No information available.

Viscosity, dynamic 0.399 mPa.s

at 68 °F (20 °C)

Explosive properties No information available.

## SECTION 10. Stability and reactivity

### Reactivity

Vapors may form explosive mixture with air.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 807529 Version 1.1

Product name 1-Propanethiol for synthesis

## Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

### Possibility of hazardous reactions

A risk of explosion and/or of toxic gas formation exists with the folllowing substances:

Strong oxidizing agents, strong reducing agents, Bases, Alkali metals, Alkaline earth metals,

Acids

## Conditions to avoid

Warming.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

Exposure to moisture.

### Incompatible materials

no information available

## Hazardous decomposition products

in the event of fire: See section 5.

## **SECTION 11. Toxicological information**

## Information on toxicological effects

Likely route of exposure

Inhalation, Eye contact, Skin contact

Target Organs

Eyes

Skin

Respiratory system

Central nervous system

Blood

Liver

Kidneys

Acute oral toxicity

LD50 rat: 1,790 mg/kg (RTECS)

Symptoms: Drowsiness, drowziness, Coma

absorption

Acute inhalation toxicity

LC50 rat: 23.12 mg/l; 4 h (External MSDS)

Symptoms: Convulsions

Eye irritation

rabbit

Result: Severe irritations

(RTECS)

Causes serious eye irritation.

Specific target organ systemic toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ systemic toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 807529 Version 1.1

Product name 1-Propanethiol for synthesis

Aspiration hazard

Regarding the available data the classification criteria are not fulfilled.

Carcinogenicity

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

ACGIH No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by ACGIH.

#### **Further information**

After absorption:

Systemic effects:

muscular weakness, respiratory paralysis

Other information

The following applies to mercaptans in general: offensive odor.

Further data:

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

## **SECTION 12. Ecological information**

# **Ecotoxicity**

Toxicity to daphnia and other aquatic invertebrates

EC50 Daphnia magna (Water flea): 0.04 - 0.1 mg/l; 48 h (ECOTOX Database)

# Persistence and degradability

No information available.

### Bioaccumulative potential

Partition coefficient: n-octanol/water

log Pow: 1.81 (experimental)

(Lit.) Bioaccumulation is not expected (log Pow <1).

### Mobility in soil

No information available.

Additional ecological information

Discharge into the environment must be avoided.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 807529 Version 1.1

Product name 1-Propanethiol for synthesis

## **SECTION 13. Disposal considerations**

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

## **SECTION 14. Transport information**

Land transport (DOT)

UN number UN 2402

Proper shipping name PROPANETHIOLS

Class 3
Packing group II
Environmentally hazardous ---

Air transport (IATA)

UN number UN 2402

Proper shipping name PROPANETHIOLS

Class 3
Packing group II
Environmentally hazardous -Special precautions for user no

Sea transport (IMDG)

UN number UN 2402

Proper shipping name PROPANETHIOLS

Class 3
Packing group II
Environmentally hazardous -Special precautions for user
EmS yes
F-E S-D

### **SECTION 15. Regulatory information**

### **United States of America**

# **OSHA Hazards**

Flammable Liquid

Harmful if swallowed.

Eye irritant

Target organ effects

This information is based on 29 CFR 1910.1200 criteria prior to adoption of the GHS, and may deviate from the GHS information on the label and in section 2.

# SARA 311/312 Hazards

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 807529 Version 1.1

Product name 1-Propanethiol for synthesis

Fire Hazard

Acute Health Hazard Chronic Health Hazard

#### **SARA 313**

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### **SARA 302**

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311,

Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311,

Table 117.3.

### **DEA List I**

Not listed

#### **DEA List II**

Not listed

## **US State Regulations**

### Massachusetts Right To Know

Ingredients

propane-1-thiol

## Pennsylvania Right To Know

Ingredients

propane-1-thiol

# New Jersey Right To Know

Ingredients

propane-1-thiol

## California Prop 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

#### **Notification status**

TSCA: All components of the product are listed in the TSCA-inventory.

DSL: All components of this product are on the Canadian DSL.

## **SECTION 16. Other information**

#### Training advice

Provide adequate information, instruction and training for operators.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 807529 Version 1.1

Product name 1-Propanethiol for synthesis

### Full text of H-Statements referred to under sections 2 and 3.

H225 Highly flammable liquid and vapor.

H302 Harmful if swallowed.

H319 Causes serious eye irritation. H400 Very toxic to aquatic life.

## Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Revision Date08/23/2013

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.