

prosci-inc.com





HIGH PERFORMANCE ANTIBODIES ... AND MORE

ProSci Incorporated 12170 Flint Place Poway, CA 92064

Toll Free: +1 (888) 513 9525 Local: +1 (858) 513 2638 Fax: +1 (858) 513 2692

techsupport@prosci-inc.com

IL-15 Recombinant Protein

CATALOG NUMBER: 40-422

Specifications	
SPECIES:	Murine
SOURCE SPECIES:	E. coli
SEQUENCE:	MNWIDVRYDL EKIESLIQSI HIDTTLYTDS DFHPSCKVTA MNCFLLELQV ILHEYSNMTL NETVRNVLYL ANSTLSSNKN VAESGCKECE ELEEKTFTEF LQSFIRIVQM FINTS
TESTED APPLICATIONS:	
BIOLOGICAL ACTIVITY:	The ED50 was determined by the stimulation of the proliferation of murine CTLL - 2 cells is < 5.0 ng/mL, corresponding to a specific activity of $> 2 \times 10^5$ units/mg.
Properties	
PURITY:	Greater than 98% by SDS-PAGE gel and HPLC analyses.
	Endotoxin level is less than 0.1 ng per ug (1EU/ug).
PHYSICAL STATE:	Lyophilized
STORAGE CONDITIONS:	The lyophilized IL-15 recombinant protein is stable for at least 2 years from date of receipt at -20°C. Reconstituted IL-15 is stable for at least 3 months when stored in working aliquots with a carrier protein at -20°C. As with any protein, exposing IL-15 recombinant protein to repeated freeze / thaw cycles is not recommended. When working with proteins care should be taken to keep recombinant protein at a cool and stable temperature.
Additional Info	
ALTERNATE NAMES:	IL-15, Al503618, Interleukin-15, IL-15
ACCESSION NO.:	NP_001241676.1
PROTEIN GI NO.:	363000984

Background

IL-15 is an immunomodulating cytokine that stimulates the proliferation of T lymphocytes and shares many biological properties with IL-2. IL-15 exerts its biological activites primarily on T cells. It is also essential in the development, survival and activation of NK cells. Increased expression of IL-15 has been implicated with rheumatoid arthritis, inflammatory bowl disease and diseases affiliated with retroviruses HIV and HTLV-I. Human IL-15 is biologically active on mouse cells as measured by the dose-dependent stimulation of the proliferation of mouse CTLL cells. Recombinant murine IL-15 is a 13.3 kDa protein consisting of 115 amino acid residues.

FOR RESEARCH USE ONLY